



IN THE CUSTODY OF THE BOSTON PUBLIC LIBRARY.



SHELF Nº 181.26

۷. ا



ABRIEF

HISTORY

O F

EPIDEMIC AND PESTILENTIAL DISEASES;

WITH THE

PRINCIPAL PHENOMENA OF THE PHYSICAL WORLD, WHICH PRECEDE AND ACCOMPANY THEM,

AND

OBSERVATIONS DEDUCED FROM THE FACTS STATED.

IN TWO VOLUMES.

By NOAH WEBSTER,

Author of Differtations on the English Language and several other Works—Member of the Connecticut Academy of Arts and Sciences—of the Society for the Promotion of Agriculture, Arts and Manusactures, in the State of New-York—of the American Academy of Arts and Sciences, and corresponding Member of the Historical Society in Massachusetts.

VOL. I.



HARTFORD:

PRINTED BY HUDSON & GOODWIN.

1799.

PUBLISHED ACCORDING TO ACT OF CONGRESS.]

" ¥

ADVERTISEMENT.

THE work quoted under the title of "Magdeburgh History," is a compilation of Ecclefiastical History made by several writers at Magdeburgh, and divided into centuries.

The work quoted under the title of "Hift. August." is a collection of the histories of the Roman affairs under the Emperors.

The work cited under the title of "Angl. Script," is a collection of the early historians of England.

The work cited under the title of "Germ. Script," is a collection of the ancient histories of Germany, by Pistorius.

In a few inflances, authors are cited without the page or chapter. This has arisen from the manner in which my materials were obtained—which was to transcribe passages from books wherever I found them, in public or private libraries, and sometimes, when books fell in my way by accident, without the intention of using them as authorities. The inflances however are not numerous, and the passages may generally be found with ease by the index or chronological order of the work. Since I have had it in view to publish this treatise, and especially since discovering a disposition in some persons to decry this attempt to investigate truth, by charging me with a design to collect sacts for the purpose of supporting preconceived opinions, I have been more careful to note my authorities. This must be my apology for citing so many authorities, which might otherwise appear like affectation.

CONTENTS OF THE FIRST VOLUME.

$I_{NTRODUCTION}$,		-	-		-	Pag	e v.
•	SE	CTI	ON I					
Of the diversity of opin					use c	and o	origin	of pef-
tilence	-	-	-	-	٠.		-	9.
	SE	CTIO	ON I	I.				
Historical view of pesti					the	phen	omena	in the
physical world which		_				-		
earliest accounts to the	-			_	-		-	24.
	er.	ארדיר	NT TT	r				
U: A animal minum of the A:			N II		- 41.	Cl	:0:	
Historical view of pesti		_		-		Chr	yuan	_
the year 1347,	•	•	-	-	-	•	-	65.
	SEC	CTIC	N IV	7.				
Historical view of pest.	ilentid	a! epic	lemics,	from	m th	be ye	ear 1	347 to
1500,		•	-	-	-	•	3	33.
	SEC	CTIC	N V					
Historical view of pestile					ie yec	r I	500 to	1600.
310		•	,		,			51.
	SEC	TIO	N VI	Γ.				
Historical view of pestil					the	vcar	1600	to the
close of the year 170		1	-	-	_	-		71.
				_				,
			N VI					,
Historical view of pesti		-	•		-		-	
year 1788, -	-	•		•	-	-	2	216.
\$	SEC	TIOI	N VI	II.				
Historical view of pest	ilentie	al epic	lemics j	from	the :	year	1788	to the
year 1799, including		-	-		_		-	83.
-		-		-				

ERRORS.

FAGE 37, line 9, from bottom, read ficcitate.

44, line 10, read metu.

76, line 16, read Lampridius.

87, line 3, from bottom, after cold, place a comma.

104, line 22, read deacon.

106, line 2, read inguinaria.
156, line 9, read Alemar; also in page 174, line 12
169, line 4, from bottom, read Penrith.
204, line 18, after petechial, read fever.

241, line 3, read 1750.

260, line 18, for of read or.

IN page 255 a fact is stated which contradicts the statement respecting the planet Mars in page 241. There is an error in one of the statements; and I leave astronomers to determin by calculations which of the authorities, Ames' Almanac for 1750, or the Annual Register, is wrong. The error is not material to my subject. The only question of consequence, is, whether the near approach of Mars had any influence, in producing the extreme heat of 1749 and 1766-a question ! pretend not to determin.

INTRODUCTION.

A PUBLICATION on the subject of diseases, from the pen of a man who has never before turned his attention to medical science or to chymistry, is a circumstance, which, if it does not require an apology, demands at least an explanation.

The prevalence of the catarrh, commonly called influenza, in the years 1789 and 90, first awakened my curiosity on the subject of epidemic diseases. A journey which I made in October 1789, from Hartford to Boston; and another in March 1790 from Hartford to Albany; led me to observe the progressiveness of that disease, with its other phenomena.

The appearance of the scarlatina anginosa in 1793 revived my curiosity, and a similar circumstance, a journey from Hartford to New-York in April of that year, led me to observe a progression in that disease from West to East. A slight attack which my own children suffered, in May following, together with a similar attack of many other children in Hartford, and its more violent effects some months after, convinced me that the epidemic was progressive in malignancy, as well as in regard to place.

Had no other epidemic appeared, my curiofity would probably have subsided and been extinguished. The malignant sever in New-York in 1791, had excited alarm in that city, and was a

fubject of notice in Hartford where I then refided; but no idea had been conceived, that it was connected with a pestilential state of the air, in the United States, which was afterwards to produce more serious and general calamities.

In autumn 1793 however that pestilential state of air arrived to its criss in Philadelphia, where the mortality occasioned by the yellow sever, spread destruction and dismay, from August to November. The fatality of the disease spread consternation thro the United States, and excited apprehensions in Europe.

No American citizen could be indifferent to the prevalence of this disease in his own country. Still it was conceived that the distemper might have been produced from imported infection, and that a more rigid execution of the laws relating to quarantine, might prevent a repetition of the calamity. Here rested apprehension and enquiry.

But this tranquillity was of short duration. The appearance of the same disease in New-Haven in 1794, and in New-York, Baltimore and Norfolk in 1795, revived my curiosity, with double zeal to search out the causes of these phenomena, so unusual in this country. The sacts which had come to my knowledge, relating to the origin and propagation of this disease, led me to suspect the common theory of insection to be ill-sounded. But as a preliminary to all other enquiries, it appeared necessary to settle the controversy relative to the imported or domestic sources of the distemper; for without a decision of this question, legislative and police-regulations, for preventing a return of the

evil, or mitigating its feverity, would probably be fruitless. The question appeared to be extremely important, and the differences of opinion on the subject, among medical gentlemen, seemed to preclude the possibility of a decision among them, that should silence doubts in the public mind.

In this fituation of the controversy, I resolved to make an effort to obtain evidence which might decide the point, in one way or the other; and as facts only can be relied on as a fure basis of principles and theory, I determined to make a collection of facts, from all parts of the United States, where the yellow fever, or other malignant fevers had prevailed, during the preceding years. For this purpose, on the 31st of October 1795, I addressed a circular letter to the physicians of Philadelphia, New-York, Baltimore, Norfolk, New-Haven, and in general, throughout the United States, requesting them to communicate to me whatever facts had come within their observation, which could throw light on the question of the foreign or domestic origin of the yellow fever. In consequence of which I received a number of communications, which were published in 1796, and to which is prefixed my circular letter.

These communications, tho less numerous and satisfactory than were desirable, united with a multitude of facts within my own observation, convinced me of the fallacy of the vulgar opinion, respecting the origin of the yellow sever in the United States, from imported sources. I sound repeatedly that the reports of persons taken ill, in consequence of intercourse with vessels from the

West-Indies, or with diseased seamen, infected cotton or clothing, or the like causes, were mere idle tales, raised by the ignorant or interested, and wholly unsupported by evidence. Scarcely an instance could be found, in which the evidence of the propagation of disease, from imported insection, was sufficient to render the fact even probable.

On the other hand, the evidence of the origination of the difease in New-York, Baltimore, Norfolk, Newburyport, Boston and Charleston, appeared to be clear-and satisfactory. In most of those places, the sact has never been questioned.

When the same disease appeared in Philadelphia in 1797; the question of importation or domestic origin, again agitated the faculty and the public. The revival of the discussion, and particularly, certain publications of Dr. William Currie, in the Philadelphia prints, called forth my exertions to unite opinions and save the citizens of this country from the distraction of measures, which must necessarily so low a division of opinions. I considered and still consider the question as resting principally on fact, and not on medical skill; therefore proper to be investigated and discussed by any man who has leisure and means, as well as by physicians.

These considerations gave rise to the observations which I addressed to Dr. Currie, thro the medium of the public papers, in the months of October, November and December 1797. The design of these observations was originally limited to the purpose of proving the yellow sever of our country to be generated by local and domestic causes, by laying together the sacts which I had collected from

various parts of the United States, without any intention of examining the history and phenomena of pestilential diseases in other countries, and other periods of the world.

In pursuing this object however, I was led infenfibly to examin all the books I could find, on the fubject of the plague; and the fubject being new, I found too much pleasure in prosecuting it, readily to abandon the pursuit. Facts which were new to me were daily presenting themselves to my mind; and after three months investigation, I was persuaded that those facts are of too much importance to philosophy, to medicin and to human happiness, not to merit publication. Such is the origin of the present treatise.

When I began my enquiries into the origin of the yellow fever, in 1795, I had no preconceived fystem to maintain. My view was to collect facts and from them to deduce TRUTH. It is not my intention to advance theory over fact; but as far as just philosophy and found logic will permit, draw theory from facts, and if possible, by fair reasoning, from the uniform operations of nature, to arrive at fixed principles. If conjectures should in any instance be advanced, they will be offered as such, and not as the basis of practice.

As there is a difference of opinion in regard to the causes of the plague, and other pestilential diseases, as well as in regard to the identity of the yellow sever and plague, I shall define my manner of using certain terms, which will often occur in the following work. That pestilential disease which usually, in the Levant, produces swellings in the glands, as buboes, I shall call the glandular or inguinal plague.

The pestilential disease which has afflicted some of the cities in America, and is usually called yellow fever, I shall denominate, the bilious or American plague.

In the Levant plague, fwellings in the groin, in the arm-pits, and behind the ears, do not, in every case, appear; but they are the general distinguishing marks of the true pestis or plague.

In the yellow fever, the skin is not, in every case, marked by a yellow color; but it is generally the fact, and therefore this form of pestilence may very well take its denomination from that circumstance of its bilious appearance.

Whether these are disease specifically distinct, or only the same disease varied and modified by climate, season or other circumstances, is a question that belongs to the faculty. It is sufficient for my purpose to observe, that in most of the symptoms, they agree—that they are pestilential and greatly to be dreaded by mankind. I shall therefore treat them as different forms of the same disease. There may be some cause for believing that the moisture of a country, abounding with woods, and marshy grounds, may occasion the difference in the color of bodies which fall victims to pestilence.

The words infection and contagion, are used by medical writers and in popular custom, as synonymous, and their etymologies warrant the practice. But I conceive there are distinctions in this quality or power of diseases, of communicating themselves

by contact or near approach, which require to have each its appropriate language.

That quality of a disease which communicates it from a sick to a well person, on simply inhaling the breath or essential from the person of the diseased, at any time and in any place, may be called specific contagion. Such is the contagion of the small-pox and the measses, which are therefore called contagious diseases.

That quality of a difease which, tho insalutary will not communicate it, without the aid of other causes, as warm weather, or peculiar situation and habit of body, and which requires the healthful person to be a considerable time, under its influence, to give it effect, may be called infection. Such is the quality of the plague, in all its forms, dyfentery, and all typhus fevers. It may perhaps be possible for the essluvia of those who have these diseases, to be so concentrated and virulent, as to communicate them to a person in health, by a fingle inspiration of air into the lungs. But if such can be the case in any instance, it is not the ordinary state of those diseases. Even in the plague, many attendants on the fick never receive the difeafe at all; and in most cases, healthful persons may, for hours, breathe the air of the rooms where the patients are, without any injury.

Hence infection is capable of all degrees of activity and force, from a flight impurity of air, which affects no perfon in health, to that virulent state of air, which will produce vomiting in a perfon suddenly exposed to it. Infection is usually rendered inactive by severe cold; specific contagion is

never destroyed, but often rendered more active by cold. Hence the winter in northern latitudes usually puts an end to the plague, but makes no favorable alteration in the small-pox. There are some exceptions to this remark, as it regards the plague, which will be noticed in the following work.

These distinctions, which will appear, in the course of this treatise to be well founded, have never been defined or used by European physicians, so far as my information extends; and to the want of them, are to be ascribed many errors and absurdities in opinion, as well as warm controversies in regard to the contagion of the plague.

That state of our atmosphere which produces disease, or disposes the body to disease, independent of other causes, I call general or primary contagion. Synonymous with these phrases, will be used a pestilential state or constitution of the air.

The word pestilence may be used as synonymous with plague; or as expressing all kinds of contagious and infectious epidemics. I have used it in both senses; and often to express an idea of that series of epidemics which are closely connected with the plague.

Whether these distinctions are just or not, is not very material; it is sufficient that they will express my ideas in the following treatise.

SECTION I.

Of the diversity of opinions respecting the cause and origin of pestilence.

FROM the date of the earliest historical records, the opinions of men have been divided on the subject of the causes and origin of pestilential diseases. All enquiries of the philosopher and the physician have hitherto been bassled, and investigations, often repeated, have ended without leading to satisfactory conclusions.

In the history of opinions on this mysterious subject, there is a remarkable distinction between the ancients and moderns. The ancients derived most of their knowledge and science from perfonal observation, as they had very few books and little aid from the improvements of their predeceffors. The philosophers of antiquity, attentive to changes in the feafons and to the revolutions of the heavenly bodies, attempted to trace peftilential diseases to extraordinary vicissitudes in the weather, and to the aspects of the planets. Modern philosophers and physicians, on the other hand, unable to account for pestilence on the principle of extraordinary feafons, and disdaining to admit the influence of the planets to be the cause, have resorted to invisible animalculæ, and to infection concealed in bales of goods or old clothes, transported from Egypt or Constantinople, and let loofe, at certain periods, to scourge mankind and desolate the earth.

In both periods of the world, the common mass of people, usually ignorant and always inclined to believe in the marvellous,

have cut the Gordian knot of difficulty, by ascribing pestilence to the immediate exercise of divine power; under the impression that the plague is one of the judgments which God, in his wrath, inslicts on mankind to punish them for their iniquities.

Without deciding on the comparative merit of these respective opinions, it is sufficient to observe, that they are all probably incorrect; and those of the philosophers, altogether inadequate to explain the origin of pestilential Epidemics.

It may however be of use to insert, in this place, the explanations of the cause of pestilence, given by some of the principal writers on the subject.

Hippocrates, the father of medical science, and a man of very acute observation, considered pestilence as the essect of particular seasons and winds. A pestilential state or constitution of air he describes, as occasioned by a continuation of southerly winds, and a warm, humid, clouded atmosphere.

De morbis vulgaribus, lib. 3.

Galen followed the same theory. He says that pestilent diseases arise from a putridity of the air; and in another place, a cali state, from the state of the air or weather.

p. 627, in Hippoc.—

It will at once occur to an intelligent reader, that a particular description of weather, producing pestilence, must be principally calculated for a particular country or latitude. The state of seasons which Hippocrates calls pestilential, is evidently calculated to produce or augment autumnal diseases in temperate latitudes; and is precisely the state of weather which existed in the United States in 1795, when the bilious plague prevailed in the cities of New-York, Baltimore and Norsolk. But it does not correspond with the season in 1793, when the same disease raged in Philadelphia; for that was excessively dry, nor with the summer of 1797, which was temperate, in respect to heat, cold and moisture.

Hippocrates indeed feems to have been aware that the feafons alone were not fufficient to account for peffilence, for he fpeaks of to their, fome divine principle in the air, by which modern

writers of celebrity suppose to be intended what is now called an *epidemic constitution*, resulting from changes in the atmosphere produced by unknown causes. Aristotle prob. 1. relates that a hot and dry south wind will produce pestilence.

The philosophical warrior and historian, Ammianus Marcellinus, after mentioning a plague which broke out in Amida, a city of Persia, when besieged by Sapor A. D. 359, from the corruption of numerous dead bodies which lay unburied in the streets, proceeds to unfold the causes of pestilential distempers, in the following manner.

- "Philosophers and eminent physicians have taught that pestilence is produced by excess of heat or cold, of drouth or moisture. Whence it is that those who live near wet and marshy places are subject to coughs, diseases of the eyes and the like. Those, on the other hand, who reside where the heat is great, are troubled with febrile complaints; and in proportion as the matter of sire is more active, drouth is more rapid in destroying life. Hence, during the war of ten years in Grecce, this species of disease prevailed, and it was said that men perished by the weapons of Apollo, by which was supposed to be meant, the heat of the sun. And, according to Thucydides, the mortality among the Athenians, in the beginning of the Peloponnesian war, was occasioned by an acute disease, which proceeded from the fervid regions of Ethiopia, and gradually extended to Attica.
- "Others are of opinion that air, like water, vitiated by the effluvia of dead bodies, or fimilar substances, is deprived of its falubrity; or at least that a sudden change of air will produce the more slight complaints. Some also affirm that the air, rendered gross by a denser vapor from the earth, closing the pores of the body and checking perspiration, becomes fatal to the lives of some; for which reason, other animals than man, which are continually bending towards the earth, are the farst victims to pestilence, as Homer testifies, and which is proved by many examples, during the prevalence of pestilential diseases.
- "The first species of plague is called pandemic, and this afflicts most severely those who are subject to excessive heat, in hot regions. The second is denominated epidemic, which when

it rages, obscures the fight and excites dangerous humors. The third Lamodes, which is temporary, but produces sudden death."

Lib. 10.

The historian has here explained the causes of ordinary diseases, occasioned by extremes of weather, marsh effluvia, vitiated air, and the direct action of violent heat, or stroke of the sun. No person will dispute the justness of his remarks, for the same causes, at this day, produce the same effects. But the causes assigned are not adequate to all the effects, which we wish to explain. They do not uniformly occasion pestilence; and on the other hand, pestilence sometimes rages without the influence of those causes.

Ætius, an eminent physician, about the close of the 5th century, compiled the opinions and methods of cure practifed by the most celebrated of his predecessors. In this compilation, entitled "Tetrabibios," chap. ix. we find the following paragraph on the subject of Epidemic diseases.

- "Those are called popular or epidemic diseases, which spring from a common cause, as bad food or water, immoderate grief or want of customary exercise, hunger or repletion, especially when abundance succeeds extreme want. But the nature of the country often causes epidemic diseases: the air we breathe being vitiated by the evaporation from putrid substances. These substances are multitudes of dead bodies after battles, marshes or stagnant water in the vicinity, which emit poisonous and fetid vapours.—This cause is in continual operation. And the air which surrounds us, always changes its temperament, when it becomes immoderately hot or cold, dry or humid. To other causes we are not all equally exposed, nor at all times; but the circumambient air, when we are abroad, surrounds us all alike, and is inhaled with the breath.
- "Sometimes the furrounding air, becoming unufually humid and hot, induces a peffilential conflitution; and as humors, tending to putrefaction, are collected in the body by eating unwholesome sood, this air becomes the source of a pestilential sever. Therefore if a person takes moderate exercise, and is

temperate and regular in his diet [victu modesto ac castigato] he wholly escapes all affections of this kind."

Such were the opinions of the physicians and philosophers of antiquity. No distinction appears to have been made by them, between the plague and other pestilential diseases. All were ascribed to the same causes.

At what time the distinction between Pestis and Pestilentia was first made, has not occur d to my enquiries. But I find it in the writings of Protper Alpinus, a Venetian physician, who wrote about the close of the 16th century, and who had been, for some years, a practitioner in Egypt. This author maintains that peffilent fevers are occasioned by local causes, as vitiated air, and by peculiarities of feafon, as extreme heat and humidity. But he afferts that the plague in Egypt rarely proceeds from corrupted air, and never, except after an unufual overflowing of the Nile, when that river has exceeded its common bounds. He contends that if this difease was produced by noxious exhalations from putrid and stagnant water, and marshy places, it would occur every year. He therefore concludes for certain that the plague is usually imported from Greece, Syria, Barbary, or Turkey. " Plerumque igitur id genus morbi ibi contagio ex aliis locis asportari folet." The contagion of the plague is usually imported from other countries.

Rerum. Egypt. vol. 2, p. 73, vol. 3, 61, and vol. 4, 299.

The fame author afferts that the plague brought from Barbary is more malignant and of longer duration, than when brought from Greece or Syria.

Diemerbroeck, an eminent Dutch physician of the last century, has recorded an account of a violent plague in Nemueguen in 1636, and subjoined to it the best treatise on the origin of that discase, which I have been able to find, tho in one or two particulars, his ideas are very inaccurate. This author, whose treatise, I am surprised to find, is little known in this country, assigns three causes of the pestis or true plague. First, the just anger of heaven, provoked by the exhalations from the sinks of our sins and abominable deeds. Secondly, a most malignant, poisonous, and to human nature, deadly pestilent germ, [semi-

narium,] like a fubtle fermentum or leaven, fent from heaven, in a very small quantity, disfusing itself through the air like a subtle gas, and rendering it impure. This gas, he supposes to spread over many regions its numerous particles, and to impress on the air an infection like poison, which often affects not only many persons, but almost the whole world.

However whimfical we may think this author's explanation of the pestilent principle; that some such general cause exists in the atmosphere, at certain periods, will be rendered very probable, if not certain, by the sacts hereafter to be related.

The "feminarium e cœlo demissum" of Diemerbroeck seems to be the to theion of Hippocrates. In what the essence of this principle consists, is not known; but there must be an alteration in the chymical properties of the atmosphere to solve the difficulties that attend our inquiries into the cause of pestilence.—

That this alteration is the essect of a poison, "e cœlo demissum," is an hypothesis unsupported by sacts and wholly incredible.

The third cause of pestilence, mentioned by this author, is insection.

Diemerbroeck also maintains the distinction between pessis and pessilentia. The latter is supposed to proceed from soul exhalations, intemperate seasons and the like. But the plague, he contends, cannot be occasioned by those causes, tho these may aid the seminarium or general cause.

Van Helmont, a Flemish writer of some celebrity, in the last century, maintains that the plague cannot be ascribed to the "importunate and unseasonable changes of times, nor to putresaction;" that the "poison of the plague is a far secret one from any other;" that the "matter of that disease is a wild spirit tinged with poison, exhaling from a diseased person, or drawn inwards from a gas of the earth putrissed by continuance, and receiving internally an appropriate serment, and by degrees attaining a pestilent poison in us." "The remote, crude and sirst occasional matter of the pestilence, is an air putrissed thro' continuance, or rather a hoary putrissed gas, which putresaction of the air, hath not the 8200th part of its seminal body." This explanation seems to be hardly intelligible.

Works, Lond. Edit. 1662, p. 1085, 1090, 1102, 1125.

This author contends that "the peft is not fent down from heaven, but that popular plagues do draw their first occasional matter from an earthquake, and from the consequences of camps and sieges."

p. 1125.

Hodges, who wrote a treatife on the great plague in London in 1665, observes that the air suffers some essential alteration which is necessary to savor the propagation of pessilence. The nitro-aerial principle, which causes or invigorates vegetable and animal life, sometimes becomes imperfect, degenerate or corrupt, being tainted with something pernicious to vitality. He calls it poisonous, and observes that it proves injurious to trees and cattle, as well as to man. He supposes the corrupting principle to be a subtle aura or vapor extricated from the bowels of the earth. To this cause also he ascribes the death of sish during periods of pessilence. At the same time he contends that the insecting principle is generated in Africa or Asia, and conveyed to other countries. The seat of the disease he supposes to be in the animal spirits.

Van Swieten maintains that the cause of Epidemics is in the hidden qualities of the air, and inexplicable. He supposes it not impossible that exhalations in earthquakes may augment or lessen the deleterious quality of the air in pestilence.

Com. vol. 16, 47.

Sydenham not only agrees with Diemerbroeck, Van Swieten, and others, in ascribing pestilence to occult qualities in the air, but has entered into the subject of explaining the peculiar symptoms of diseases by the influence of an Epidemic constitution of the air. His occult qualities have been ridiculed by later physicians, and so far as his theory, in this respect, has been neglected, the science of medicin has degenerated. If I mistake not, it can be made evident, that one of the most important, as well as most difficult branches of medical science, is to ascertain the effect of the reigning constitution of air, on prevailing diseases, and to apply that knowledge to the cure of those diseases.

Dr. Mead's treatise on the plague has been much admired and celebrated; yet I will affert, that next to the "Traitè de

la peste," a treatise in quarto on the plague of Marseilles, published by royal permission, it is the weakest and least valuable performance on that subject now extant. The author acknowledges he had never seen the disease of which he wrote; and therefore must have formed his opinions on the observations of others.

His essay is intended to demonstrate that the plague is propagated by specific contagion only, and he attempts to prove that this disease, like the small-pox and measles, has been bred in Egypt or Ethiopia, and thence propagated and entailed on Europe.

Works, p. 242 & 3.

In support of this theory he even goes so far as to call in question the unanimous testimony of historians, who relate that the terrible plague of 1347, 8, 9, and 50, began in Cathay, China. In opposition to which he "questions not," that that pestilence originated in Egypt. He alledges that we must seek the cause of plague in Egypt and no where else.

p. 246.

He ascribes the plague to the putrefaction of animal substances and unscasonable moisture, heats and want of winds; but says "no kind of putrefaction in European countries is ever heightened to a degree capable of producing the true plague."

p. 247 & 8.

This author assigns three causes of plague. 1st. Diseased persons: 2d. goods transported from insected places: 3d. a corrupted state of air.

p. 25c.

He thinks the causes mentioned so obvious that he wonders at authors who refort to hidden qualities, such as malignant influences of the heavens, arsenical, bituminous or other mineral effection, with the like imaginary or uncertain agents.

p. 249.

He does not however deny all latent disorders in the air, but considers them as secondary causes only, increasing and promoting the disease when once bred, but he thinks insection to be the means of its propagation. In this he differs widely from Diemerbrocck who utterly denies that the disease is originally derived from insection, although he agrees that it may be afterwards communicated from person to person by contact or near

approach. Diemerbroeck also maintains the latent qualities of the air to be the *principal* cause of the plague; or cause *sine qua non*—a point which the sacts to be hereafter detailed will most clearly demonstrate.

Dr. Mead fays, " the plague is never originally bred with us, but is always brought accidentally from abroad."

p. 261.

The same opinion is afferted most positively in James' Medical Dictionary, and in most modern publications on the subject. The compilers of the Encyclopedia say, "the plague, as is generally agreed, is never bred or propagated in Britain, but always imported from abroad, especially from the Levant, Lesser Asia or Egypt where it is very common." Such also was the opinion of the celebrated Cullen.

Encyclop. art. plague and medicine no. 221.

The following fentence in Dr. Mead is very exceptionable, as it is calculated to check a fpirit of free enquiry—a fpirit to which mankind are greatly indebted for improvements in science.

"It may be justly centured in those writers that they should undertake to determine the specific nature of these fecret changes and alterations which we have no means at all of discovering," alluding to changes in the air.

p. 249.

In opposition to all these great authorities, it will probably be proved, that the plague generally, if not always originates, in the country where it exists as an epidemic. The common opinion of the propagation of pestilence solely by insection, has had a most calamitous effect on medicin and on human happiness. It has prevented the researches of acute modern philosophers and physicians, who might have been able, by diligence and a comprehensive view of the subject, to trace pestilence to its real causes, and to suggest the true means of avoiding this terrible scourge.

Thompson who travelled in Egypt about the year 1734, and whose account of that country has not been mended by modern travellers, observes, "The coming and going of the plague are two things not easily to be accounted for, notwithstanding we

are assured of the sacts in a most unquestionable manner. That the infection is propagated in the air, and thereby transferred from place to place, seems to be a matter out of dispute; but how it is generated therein, we are much at a loss to determine." He proceeds to state, like many others, "that the plague is generally brought into Egypt from Constantinople or by Caravans from the southern countries." And on the whole he thinks it rarely generated in that country.

Travels, vol. 2, p. 194 & 5.

In the Monthly Review vol. 33, there is an account of the plague in Constantinople, by Dr. Mackenzie, in which are some passages worthy of notice. After afferting his opinion that this distemper can be communicated only by the touch or near approach, he adds, "that both here and at Smyrna, the plague breaks out, in some years, when it is not possible to trace whence it is conveyed." He supposes the disease to proceed from "venomous moleculæ lodged in wool, cotton, hair, leather and skins," in houses not well cleansed after pestilence; but that the plague from this source is not so fatal as when it comes from abroad. The air he thinks no otherwise concerned in producing the disease, than as "a vehicle to convey the venomous particles from one body to another."

Dr. Chandler, in his account of a plague in Smyrna, has nearly the fame idea, as Mackenzie, with respect to the origin of the disease. He says "the plague might perhaps be truly defined, a disease arising from certain animalculæ, probably invisible, which burrow and form their nidus in the human body. These whether generated in Egypt or elsewhere, subsist always in some places suited to their nature. They are imported almost annually into Smyrna, and this species is commonly destroyed by intense heat. They are least satal at the beginning and latter end of the season. If they arrive early in the spring, they are weak; but gather strength, multiply and then perish. The porces of the skin, opened by the weather, readily admit them."

Baron de Tott in his memoirs observes "The researches I have carefully made concerning the plague, which I once believed to originate in Egypt, have convinced me, that it would not be so much as known there, were not the seeds of it conveyed

thither by the commercial intercourse between Constantinople and Alexandria. It is in this last city that it always begins to appear. It rarely reaches Cairo, though no precaution is taken to prevent it; and when it does, it is presently extirpated by the heats, and prevented from arriving as far as the Said. It is likewise well known that the penetrating dews, which fall in Egypt about midsummer, destroy, even in Alexandria, all remains of this distemper."

Vol. 4. page 70.

In vol. 1, p. 38 he fays, "that the refearches into the nature of this distemper have only produced opinions which are felf-contradictory or unsupported by facts."—"There is no distinctly with respect to the causes which preserve and propagate it. Both the one and the other may be referred to the dealers in old clothes in Constantinople."

Du Pauw, in his Philosophical Differtations on the Egyptians and Chinese, speaks of the plague as a disease of Egypt; and supposes the plague at Vienna in 1680, to have been imported from that country.—" Egypt is the hot bed of the plague—this disorder is not produced by samin—by exact annotations continued during twenty-eight years, we find that it raged five times, without being preceded by any scarcity of food, and contrary to what I once suspected, unrestricted to a periodical course."

Vol. 1. p. 87, 89.

Savary alledges, in opposition to the last mentioned author, that the pestilence is not native in Egypt, and that he consulted Egyptians and physicians who had lived there 20 years, who informed him that the plague was brought thither by the Turks. He supposes Constantinople to be now the residence of this dreadful affliction, which is preserved in existence by means of old clothes, which, after a plague has ceased, are distributed and sold very low by the Jews, and thus the disease is propagated.

Dr. Alexander Russel has given an account of the plague in Aleppo in 1742 and 3, and endeavored to ascertain from what quarter the disease originated and invaded that city. He seems to think, it always appears first at Tripoli, Sidon, or on the Sea Coast. It was asserted that the great plague of 1719 came from the northward; but as this sact does not suit his theory, he, like

Dr. Mead, in the case before mentioned, gives no credit to the affertion, but adheres to his opinion that all plagues originate in Egypt.—At the same time he is puzzled to trace the disease, in any instance, to that country.

See his hift, of Aleppo.

Dr. Patrick Ruffel has published a quarto volume on the plague of Aleppo in 1760, and the subject of quarantine. In this work, he has preserved a number of important facts, but without understanding the subject sufficiently to apply them to useful purposes. All his theory and practical remarks are founded on the vulgar supposition of the origin of that disease in one or two cities only, and its propagation by specific contagion—a supposition totally unfounded; his treatise of course will be found of little value, in this respect.

Mr. Volney, with all his philosophy and feveral months refidence in Egypt, furnishes no additional light, on the subject of the origin of pestilence. He fays, " some persons have attempted to establish an opinion, that the plague originates in Egypt; but this supposition, founded on vague prejudices, seems to be disproved by facts." This is an extraordinary affertion for a man who has the character of a philosopher. And on what authority does it rest? Simply on the declaration of European Merchants who have been fettled for many years at Alexandria, and of the Egyptians, who say that the disease first appears in Alexandria, and that it is invariably preceded by an arrival from Smyr-Therefore this philosopher concludes, na or Constantinople. 44 that the discase certainly originates from Constantinople, where it is perpetuated by the abfurd negligence of the Turks, who publicly fell the effects of persons who die of that distemper." Here we have another great man ascribing this vast effect, an epidemic pellilence, to fo trifling a cause, as infection preserved in furs, woolens, and old clothes!

What is still more astonishing, the same author adopts the ideas of the Egyptians, which Prosper Alpinus had adopted before him and which he has evidently copied from Alpinus, that a plague coming from one country is less malignant than when it comes from another, as tho there could be a difference in the specific contagion of the disease, when produced in different coun-

tries. Volney fays "when brought from the Archipelago, or even from Damietta, into the harbours of Latakia, Saide or Acre, it will not spread; it rather chuses preliminary circumstances, and a more complex route; but when it passes directly from Cairo to Damascus, all Syria is sure to be infected."

Travels in Egypt and Syria vol. 1. 253. et feq.

It is really furprifing that, if the fact is well evidenced, that a plague proceeding from one country is more malignant than one proceeding from another, men of extensive erudition and observation should not undertake to assign some rational cause for the phenomenon, rather than to propagate the vulgar tales and opinions of the Egyptians.

From this lengthy statement of opinions in regard to the origin and causes of pestilence; opinions weak, contradictory, abfurd or inaccurate, what conclusion shall be drawn. This, most evidently, that the subject is not understood. Perhaps it never will be understood. But surely a subject so interesting to the life and happiness of man, deserves most critical and laborious enquiry. A subject which concerns the lives of millions of the human race ought not to be abandoned by the man of science, until every effort to find the truth shall have been exhausted. Yet strange as it may appear, even a history of pestilence that all devouring scourge which has swept away a large portion of the human race in every age, is yet a desideratum in our libraries.

To supply in part this defect, and to stimulate surther researches into the origin of this frequent and formidable calamity, I will recite such historical accounts of the plague, as an imperfect examination of authors has enabled me to collect. And as the most accurate observers of the operations of nature, have suggested the probability that pestilential epidemics are caused by some occult qualities in the air, or by vapor from the internal parts of the earth, or by planetary influence, it is absolutely necessary to enquire how far such suggestions are supported by sacts. For this purpose, I shall note, as I proceed, any extraordinary occurrence or phenomena in the physical world, as earthquakes, eruptions of volcanoes, appearance of comets, violent tempests, unusual seasons, and other singular events and circumstances, which may appear to be connected with pesti-

lence, either as cause or effect, or as the effect of a common cause.

The refult of this process will probably be a resultation of some of the foregoing opinions, and the establishment of such as are more rational and philosophical.

It is proper however to premife, that this investigation, which has been pursued but a few months only, amidst other occupations, has been subjected to inconveniences peculiar to the United States. No man can find in this country all the books necessary for a complete examination of a historical or scientisic subject. The public libraries in New-York and New-Haven, tho very valuable, are desciont. Those of Harvard College and Philadelphia, are more extensive, but incomplete. I have examined them all, tho in some of them I could spend but little time; yet in none of them could I find all the authorities which it was my wish and intention to consult.

It is further to be premised, that I have, as far as it could be done, resorted to original historians for my facts and authorities. This is certainly the only safe method for a compiler; but in the United States, it cannot be pursued with complete success, for want of the original writers of the local histories of countries. Most of the Greek and Roman authors are to be obtained in our public or private libraries; but some of the best historians of Italy, Germany, the Baltic nations and Spain, who have lived within the last sour or sive centuries, are not to be found; others are in the original languages, which I do not understand.

As to the modern historical compilations in my native language, they are almost useless on this subject. The most able and celebrated of them, Hume, Robertson, Smollet, Rapin and Gibbon, have passed over most of the plagues which have desolated cities and countries, without notice, or with some general remarks which afford little light on the subject of their origin.

Most modern writers appear to think everything beneath their notice, except war and political intrigues. They detail, with difgusting minuteness, whatever relates to the destruction or annoyance of mankind by the ambition of princes and demagogues;

while they omit or flightly mention whatever regards the civil and domestic economy, the private manners and habits, the arts, the health, and the social happiness of nations. To this description, Dr. Henry's History of England, is an exception.

Nor have modern travellers furnished us with many valuable materials to supply the defects of our histories. They pass from country to country; examin and describe a sew external objects, such as cities, buildings, paintings and statues, but leave more useful subjects unexamined, and return home with a book of vulgar tales and errors.

In respect to useful history, the ancient authors have the preference over the modern. Modern compilers appear to have written for same or for money, rather than for the sake of unfolding and disfusing truth. Hence they have principally attended to those animated periods of the world, which were distinguished for great achievments; or those prominent events, a description of which would interest the passions of their readers: Or they have selected for description such parts of the history of nations as would enable them to adorn their works with an elevated style; omitting a multitude of subordinate sacts, as below the dignity of history. Others appear to have undertaken historical compilation, solely or principally to support some preconceived system of government or religion; and have studied to bend the evidence of sacts, to the accomplishment of that purpose.

These observations have arisen out of my enquiries, relative to pestilential diseases. I have discovered that many of the histories or rather abridgements and compilations which are almost the only authorities consulted by American readers in general, are very incomplete; and no man who relies on them only, and neglects original writers, can acquire an accurate and comprehensive knowledge of history.

SEC'TION II.

Historical view of pestilential epidemics, and the phenomena in the physical world, which precede, attend or follow them, from the earliest accounts, to the Christian era.

T is an agreed point that the five books of Moses are the most ancient authentic history now extant. In the very thresh-hold of this genuine history, we meet with accounts of the plague in Egypt. In the fifth chapter of Exodus, the pestilence is mentioned as a formidable calamity.

It is remarkable, that throughout the history of the Jews, and in the prophets, pessilence, famin and the fword are often mentioned in connection with each other, and described as the most dreadful calamities that can befal mankind. It will probably appear that famin and pestilential diseases do at times reciprocally produce each other, and that war not unfrequently occasions both. But there is ground to believe that famin and pestilence are usually the effects of one common cause. In the Bible, as in other ancient writings, no distinction is made between general pestilence which spreads over whole countries, and those autumnal epidemics, which are evidently produced by powerful local causes. There are however many passages in scripture that corroborate the principles respecting pestilence, which are still observed, and which doubtless depend on established laws of nature.

When David was funmoned to receive his punishment for numbering the children of Ifracl, he was permitted to clect one of the three calamities, famin, the fword or postilence. For a pious reason, he preferred postilence, and seventy thousand of his subjects perished.

The prophets Jeremiah and Ezekiel, in their denunciations, speak often of these three judgments, and in a way that authorizes the opinion, that they considered them all to be closely connected. It is however remarkable that pestilence is every where mentioned as the peculiar scourge of cities.

In the 21st chapter of Jeremiah, the siege of Jerusalem is foretold. "I will smite the inhabitants of this city, both man and beast; they shall die with a great pessilence. He that abideth in this city, shall die by the sword, by the famin and by the pessilence; but he that goeth out, and falleth to the Chaldeans that besiege you, he shall live, and his life shall be to him for a prey."

Ezekiel v. 12. declares that a third part of the inhabitants of Jerusalem shall die by pestilence. This is a proportion which is not uncommon, in violent plagues. In the seventh chapter, the same prophet says, "The sword is without, and the pestilence and samin within; he that is in the field, shall die with the sword; and he that is in the city, samin and pestilence skall devour him."

Another passage in the same prophet deserves notice. Chap. xxxiii, it is said, "Thus saith the Lord, as I live, surely they that are in the wastes shall fall by the sword, and him that is in the open field will I give to the beasts to be devoured, and they that be in the forts and the caves shall die of the pestilence."

In these passages, we have proof that in the time of these prophets, it was considered as a well known sact, that pestilential diseases are the essect of crouded propulation, raging peculiarly in cities, forts and other consined places. No evidence appears, in these early records, that the ancients, who lived in countries subject to plague, and near to Egypt, had any idea of the conveyance of the distemper som place to place by insection. It was considered as a judgment of heaven; and piety still recognizes this idea; to which, in a moral and religious view, there can be no objection. But philosophy endeavors to trace the hand of heaven through the medium of second causes; and the sacts re-

corded of pestilence in scripture, lend their aid to accomplish the object.

In I Samuel v. and vi. we have an account of the pestilence among the Philistines, inflicted on them as a punishment for taking the ark from the Jews, in which fifty thousand of the inhabitants of Beth-shemesh perished. This plague is called emerods and a deadly defirution. This passage is noted on account of the specification of the time of the year, when the disease pre-It is faid, the ark was in the country of the Philistines feven months, and was returned, during wheat-harvest, soon after which it is understood, the plague ceased. Now wheat harvest, in Syria, is in May; and it may be supposed, the pestilence was most violent in the period next preceding that time, viz. April, or during the month of May, for it was the feverity of the difeafe which induced them to fend back the ark .- This account corresponds with the modern course of pestilence in that country. It appears in February or March, increases till May or June, then gradually disappears.

See A. Russel. Hist. of Aleppo. P. Russel on the plague at Aleppo.

In this case, modern facts confirm the accuracy of the scripture-history; at the same time, they establish the identity of the disease with modern plague, and the uniformity in the operations of the laws of nature. They prove surther that the climate of that country has suffered no material alteration.

In the eleventh chapter of Numbers, we have an account of a plague among the Israelites, occasioned by their eating great quantities of the sless of quails, after being some time destitute of animal food—an obvious effect in the hot climates of Egypt and Arabia.

The scripture-history also furnishes us with ample proof that Egypt was, in early times, the nursery of plague—known and confidered as such, conturies before the foundation of Smyrna, Constantinople, or other large cities in Creece or Asia Minor.

In Deuteronomy xxviii. the Israelites are warned against disobedience to the laws of Moses, and in case of disregarding them, are threatened with the diseases of Egypt, the botch, the emerods and the scab. These are still prevailing disorders in

that country under the names of leprofy, elephantialis, plague, &c. In verse 60 of the same chapter, it is denounced, "More-over he shall bring upon thee all the diseases of Egypt, of which thou wast asraid."

Amos iv. 10. "I have fent among you the peftilence, after the manner of Egypt."

These authorities of high antiquity leave no room for doubt or controversy, on the question, whether Egypt originates the plague. The evidence is decifive against those modern superficial philosophers, who hold in contempt the most authentic ancient history, because it has claims to inspiration. Yet infidels, if they were not too wife to read, examin and be informed, might be convinced of the authenticity of the scripture history, by comparing the facts related, with the prefent state of the world. The prefent endemical and other difeases which often occur in Egypt, answer so exactly to the description given of them in the books of Mofes, as to leave no room to question the genuineness of those books. It was the peculiar climate of Egypt, and the usual prevalence of fcorbutic and malignant complaints, in that country, which occasioned all the minute injunctions of Moses, in regard to washing, cleansing and purifications. The fame or fimilar regulations were enjoined by the laws of Egypt.*

^{*}It has been controverted whether Moses borrowed his system of purification from the institutions which he found in Egypt; or whether the Egyptians borrowed the idea from the laws of Moses. Nothing can be more idle than such a dispute. The experience of men would very readily suggest the necessity and utility of great cleanliness, to preserve health in the climate of Egypt. The custom of circumcision was established among the Egyptians, as well as among the Israelites; and Herodotus who visited Egypt to collect sacts, expressly declares that the "Egyptians circumcised their children for the sake of cleanliness."—There is not the least reason to suppose that the Egyptians borrowed this custom, or others respecting cleanliness, from the Israelites. Nor does it vary the question, that the laws of Moses were the commands of God. Divine commands have rarely introduced a new principle of right and wrong. Most of them are injunctions on man to conform to principles of moral sitness or utility, which existed anterior to the commands. They unfold to human view, and enforce the practice of those principles; but do not create them. They add the strong authority of positive, to the feebler authority of implied divine will; and are thus of the highest importance to mankind.

In the Bible also we find evidence of the prevalence of pestilent epidemics among cattle. A murrain is among the ten plagues mentioned in Exodus, and Ezekiel xiv. 21 says, "If I fend a pestilence into that land, to cut off from it man and beast."

We find the fame fact in Homer; where also we observe pestilence ascribed to extreme heat, under the allegorical name of Apollo, or the supposed influence of the dog-star.

- "On mules and dogs, the infection first began, And last the vengeful arrows fixed in man."
- "But let some prophet, or some facred sage, Explore the cause of great Apollo's rage."
- "If broken vows this heavy curse have laid,
 Let alters smoke, and hecatombs be paid;
 So heaven atoned shall dying Greece restore,
 And Phæbus dart his burning shafts no more."

 Pope's Version. Iliad 1. 69, 83, 87.

In the following passage, pestilence is ascribed to heat and south winds, according to the opinion of Hippocrates.

As vapors blown by Aufter's fultry breath,
Pregnant with plagues, and shedding seeds of death;
Beneath the rage of burning Syrius rise—

Book 5. 1058.

" Like the red Star, that from his flaming hair, Shakes down difeafes, pestilence and war."

Pook 19. 412.*

* This evidently alludes to the received opinion among the ancients, that comets have an influence in producing pestilence. In the course of this work, we shall have some grounds to determin which is most correct, this opinion of antiquity, or that of the moderns who hold it in contempt.

It is to be observed that the idea of comets producing diseases, is not in Homer, in the passage from which these lines are taken, but is a licence of the translator, Mr. Pope, and the sense and almost the

words, are borrowed from Milton. Book 2. l. 710.

"—— And like a comet burn'd In th' arctic sky, and from his horrid hair, Shakes pestilence and war." "Not half so dreadful rises to the sight,
Through the thick gloom of some tempestuous night,
Orion's dog (the year when autumn sways)
And o'er the seebler stars exerts his rays:
Terrisic glory! for his burning breath,
Taints the red air, with severs, plagues and death."

Book 22, 37.

The circumstances to be noted in the foregoing extracts, are, first that the pestilence among cattle preceded that among men. This is a common fact, but not always the case. Secondly, that heat and moisture, with a south wind were productive of pestilential diseases. Thirdly, that such diseases raged in Greece during the autumnal scason, and were ascribed to the influence of Syrius, or the dog-star.

We read of a terrible peftilence in the island of Ægina, to the southward of Athens, in the reign of Æacus, grandfather of Achilles, about sixty years before the Trojan war; a plague which depopulated the island. Of this calamity, Ovid has given a most affecting account Metans. lib. 7. 523. He represents the earth as covered with clouds, darkness and suffocating heat; the south wind blowing for sour months, the lakes and sountains being infected, and the earth overspread with poisonous ferpents. The disease first invaded dogs, birds, sheep and oxen; then mankind. Death was sudden; and the streets loaded with dead carcases. The symptoms began with heat in the bowels, slushings of the face, difficulty of breathing, &c. How far the poet was authorized by history in this description, I do not know; but the whole passage is worth the attention of the learned reader.

It is certain however that the ancients believed comets to be the

cause of pestilential diseases.

It is further remarkable that, in the pestilential period to which Homer here alludes, which happened during the siege of Troy, Etna was in a state of eruption; or rather at the close of the period: For Eneas, when driven from Troy, sailed with his sellow citizens to Sicily, but was frightened away by a violent explosion of Etna. See a forcible description of this eruption in Virgil lib. 3.

Dyonisius Hallicarnassus informs us that the Pelasgi, who settled in Sicily, soon after the Trojan war, were affected with pestilence. Book r.

Our next accounts of the plague are in the histories of Rome; for altho Greece contained the older states, and had large cities, before the foundation of Rome; yet the most populous parts of Greece, Attica and Lacedemon, are dry, rocky countries; not calculated to generate pestilence nor to favor its propagation.

Rome, on the other hand, is fituated in a level country, on the banks of a river, and not far from extensive marshes. Under the influence of powerful local causes, this city felt every derangement of the atmosphere, by intemperate seasons, or other causes.

The first plague in Rome happened about the 16th year from its foundation, soon after the murder of Tatius, and in time of peace. "It killed instantly without any previous sickness. Even trees and cattle were not exempt from the malignity of its influence; but all nature lay one desolate and abandoned waste. It was even said to rain blood." This was 738 years before the Christian era.

Plutarch's life of Romulus.

Zonaras fays that Rome was laid waste by disease, and the earth and cattle were barren. "Sterilitas agrorum et pecudum."

Lib. 7.

This pestilence must have been of the most malignant kind, and by the effect on cattle and trees, it was obviously during a pestilential state of the atmosphere, when there was a defect in the powers of vegetable as well as animal life—many similar instances will occur in the course of this history. It is to be remarked that Rome was then in its infant state, containing few people, and sew of the artificial causes of disease. Of course the siekness must have been caused by general contagion, or that state of air which is unfavorable to the preservation of healthy life.

In the reign of Numa Pompilius A. R. 46, Italy was afflicted with fevere pestilence; on which occasion Numa instituted the Salii, twelve dancers who had the care of the brazen target, which was supposed to descend from heaven into the hands of

Numa, and to check the pestilence. See the institution and annual ceremonies of the Salii, described in

> Plutarch's life of Numa, and Kennet's Antiquities, part. 2. b. 2.

Another plague attacked Rome in the reign of Tullius Hoftilius, about the year 110 or 112, and B. C. about 640. No important particulars are related, except that the fickness relaxed the martial spirit of the citizens. To prevent this effect, that warlike prince gave the soldiers no rest, judging "falubriora militiæ, quam domi, juvenum corpora esse," that the young men would be more healthy in the army abroad, than at home.

Livy b. 1. 32.

In this opinion, the King of Rome was probably well founded; for it appears from facts hereafter to be related, that Rome was most subject to pestilence in time of peace, when the soldiers were at Rome, augmenting the population of the city, and indulging in ease and luxury.

In the reign of Tarquin, the last King of Rome, about the year 240 and B. C. 514 a violent plague infested the city. Zo-simus however places this event, after the expulsion of Tarquin.

Hook, vol. 1. 109. Zofimus lib. 2.

In the year of Rome 261, there was a famin and pessilence in the city, and the plague depopulated Velitræ, a city of the Volsci, who applied to the Romans for inhabitants to re-people the place.

Muratori. Tom. 1. 5. Hook, vol. 1. 196. Functius Chronol. Soon after this, we read of a contagious distemper among cattle, but not very fatal.

Dion. Hal. lib. 7.

In the year of Rome 281 and B. C. 473, a plague raged in the city and country, but was most fatal in the city, sparing no age nor sex, and yielding to no remedies. It came suddenly and suddenly disappeared.*

Dion. Hal. lib. r.

^{*} This account feems to contradict the doctrin of a progression in the pestilential principle. Thucydides remarks also that the plague invaded Athens suddenly. Such is the effect of superficial observation. So in 1794, the people of New-York alledged the city to be very healthy; when in fact the bill of mortality was higher by one south than

There was an eruption of Etna, according to common chronology, in the year of Rome 277, and B. C. 477. This circumstance is strong evidence that the chronology is not quite correct. The eruption took place unquestionably during the pestilential period, to which this plague in Rome belonged. It might not have been the very year of the plague in Rome, but probably was not so distant as four years. To which event, the plague or the eruption, a wrong era is assigned, I shall not determin. The early history of Rome, from the destruction of the ancient records, by the burning of the city, when taken by the Gauls under Brennus, in the year 365, is subject to great uncertainty, and authors do not agree on the chronology of that part of the Roman story.

Since writing the foregoing remarks, I have discovered a fact which may ferve to aid us in fixing the period of the events abovementioned. In the course of this work it will be proved beyond doubt, that the approach of comets to our fystem, has a prodigious influence on the elements of this globe. At prefent I shall assume the fact, that the eruption of Etna abovementioned, was nearly cotemporary with the appearance of a comet, during this period of pestilence. In looking into Pliny's Natural History, lib. 2. ca. 25, I find that a comet was visible, at the time of the battle of Salamis. Speaking of the different species of comets he fays " Ceratias Cornus speciem habet, qualis fecit cum Græcia apud Salamina depugnavit." " A comet in the figure of a javelin, like that which appeared when Greece fought at Salamis." This battle is fixed by authors in the year B. C. 480, and consequently in the year of Rome, by common chronology 274. It appears to be a general law of nature that the approach of comets to this earth, calls into action the fubterranean fire, and volcanoes discharge their contents, during or within a few months of the appearance of comets. We may fafely conclude therefore that the eruption was within a year

usual. So the invasion of New-London by the fever in 1798 appeared to be find in a altho in task the bills of mortality show a most fensible increase in the force of the destructive principle, two years previous to the attack.

or two of the battle of Salamis. This is not certain, but probable; and I am inclined therefore to believe that Hook and others have placed the plague in Rome three or four years too late, or that the eruption is placed too early.†

The army of Xerxes, retreating into Asia, after the loss of the engagement near Salamis, suffered extremely by pestilential diseases. And it will hereafter appear that during periods when the pestilential state of air is evidenced by the existence of plague in cities, armies in the field and seamen on the ocean are much more subject to epidemic complaints, than at other times.

The land forces which Xerxes left behind him under Mardonius, fell a prey to famin and pestilence. The highways were strewed with dead bodies, and wild fowls and beasts devoured them.

The fame period was distinguished by tempests and inundations—the constant attendants on comets. A violent storm had destroyed the famous bridge built by the great monarch over the Hellespont, before he returned from Greece; and while the troops under Mardonius were besieging Potidea, an inundation of the sea broke into their trenches, drowned some soldiers, and compelled them to raise the siege.

Herodotus lib. 8. 115, 129. Justin lib. 2. cap. 13.

These great phenomena, without any historical account, would make it nearly certain that a comet appeared at that time, and the pestilence undoubtedly happened within a short period of its approach.

A more terrible pestilence invaded the Roman city and territory, in the year 290, and B. C. 464. Several sacts in regard to it, deserve particular notice. "Grave tempus et sorte annus pestilens erat urbi, agrisque, nec hominibus magis, quam pecori; et auxere vim morbi, tenore pupulationis, pecoribus agrestibusque, in urbem acceptis. Ea colluvio mixtorum omnis generis animantium, et odore insolito urbanos, et agrestem consertum in arcta tec-

[†] Brydone mentions an eruption in the 77th Olympiad, comprehending the years of Rome from 282 to 285 inclusive, which is doubt-left the same abovementioned.

ta, æstu ac vigiliis angebat, ministeriaque in vicem ac contagio ip-sfa vulgabant morbos."

Livy. lib. 3. 6. Dion Hal. lib. 10.

"This was an unhealthy time and a pestilent year in town and country, affecting equally men and cattle; and the disease was augmented by crouds of countrymen and herds of cattle, which were received within the walls of the city, for fear of being plundered or destroyed [by the Latins and Hernici, who then ravaged the country.] That collection of all kinds of animals in the city, and the unusual stench occasioned by them, severely affected both the citizens and the country people, crouded into close buildings, depressed by heat and watching; and their fatigue and the contagion spread the sickness into every quarter."

This is Livy's representation. Dionysius Hallicarnassus mentions that the disease seized studs of mares, herds of oxen, and stocks of goats and sheep; by which expressions we are perhaps to understand, that the distemper either did not seize those animals, except in collections, or was remarkably satal to them in numerous bodies—an idea warranted by modern sacts. It is generally true of cattle as of men, that pestilential diseases are most destructive, where many are collected together; not only by reason of insection from the diseased, but by the diminution of the vital principle of the air by respiration and perspiration.

Orofius lib. 2. 12. adds other circumstances. He says there was a short suspension of war, when a grievous pestilence, which never failed to compel the Romans to a truce, or to interrupt it, if made, raged violently through all the city. Many of the patricians were victims, but it was most fatal to the poor.

It is stated that this pestilence began about the calends of September and raged in city and country. By country, agris, the Roman writers meant the ancient Latium, the modern Compagna di Roma, which was naturally unhealthy; tho, in the slourishing ages of Rome, extremely populous.

That the Roman territory should be subject to autumnal complaints, is not at all surprising. At the port of the Tyber there were unwholesome marshes, called by Tacitus, Annals 15. 43. "Ostienses paludes." The shore to the southward, bordering Campania, is called by the same historian, "squalente littore." To the fouthward of Campania were and still are the extensive marshes, called "paludes pomptinæ," which are so noxious as to create disease in a single night, and which have caused the Appian way in modern times to be neglected, and the road to Naples to be carried round the marshes on the east.*

The territory next to the city of Rome is described by Livy, b. 7. 38. in these words "in pestilente atque arido circa urbem solo"—a dry plain, but indented with lakes, bordered with marshes, and subject to be overflowed by every uncommon rise of the Tyber, or by streams from the distant hills. Many epidemic diseases have been distinctly traced to stagnant waters on this plain, after an inundation.

Avernus, a lake of Campania, near Baiæ, emitted fuch a poisonous vapor, that no birds would frequent its banks, and the ancients, in their flights of fancy called it, the road to Hell.

It was this situation of Rome which gave rise to the Cloacæ, immense sewers or drains, which penetrated the city and neighborhood—Vast works intended to drain off the stagnant waters; and while these were preserved in good repair, the city was obviously more healthy.

This plague in the year 290 proved fatal to both of the Confuls Servilius and Æbutius, to many illustrious Romans, and to a countless number of the Plebeians. The Senate and people, in descriptions

* In the epitome of the 46th book of Livy, which book is among those which are lost. I find it related that the Pontine Marshes were drained or dyked [ficcatæ] and converted into cultivable land, by the Consul Cornelius Cethegus, about the year of Rome 572. The Romans were convinced that the marshes were very unwholesome, and they took incredible pains to render their city and territory healthful, by draining off all stagnant waters.

It is much to be regretted that we have not this book of Livy, to give us further information in what manner the draining of the marshes was

effected. It is confidered by the moderns as impracticable.

The opinion of the ancients as to the unhealthfulness of Rome may be understood from the following Tetrastichon, which is preserved by Baronius.

" Roma vorax hominum, domat ardua colla virorum; Roma ferax febrium, necis est uberrima frugum;

Romanæ febres Rabili funt jure fideles;

Quem semel invadunt, vix a viventi recedent."

The brief translation of which is "Rome subdues men by the sword, and kills them with severs."

Horace book 2. ode 29. gives to the Tyber, the epithet udus, wet or marshy.

pair had recourse to prayers and supplications, the temples were filled with men, women and children, asking forgiveness and favor of heaven.

This violent plague was followed, anno Urb. Con. 292 by a violent earthquake. "Terra ingenti concussa motu est," says Livy, lib. 3. ca. 10. He expressly mentions this to have been in the consulate of P. Volumnius and Serv. Sulpicius, which was the second Consulate after the pestilence. An eruption of Etna is mentioned in the tables under the year of Rome 288, two years before the pestilence and sour years before the earthquake. But there is probably a small variation in the chronology. The earthquake was probably at the time of the eruption, especially as Livy mentions, that in the same year, "Cœlum ardere visum," the heavens appeared to be in a slame.

Functius places these events one year later.

By this earthquake Locris, on the gulf of Corinth, was rent from the main land and turned into an island. Afterwards Locris was destroyed by another earthquake.

Severe drouth marked this period.

In the year of Rome 300 according to Livy and the common chronology and B. C. 454, another terrible peftilence invaded Rome. The country was defolated, and the citizens were exhausted with continual burials. "Urbs affiduis exhausta funeribus." Famin accompanied this calamity, and cattle were victims, as well as men. This plague took place in time of peace—" ab hoste otium suit," and in the absence of the ambassadors who were fent to Athens to collect the laws of Solon and the Grecian institutions.

Livy b. 3. 32.

With this period corresponds an eruption of Etna, which authors place in the year of Rome 304; of course, it was at the close of the pestilential period.

In the year 315 of Rome and B. C. 439, according to Paulus Diaconus, tremendous earthquakes shook Italy at intervals for a whole year, so that "affiduis Roma, nuntiis fatagareter," Rome was fatigued with messengers who were continually arriving with news of towns and villages demolished.

The chronology of P. Diaconus rarely agrees with that commonly received. The earthquakes here mentioned probably ushered in the long and formidable calamity which was to follow—and were probably cotemporary with the beginning of the plague next to be mentioned.

In the year of Rome 317, and B. C. 437 commenced a peflential state that afflicted Rome for five years, or five seasons successively. The historian relates that the first year "a pestilence invaded the people," and as the disease increased, prodigies alarmed them and frequent earthquakes overturned houses in the country. The next year the disease was more mortal: "pestilentiar indeannus." In 320, the disease was so satal as to suspend all ordinary concerns. The people resorted to their prayers, and the Sybilline books were consulted and obeyed, to appease the Gods and avert the plague from the people. For sear of famin, corn was purchased in Etruria, the Pontine territory and in Sicily. The mortality extended also to cattle. In 321, the disease was mitigated and afterwards subsided.

Livy b. 4. 21, 25.

This is the first instance, in which I am able to trace distinctly a progression in the malignancy of the plague. That this is an important fact, in all plagues, will hereafter appear. But on this point, ancient history affords very feanty materials. This was a period of univerfal pestilence for many years, and was marked with all the great phenomena of nature. The last year of the plague in Rome 321, corresponds with the year B. C. 433, two years before the plague of Athens. In the year of Rome 325, according to Hook, there was a most grievous famin, occasioned by a fevere drouth in all the Roman territory. " Siccitas eo anno plurimum laboratum est; nec cælestes modo defuerunt aquæ, sed terra quoque, ingenito humore egens, vix ad perrennes fubfecit amnes." By this, we are led to believe, that the drouth was not folely caused by a want of rain, but by an unusual defect of subterranean springs and moisture. The expresfion, "ingenito humore egens," contrasted with the usual fource of water, rain, evidently carries with it an idea that the evaporation from the earth was unufual; and this may eafily be accounted for, by the violent action of internal heat or electricity

which distinguished this pestilential period, and was evidenced by tremendous and universal earthquakes, and a great eruption of Etna.

The drouth in Rome was extreme—multitudes of cattle thronged round the arid fountains, and perished with thirst. Diseases followed, first invading cattle, and the lower classes of people and the countrymen, then extending to the city.

Livy b. 4. 30.

Thucydides relates b. 1 and 3, that earthquakes affected the largest part of the globe, and shook it with the utmost violence. In many places, there was fevere drouth and a subsequent famin. In fome places, the earthquakes produced alarming inundations of the sea; as in Eubœa and Atalanta—the Prytaneum, or town-house in Athens, the fortifications and some dwellinghouses were demolished. These events were in the fifth and fixth years of the Peloponnesian war, answering to 427 and 426 B. C. and consequently were at the close, or subsequent to the pestilence. About the same time there was a violent eruption of Etna; fuch as had not been known for fifty years preceding. This period was also marked by the approach of a comet, but I am not clear that it was in the year B. C. 431, as stated by Dr. Prieftley in his Lectures on History. The drouth was probably within a few months of the appearance of the comet, according to numerous observations in late periods of the world: By which it would feem to be a law of the physical system, that preeeding, during and following the approach of those erratic bodies. this earth is affected alternately with great rains and fnows, drouth, violent tempelts, high tides and earthquakes: Many instances will hereafter occur.*

* We are forctimes embarraffed with the differences in the chronology of different authors. But we have, in this place, data that will fix certain points.

From the uniform operations of nature, there can be very little doubt, that all the great events of the physical world, in this period, happened within twelve or eighteen months of each other. The extreme drouth in Italy and Greece, mentioned by Livy and Thucydides, unquestionably occurred, at both places, in the same year. Livy places this under the consulship of A. Cornelius Cossus and T. Quinctius Pennus, which Hook arranges under the 325th year of Rome, and Lempriere, under the 327th.

Now Thucydides exprcfsly relates, that the great earthquake which injured Athens, and produced the inundations in the Corinthian Gulf

The plague in Athens broke out in the fecond year of the Peloponnesian war, when all the inhabitants of the Athenian territory, were crouded into the city, to avoid the destructive ravages of the Lacedemonians. This circumstance alone would account for the production of pestilential diseases in the city. But it is probable that had the same event happened in a period of general health, the sickness in Athens would have been limited to the dysentery, the more violent camp severs or common typhus.

But unfortunately this war broke out at a time of univerfal pestilence, when the diseases of the healthiest countries assume new and more malignant symptoms, and hence we account for the duration and the violence of the malady. This idea seems to be important, and the only material one to be added to the excellent philosophical account of the plague at Athens by Dr. Elihu H. Smith, late of New-York. Medical Repository, vol. 1, art. 1. The origin of this pestilence is stated by the historian to have been in that part of Ethiopia which borders on Egypt; thence extending to Egypt, Lybia, the King's dominions or Persia, and to Greece. Some of the more violent of modern plagues have first appeared in the same region. But we are not to conclude from this description that the disease is propagated by infection from person to person. It appears first where

and the Sea of Eubœa, rending Atalanta from the main land, and swallowing up a town in Eubœa, happened in the spring or summer of the sixth year of the Pelopennesian war. This was commenced in the second or third year of the eighty-seventh Olympiad, corresponding with the years of Rome 323 or 324. The fixth year then will be the 328th or 329th year of Rome. These data bring the drouth in Rome to one of those years; at least they will not admit of its being placed earlier than the year 327, the year preceding the earthquake. It is probable therefore that Lempriere is right, in the arrangement of the consuls. This is rendered more probable, by the eruption of Etna, in the spring of the same year; as it is a known and common sact, that earthquakes and eruptions of volcanoes are preceded by excelsive drouth; owing probably to a gradual increase of subterranean heat, or unusual electrical discharges and evaporation, some weeks, or months, before the explosion.

The comet undoubtedly appeared either in the year, preceding, during or following the drouth; that is, in the year of Rome, 327, 328, or 329, corresponding with year before the Christian era, 427, 426, or 425. It was most probably in the year of the drouth, and in the fifth year of the war, A. U. C. 327, and B. C. 427; the earthquakes and

volcanoe followed in the fpring of the next year.

the original or fecondary causes, that is, general and local contagion, are the most powerful. If the state of the atmosphere over the world, at any one time, is equally vitiated by some unknown cause, its effects will first appear in places where that state of air is most powerfully aided by local vitiation, as in cities or marshy grounds. Of this we have numerous proofs. But, in modern times, whenever the general contagion, united with local causes, produces plague in Egypt or Constantinople, it produces some milder epidemic in the neighboring countries, and often, its effects are visible, at the same time, in most parts of the world.

The Abbe Barthelemy, in his elegant Travels of Anacharsis, speaking of the plague in Athens, says, "it was doubtless bro't into Greece by a vessel from Egypt." It is to be regretted that such an accurate and judicious writer should have indulged conjecture on this interesting subject. He quotes no authority for his opinion, and the words of Thucydides oppose the supposition. The disease first appeared in the Piræus, the harbor; and so ignorant were the people of the cause, that they ascribed it to the poisoning of the wells by the Lacedemonians. Besides Thucydides impliedly acknowledges that he and others knew nothing of its origin; for he calls on "every one, physician or not, to assign any credible account of its rise, or the causes powerful enough to produce it."

Plutarch, in his life of Pericles, says "the enemies of Pericles, attributed this disaster to the multitude of people he had collected into the city, during the heat of summer"—a charge in which there was much truth.

But when we attend to the violent concussions of nature, that accompanied and followed the pestilence, and its general prevalence in the world for a series of ten or twelve years, all attempts to trace its origin to infection, dwindle into puerilities; and the occasional causes of sickness, crouded population, heat and bad diet, tho powerful as auxiliaries, could not be adequate to the violent and continued effects in Athens, and the neighboring cities.

The fymptoms of that disease in Athens, as described by Thucydides, are known to every medical man. They corres-

pond in all the effential particulars, with those of the Yellow Fever in its worst forms, and the disease was probably what I call the bilious plague. There is the more reason to believe this supposition, as Thucydides has not mentioned, among the symptoms, the buboes and other swellings of the glands, which distinguish the inguinal plague. The critical days were the seventh or ninth, as they have most frequently been in the bilious plague in America.

The disease extended to other towns in Attica, especially to those which were most populous, but Lacedemon escaped. It raged in Persia at the same time, and it is said, the King of Persia sent for Hippocrates to lend his aid in arresting the progress of the pestilence, but the latter declined leaving his own country.

It has been supposed that Hippocrates was in Athens during this plague; but this must be a mistake. He was probably at Thasus, an island, near the coast of Macedonia. The sour epidemic years, which he has described, were cotemporary with the pestilence in Athens; and this proves what will hereafter appear more fully, that in all great plagues, the epidemic or pestilential principle extends to different countries, and often over the whole earth.

In this pestilence, as we shall have occasion to observe in many subsequent instances, the birds abandoned the insected atmosphere.

In the year of Rome 341, and B. C. 413, a pestilence arose which the historian represents as more alarming than satal, "minacior tamen quam perniciosior." This circumstance affords ground to believe the pestilence to have been a violent autumnal bilious sever, and not rising to the utmost malignity of the plague.

The pestilence of that year was followed by famin in the next; owing to a neglect of agriculture; the people having been principally occupied with sedition, under their ambitious demagogues. It will be remarked that the samin was not the cause of the epidemic, for it succeeded it.

It is proper to remark here that all the preceding deadly plagues which had at times almost desolated Rome, were certainly the produce of the country. The Romans were not a commercial people, nor had they any commercial intercourse with Egypt, till the conquest of Carthage, two centuries and a half after this period. It was not till one hundred and forty seven years after the time now under consideration, that the Romans owned a single ship. When they transported troops into Sicily, they hired or borrowed vessels for the purpose. Egypt was a granary of corn, but until after the conquest of Carthage, the Romans drew their supplies wholly from Italy and Sicily. There is no pretence therefore for supposing the plague ever imported into Rome; nor is there a suggestion in history, that its origin was ever ascribed to that source.

In the year of Rome 353, and B. C. 401, happened a most severe winter. The Tyber was frozen over, and the high-ways rendered impassible by deep snow. These were unusual phenomena and deemed prodigies in that city. On the opening of spring, the weather changed suddenly from severe cold to great heat and drouth, and a mortal pestilence ensued among men and cattle. The historian says nothing more of the cause of the mortality, than "Sive ex intemperie coli, raptim ex mutatione in contrarium sasta, sive alia qua de causa, gravis pestilensque omnibus animalibus oftas excepit, cujus infanabili pennicie quando nec causa nec sinis inveniebatur, libri Sibillini ex senatus consulto aditi sunt." On this melanchely occasion was instituted the ceremony of the Lestislernium to appease the Gods and solicit the restoration of health.

Livy. b. 5. 13. 14. 15. Hut. Life of Camillus. Zolimus. lib. 2. With this period of peftilence corresponds the dreadful plague which about 404 B. C. almost depopulated Carthage. The discasse on the coast of Africa preceded its appearance in Rome, as it usually does in modern times.

Soon after, the Carthaginians under Imileo, who were fent to reduce Sicily which had revolted, were feized with the plague and the army was fo weakened, that Imileo was compelled to abandon the ifland. Just before Imileo's arrival, an eruption of Etna laid waste the neighboring country. By an expression of Justin, we have ground to believe a comet appeared about the same time. "Imileo, qui multas civitates cepisset, repente possilentis sideris vi, exercitum amisst."

Justin. Ub. 17. c. 2. Diod Sie. Fb. 13 14. Rol. An. Hist. b. 2- and 11. This plague was remarkable for its symptoms, such as violent dysenteries, raging severs, berning entrails, acute pains in every part of the body; and many were seized with madness, so that they fallied forth into the streets, and tore to pieces those who sell in their way.

It was during the dry feafon above mentioned that the Lake of Alba rofe fuddenly, without apparent cause, and overslowed its banks—an event that caused great consternation in Rome, but one that might well happen by a subterranean discharge of some water-sountains in the high adjoining hills.

This is one of the inflances which will often occur, of a hard winter, followed by a dry hot fummer, and therefore deferves particular notice; for such excesses in the temperature of the seasons are among the causes of pestilential diseases.

A pestilence broke out in the armies of the Romans and Gauls, while the latter, under Brennus, were besieging Rome, Anno Romæ 361, B. C. 393. The Gauls, unaccustomed to such heat, and placed between hills, where they were exposed to a burning sun, vapor and smoke, perished in such multitudes, that, weary with burying dead bodies, the survivors burnt them in piles.

Livy b. 5. 48.

Pliny, lib. 2. 26, mentions the appearance of a comet, or light in the heavens, called by the Greeks docus or doces, and by the Romans trabs, from its refemblance to a beam, at the time of the defeat of the Lacedemonian fleet—" Cum Lacedemonii, classe victu, imperium Greciæ amisere," By the last expression, "the loss of the empire of Greece," I suppose he refers to the defeat of the fleet by Conon and the Persians in the year of Rome 360, and B. C. 394. If so, the appearance of this comet, corresponds in time with the period of pestitence tast named.

A plague, occasioned by dearth, is mentioned to have happens ed in the year of Rome 371, B. C. 383, but no particulars, worthy of notice.

A great earthquake in Peloponnesus is mentioned under the year B. C. 373.

Encyclopedia, art. Chronology.

In the year of Rome 388, B. C. 366, commenced a most desolating plague of three years duration. This was a time of prosound peace, "ab seditione et a bello quietis rebus, ne quando a metre ac periculis vacarent, pestilentia ingens orta." It seemed to be the destiny of Rome never to be exempt from sear and dangers; for when war and sedition ceased, pestilence arose.

Livy b. 7. 1.

In this horrible plague, perished the great Camillus, and it is related that, in the height of the disease, 10,000 citizens died in a day.

On this occasion, recourse was had to the ceremony of the Lectisternium,* and to the institution of new games to appease the wrath of the Gods, but without success. Some old citizens mentioned an ancient practice, in such calamities, of driving a nail into the wall of a temple. This law was now revived, and a nail driven into the wall of Jupiter's temple. The time of the year, in which the law directed this ceremony to be performed, the ides of September, indicates the period when pestilence began in Rome to be alarming and violent.

Functius, in his chronology, affigns the absorption of Helice and Bura, two towns on the Gulf of Corinth, to the year of Rome 373, the year of the great earthquake in Lacedemon—in which case that catastrophe would make a part of the events of the pestilential period of 371, just mentioned.

Muratori and Paulus Diaconus seem not to differ essentially in arranging that event under the same period. "Sævissimo

^{*} This ceremony confisted in placing the statues of Apollo, Latona, Diana, Hercules, Mercury, and Neptune, on three beds, and serving them with magnificent repasts for eight days—a mode of checking the pestilence, about as rational as the modern scheme of confining it to the insected place by bodies of armed men, which is much praised by Montesquieu!

terræmotu Achaia universa commota est, et duæ tunc civitates, Bura et Helice, abruptis locorum devoratæ."

Muratori, Gen. Hist. vol. 1. 7.

Other authors refer this catastrophe to the period of pestilence last mentioned, which some writers place in the year of Rome 388, and others, in 384; but all agree that it was during the approximation of a comet. This last pestilence was dreadful in the extreme, sparing no age or sex. The year after it, the earth opened and exhibited a vast chasm in the midst of Rome, into which M. Curtius precipitated himself for the salvation and prosperity of the city.

Livy, b. 7. 7.

P. Orosius and P. Diaconus, sollowed by Muratori, place the commencement of this plague in the year of Rome 384. Orosius says that "in the 103d and 105th Olympiad, Italy was shaken a whole year, by tremendous earthquakes. The hundred and third Olympiad, according to our common chronology, comprehends the years of Rome from 386 to 389, inclusive. It is probable that in one of the shocks of this series of earthquakes, the chasm was made in Rome as already related. It will be observed that this event followed the pestilence.

The comet that appeared, during this calamity, was probably that mentioned by Aristotle, Meteorol. lib. 1. ca. 6, of which he was an eye-witness.

But I must not omit what authors relate concerning the peculiar character of this plague. Orosius says, it was not such a pestilence, as usually proceeded from irregular seasons, extreme drouth, sudden heat of the spring, unseasonable moisture of summer and autumn, or the impure air blown from the Calabrian groves; but severe and continued, attacking all descriptions of people, and either destroying their lives, or leaving them in a weak and miserable condition.

The winter when the comet appeared Aristotle relates to have been cold; but the severity and duration of the plague cannot be accounted for on the principle of changes or irregularities in the seasons. It was one of those violent epidemics which never afflict mankind, without some effectial alteration in the invisible

properties of the atmosphere, or a peculiar effect of the atmosphere on living bodies.

Seneca, on the authority of Aristotle and Calishenes expressly ascribes the inundation to the approximation of a comet. Cometes ingentis rei traxit eventus, cum Helicen et Burin orto suo mersit."

Nat. Quest. lib. 7. 16.

The fymptoms of this approaching calamity are described to have been these. "For several months the waters of heaven deluge the earth or withhold their beneficial effects; a dimness obscures the splendor of the sun; or his disk appears like a burning brazier; impetuous winds ravage the country; and streams of sire are seen to shoot in the air." See Travels of Anacharsis, vol. 3. 404, cited from Pausanius, lib. 7. ca. 24.

Some of these phenomena, excessive rains and drouth, tempetts, celestial lights, and singular appearances of the sun, always attend the approach of comets; and it is surprising that the moderns have taken little or no notice of the sact.

The catastrophe of Helice and Bura was occasioned by viclent shocks of earthquakes, with contrary and conflicting winds, which swelled the water in the Corinthian gulf, above the tops of trees on the shore. This was in the winter, during the night, and just before the battle of Leuctra. It is fortunate for us that we have a correct account of this inundation; for it perfectly unfolds the true history of the deluges in the time of Ogyges and Deucalion.

In the year of Rome 391, there was an extraordinary darkness in Italy, during the greatest part of the day; "dilata nox usque ad plarimam partem diei;" and a singular hail storm.

Muratori, vol. 1. 11.

In the year of Rome 405 and B. C. 349, a pestilence is mentioned, but with no circumstances that deserve notice, except that it was in time of peace and internal tranquillity. "Quam et foris pax et domi concordia ordinum otium esset, ne nimis lætæres essent, pestilentia adorta"—and recourse was had to the Sybilline books and the Lectissurnium. The circumstance of the prevalence of plague in time of peace, will be often

noted, to refute the idle notion, that pestilential diseases are generated and propagated principally by armies in time of war.

After writing the foregoing, I found in Pliny, Nat. Hist. lib 2.25, an account of a comet in "the hundred and eighth Olympiad, and year of Rome 398." It resembled at first a crest, but changed into the form of a spear. Now, the sirst year of the 108th Olympiad, according to common chronology, corresponds with the year of Rome 406. There is therefore a difference between the common mode of reckoning by the Olympiads, and Pliny's mode, of at least eight years or two Olympiads.—By following the common mode, and placing the sirst year of the 108th Olympiad, against the 406th year of Rome, the appearance of this comet will coincide with the general tenor of sacts, hereafter to be related, and correspond nearly in time with the plague in Rome, mentioned above.

Nearly at the same time, there was an eruption of Etna, placed by authors in the year B. C. 350, corresponding with the year of Rome 404. It is probable this eruption was within a year or two of the appearance of the comet; according to many modern sacts of the same kind.

In the year of Rome 422, a violent plague arose, which, says P. Diaconus, was supposed to proceed from corrupt air, until the conspiracy of the Roman women to possion their husbands was detected; after which it was ascribed to that cause. Livy does not appear to credit popular opinion on this occasion. He says, "Fædus insequens annus; seu intemperie Cæli, seu humana fraude suit"—Recourse was had to the usual remedies, driving the nail, and the Lectisternium.

Livy b. 8. 18. August. Hist. P. Diac.

A pestilence again appeared in Rome in the year 440, but no particulars are stated.

Livy 9. 28.

In the year preceding, there was an inundation at Rhodes.

In the year of Rome 458, B. C. 296, commenced a most fevere pestilence which continued for three or sour years. In the third year, a hard winter appears to be related by Livy, who says, "the snow filled all places, nor was it possible to endure

the weather abroad." This was however in the mountainous country of the Samnites. The Roman confuls celebrated their triumphs over the Samnites, during this mortal epidemic, and it was a curious spectacle to behold at the same time, triumphal and funeral processions, and lamentations for the dead, mingled with acclamations of joy.

Orofius, b. 3. 21. Livy, b. 10. 31 et feq.

This plague commenced with many alarming prodigies, and violent tempests. A remarkable cloud and extreme darkness, for the greater part of a day, is mentioned by Livy, under favor of which the Samnites attacked the Roman lines. This darkness is mentioned, on account of the frequency of the phenomenon, during pestilential periods.—Perhaps this appearance may be connected with the cause of pestilence.

The violence and duration of this plague induced the Romans to fend to Epidaurus for Esculapius, which they imported in form of a serpent, and in the island of the Tyber, where it was first landed, they consecrated a temple to the God of Physic.

Livy, Epit. 11.

It is not improbable, that the first eruption of Lipari, recorded in history, happened during this period; as it was in the reign of Agathocles, who died a few years after the time of this pestilence. The eruption is mentioned by the historian Callias whose works are lost; but the authors who cited them, have mentioned these particulars, that the eruption continued for several days, throwing great stones to the distance of a mile; and the sea boiling all round the island.

In the year of Rome 477, and B. C. 277, happened that remarkable plague which is often mentioned, as particularly fatal to pregnant women and breeding cattle. "Gravis peftilentia urbem ac fines ejus invasit; quæ, cum omnes, præcipue mulieres pecudesque corripiens, necatis in utero foætibus, futura prole vacuabat."

Orofius, lib. 4.

This also happened in time of peace. The words of the historian are remarkable. "Sed Romanorum miseria nullis cessat induciis. Consumitur motborum malis intercapedo bellorum; et

cum foris ceffatur a prœliis, agitur introssum ira de cœlo." The miseries of the Romans have no truce. The intervals between their wars are wasted with the calamities of sickness; and when they are exempt from war abroad, they are afflicted by the wrath of heaven at home.

Short on air has placed this disease in the year of the world 3712, corresponding with the year of Rome 462, but his chronology is often inaccurate.

In the year of Rome 482, a pestilence broke out in Rome, and raged two or three years, carrying off countless multitudes of people. This was preceded by an eruption of fire at Calenum, which continued for three days and nights, destroying the soil for a considerable extent. This period also was distinguished by earthquakes, in the third year of the pestilence.

Orofius. b. 4 P. Diaconus.

This period was memorable for a severe winter. The snow, to a prodigious depth, lay in the forum for forty days.

It will be found as we proceed with this history, that most of such extraordinary seasons and unusual concurrence of great agiatations in nature, happen during volcanic cruptions and the approach of comets to the solar system of which this globe is a part. That comets were visible, during the calamitous periods mentioned in the Roman history is probable; but unfortunately sew instances are recorded, until after the Christian era.—Not an eruption of Vesuvius is mentioned, and I cannot find more than sourteen instances of eruptions from Etna, anterior to the same cra. This defect of history is of no small concern in a treatise of this kind.

In the year of Rome 529 and B. C. 225, the Roman armies which were marching into Gaul, were retarded by violent rains, and the plague which infected the foldiers. The Romans were, as usual on such occasions, frightened at numerous prodigies. In Hetruria, uncommon lights were seen in the sky. Meteors were seen at Ariminum, and the waters of a river in Picenum appeared

like blood. A violent earthquake overturned the famous Coloffus of Rhodes, and the shock was felt in Italy.**

Plut. Life of Marcellus. Orofius. b. 4 P. Diacenus. Muratori vol. 1. 16. Some of the prodigies, mentioned by Roman historians, and which have been ridiculed by moderns who are too wife to study the operations of nature, and too proud to believe in extraordinary occurrences, will be hereafter explained.

During the battle near the Lake Thrasamene, a severe earthquake was experienced, which, it is faid, the armies did not perceive. Pliny Nat. Hist. lib. 2. 84. This was in the year of Rome 536, and B. C. 218; in which year, Livy relates, b. 21. 61, there was a fevere winter. Scipio was befieging a town in Spain, near the present Barcelona, and for thirty days, the fnow was four feet deep. This is mentioned as a circumstance very unfavorable for the besiegers. I cannot help remarking how closely connected in time are great frosts and violent earthquakes. This was the winter in which Hannibal croffed the Alps and entered Italy. He reached the Alps early in November and was nine days in arriving to the fumnit. my fuffered incredible hardships and losses from deep snow, bad roads, and the natives who killed many of the troops. At the end of fifteen days, he gave his troops rest, on the hills near the foot of the Alps, and altho the fnow was deep on the mountains, he found in the vales, pasturage for his horses and elephants. profecuted his route in the winter, fuffering great hardships from fnow, and more from rains, which swelled the rivers. Early in the spring he crossed the Appenine, and here his troops again suffered from a fnow ftorm.

See Livy. lib. 21. Polybius. lib. 3.

At the fiege of Syracuse by Marcellus in the year of Rome 541 and B. C. 213, happened a remarkable mortality, among the troops, but especially among the Cathaginians, who all perished with their Generals, Hippocrates and Himilco. Of this pessi-

^{*} The compilers of the Encyclepedia, Dufresnoy and Functius, place this event in the year B. C. 224, and Rollin and Universal History in 222. Rome was overflowed, according to Universal History in 231 B.C. This event may belong to the same period; but the compilers of that history differ in chronology from Hock and the common chronology which I have followed.

lence, Livy gives the following account, b. 25. 26. " A pestilence broke out in both armies, which diverted their minds from the concerns of the war; for it was in autumn, and in a fituation naturally unhealthy. The heat, which was more fevere without the city than within, affected almost every person in both the camps. At first, perfons fickened and died, by reason of the unwholefomeness of the place; afterwards the diseases spread by infection, so that those who were seized, were neglected, or abandoned and died, or their attendants contracted the same disease. Daily burials and death were before their eyes, and day and night their cars were affailed with lamentations. At length the furvivors became hardened; they neither grieved at the death of others, nor took pains to bury the dead; and the bodies of the deceased lay scattered along the streets, in fight of those who were expecting the same fate. The dead infected the sick, and the sick, those in health, with terror and pestiserous stench; and some, preferring death by the fword, rushed on the posts of the enemy.

But the disease was much more severe and satal to the Carthaginians, than to the Romans, who, in this long siege, had become accustomed to the air and water. The Sicilian troops, on the first breaking out of the disease, abandoned their allies, and returned to their homes. The Carthaginians, who had no means of shelter, all perished. Marcellus, to avoid the evil, drew his troops into the city, where their enseebled bodics were refreshed by the shades of the houses. Many however of the Roman army, died of the same disease."

It is observable that heat and position augmented the disease among the Carthaginians. They were encamped near a marsh or low ground; and exposed to the direct rays of a burning sun. The Romans had possession of one part of Syracuse, and had shelter under the buildings. These circumstances, and their not being accustomed to the air of the place, proved satal to the whole Cathaginian army. Mr. Brydone learnt in Sicily from the historiographer of Etna, Recupero, that there was a great eruption of Etna, during this siege of Syracuse. I have not met with an account of it in the original histories I have consulted.

In the same year, that this pestilence raged in Svracuse, a servere pestilential epidemic prevailed in Rome. "Eo anno pestilentia gravis incidit in urbem, agrosque; quæ tamen magis in longos morbos, quam in perniciales, evasit."

Livy, 27. 23.

This fact is evidence of what will be fully proved in later periods of the world, that a perililential flate of air extends, at the fame time, over many parts of the world; and that if a violent plague is raging in one place, malignant discases, if not plague, prevail in other places.

Another important fact related in the last quotation, is that the pestilence in Rome was the bilious plague, as it was not so mortal, as it was troublesome, by running out into long diseases.

It is a known fact and not unfrequent, that the Yellow Fever, in our climate, is reduceable to a bilious remittent and even to an intermittent; the peftilence on board the ships at Bulama often ran out into long and obstinate intermittents. The fever in Baltimore in 1797 began in the form of a bilious remittent, and continued in that form for many weeks, before it assumed the symptoms of a malignant Yellow Fever.

The Roman and Carthaginian armies in Bruttium, a town in the fouthern part of the Kingdom of Naples, suffered greatly by a pessilential disease, in the year of Rome 543; but no particulars worthy of notice are recorded.

Livy, b. 28. 46

It is however to be remarked that this period of pestilence was distinguished by the appearance of immense swarms of locusts, which overspread the whole country about Capua. Their appearance was subsequent to the plague mentioned in the armies. We shall have frequent occasion to mention the same phenomenon in the natural world as cotemporary with pestilence. But clouds of these animals rarely or never appear at any other time, than during or near the time of the prevalence of plagues; and by comparing the dates of their appearance, it will be found, that they are not, unless by accident, the cause of plague, nor the effect; but, like other animals which are generated in myriads, during pestilence, the produce of some general cause, and probably of that state of the elements, which occasions the diseases of the human race.

During the war between the Romans and Antiochus, king of Syria, in 563, an event took place, similar to many instances related by Dr. Lind. The Roman fleet, with that of the Rhodians, in fearch of the Syrian fleet, put into the gulph of Pamphylia and anchored at Phaselis. But it was in the midst of summer, and the place unwholesome; and the men, unaccustomed to the air, were seized with a pestilential disease, especially the towers. Why the rowers? evidently because they were more exposed to a hot sun, to the air and to satigue, than the troops on board. This sickness induced the commander to quit that station, and we hear no more of the epidemic.

Livy, b. 37. 23.

In the year of Rome 571 and B. C. 182 commenced a violent plague, which lasted several years, and ravaged Rome and all Italy so that the Romans could not enlist 8000 soldiers to quell a revolt. In the next year, Livy mentions a drouth of six months, and a consequent dearth of corn.

It will be remarked by any man who reads history with attention, that during pestilential periods, all the ordinary operations of nature acquire unusual strength and magnitude. Earthquakes and tempests are vastly more violent, than at other times. The ancient historians, evidently without design, have left proofs of this fact. Thus Livy mentions, that during the period under consideration, the operations of the war in Spain were retarded by continual rains, which swelled the rivers, and Flaccus, the Prætor, was compelled, tempestatibus sædis, terrible storms, to order his whole army into a city in the neighborhood.

Livy, b. 40. 33. and fcc 29. 36.

The spring of the year 571 was remarkably tempestuous, and Livy gives a frightful account of a storm in Rome which did no small injury to the public buildings.

B. 40. 2.

Short has placed this peftilence in the year of the world 3763, corresponding according to Usher with the year of Rome 507. But Short's chronology is wretched. He mentions a large comet six years after this period, of the size of the sun and of a stery color. Of the appearance of a comet at the period under consideration, there can be no doubt, tho I have not found the origin-

al writer who mentions it and Short quotes no authority but Pozel. He however has made an egregious blunder in the time, as he has in many other inflances of facts which he relates, of high antiquity.

The order of the great phenomena of nature feems to be that violent florms, rain and a cold winter, are followed the next year with excessive heat and drouth and vice versa. Violent storms however occur at all times during these periods. It will be noted, that the pestilence above mentioned could not be occasioned by the drouth and dearth of corn, for it broke out in the year preceding. The same fact often occurs, and proves that great pestilence is not solely the effect of intemperate scasons, but that both are the effects of another cause.

The prefent instance is one, in which a most severe winter sollowed the other unusual seasons. In the year 574, according to Hook, and the consulship of Q. Fulvius and L. Manlius, the winter was remarkable for deep snow and every kind of tempest. It continued longer than usual, and trees, exposed to the weather, were blasted. An earthquake happened, in the following year.

Livy, b. 40. 45. 59.

This then fixes the year of the appearance of the comet, mentioned by Short. That he refers to the same period is certain from his mentioning the circumstance of the inability of the Roman senate to raise a body of 8000 men; a fact assigned by Hook to the year 571, and which can belong to no other period. But from his description of this star, I am inclined to believe he refers to that which is hereafter mentioned, under the great pestilence of 610, and which Pliny has well described.

This uncommon season was succeeded in 576 by pestilence among cattle, and the next year, followed the plague, which made dreadful havoc in Rome. Some facts stated by the historian deserve particular notice. "Pestilentia, quæ priore anno in boves ingruerat, eo verteret in hominum morbos. Qui inciderant, haud facile septimum diem superabant: qui superaverant, longinquo, maxime quartanæ, implicabantur morbo. Servitia maxime moriebantur; eorum strages per omnes vias insepultorum erat. Ne liberorum quidem suneribus subsiciebat. Cadaver

ra, intacta a canibus ac vulturibus, tabes absumebat: satisque constabat necillo, nec priore anno, in tanta strage boum hominumque vulturium usquam visum."

Livy b. 41. 21.

It is not eafy to do justice to this energetic description of the historian, but the following is the sense of the passage. "The pestilence which had affected cattle in the former year, now turned into diseases of men. Those who were seized searcely lived beyond the seventh day; those who survived that day, were afflicted with tedious distempers, especially the quartan ague. The disease made its most fatal ravages among the slaves, whose dead bodies lay unburied along the highways. It was not possible to bury the bodies of the free citizens. Their corpses lay unburied, untouched by dogs and vultures, and wasted away by corruption. It was evident that in this and the former year, during the great mortality among men and cattle, no vulture was seen."

In this account, the following particulars are noticeable.

- 1st. That the pestilential air sirst produced its effects on cattle.
- 2d. That the feventh was the critical day—as it usually is, in modern bilious plague.
- 3d. That if the difease had a favorable crisis on the seventh day, the patient survived, but the distemper changed into an autumnal bilious sever of the quartan type, and long duration—a strong evidence of what I have before remarked that, if pestis and pestilentia are diseases of a distinct species, the Roman pestilence was the bilious plague.
- 4th. This pestilence was, as usual, most mortal among the lower orders of people.
- 5th. Carnivorous animals would not touch the dead bodies, and vultures deferted the atmosphere of Rome.

The last fact is common in great plagues; but in plagues of a less malignancy, animals do not quit the infected places. These facts seem to indicate that birds perceive the pestilential state of air, before it becomes sensible to the human species. It seems that the vultures disappeared, the sirst year, while the pestilence was confined to cattle; and there can be little doubt, that the delicate organs of sowls perceive the detangement of the air, whether

the cause may be, the infusion into it of a pestiferous vapor, or the abstraction from it of a portion of the vital principle, before its effects are visible in larger animals, and before the air is rendered offensive by the carcases of diseased and dead animals.

This was one of those violent and long continued plagues of which history has recorded many instances: and the Romans on this occasion, saw many prodigies. It is difficult, in some cafes, to distinguish, in the relations of historians, truth from vulgar report; and philosophy must guard against the illusions of credulity and terrified imaginations. I take no notice of the monsters born, and an ox's speaking, on these occasions. At the beginning of the late American war, many similar prodigies were announced and believed by the ignorant and credulous. But some of the phenomena, enumerated by Livy among prodigies, in all probability, had a real existence, for it will be related hereafter that similar appearances have been observed, in modern times, during pestilence, and appear evidently to have a connection with its causes.

During the plague above mentioned, a bow was feen in the sky, in a ferene day, extended over the temple of Satura in the Roman forum; three suns or haloes appeared, and at night many torches, or meteors descended in Lanuvium. There is strong evidence for believing these phenomena to be occasioned by a vapor emitted from the earth, in superabundant quantities, and which there is reason to think, may be the cause of pestilential diseases; or there may be some changes in the combination of substances composing the atmosphere.

At the close of this pestilential period, in 581, Apulia was deluged by swarms of locusts; as the Pontine territory had been the year before. So destructive were their ravages, that the Prætor Sicinius was sent with an army to drive them away.

Livy, b. 42. 2 & 10.

Orofius b. 4 relates, that a most violent plague desolated Kome in the year 610 and B. C. 144. The dead bodies lay putrefying in the houses and streets, and rendered it impossible to approach the city. In the preceding year appeared a remarkable comet. As we come down to the more authentic periods of history, this phenomenon will more frequently occur.

It is again necessary to remark a difference in the chronology of different authors. Seneca places the appearance of this comet, which he describes to have been as large and luminous as the sun, "Post mortem Demetrii Syriæ Regis, paulo ante Achaicum Bellum"—after the death of Demetrius, king of Syria, and a little before the Achean war.

Nat. Quest. lib. 7. 15.

Demetrius was slain, B. C. 151, according to common chronology, and the Achean war was in the year when Carthage was taken and destroyed by Scipio, B. C. 146. The appearance of the comet therefore should be placed in the year preceding, or 147, corresponding with the year of Rome, 607. And this is probably correct, for it is agreeable to general observation, that a comet appears early in the pestilential period, and often precedes its most calamitous years.—The Encyclopedia assigns it to the year 146.

Seneca remarks that at first it appeared fiery and red, emitting a bright light, so as to overcome the darkness of the night. Gradually its magnitude lessened and its brightness vanished.

This plague was still more deadly than that in which Camillus died.

Muratori, vol. 1.

In the year of Rome 628, and B. C. 126, historians relate, that a most dreadful pestilence arose in Africa, from dead locusts. These animals were brought towards Numidia and Utica, by a strong east wind, in such innumerable multitudes, that they devoured every green thing—not sparing even the bark of trees. They were driven by the south wind into the Mediterranean, and being washed on shore, in the hot season, they putressed, and caused a most deadly plague. It is related that 800,000 persons perished in Numidia alone; 200,000 on the sea coast of Carthage and Utica, and 30,000 of the Roman troops. No less than 1500 dead bodies were carried out of one gate of Utica, in a single day.

Livy, Epit. 60. Orofius, lib. 5. P. Diac. August. Hist. 813. Authors ascribe this plague to the dead locusts; and doubteless that cause had its influence. At the same time, there is no

necessity of reforting to the locusts, for this was a time of general pestilence. The same state of air or other elements which savored the generation of disease, sirst existed, and produced this unusual number of locusts. This will appear in subsequent parts of this history.

Orosius gives a most hideous account of the pestiserous state of air from the locusts. He avers that birds, cattle and wild beasts perished by means of the corruption of the air, and thus increased the evil. He remarks further that, altho locusts had often appeared in his days, in great numbers, yet they never before had done more mischief when dead, than when living, so as to cause mankind to wish they had not perished.

We must accede to the opinion of the ancients that the stench of the locusts was one cause of the pestilence; it is possible that no epidemic disease would have been excited without that cause; but it is equally true, that in a healthy state of the atmosphere, no putresaction of dead bodies has ever been known to produce an epidemic pestilence. It may be powerful enough to excite disease within a small extent of its own atmosphere; but if no other cause of disease exists, it will not extend beyond that insected atmosphere.

The appearance of immense multitudes of locusts, during pestilence, is a curious sact in natural history, and well deserves investigation; but these animals do not always precede the appearance of the diseases of the same period, nor do they often perish in such collections as to be the cause of those diseases. The common idea in Arabia, is, that they are generated by heat and drouth. Cold and rains are supposed to destroy their eggs.

About the beginning of this destructive period, appeared a comet. The Encyclopedia mentions two, in the year of Rome 629, and B. C. 125. But it is probable this is a mistake of the compilers. The universal history places one under the year 630, and a second under the sollowing year, quoting Justin, for authority. But Justin mentions two comets, one at the birth of Mithridates, another in the year he began to reign. Now Mithridates was about cleven or twelve years old when he came to

the throne, in the year of Rome 631, and B. C. 123. Of course the first comet must have been about the year 620, and B. C. 134.

It is no inconfiderable proof of the truth of Justin's account, and of the accuracy of our chronology in this particular, that there was an eruption of the great volcano of Sicily, in both the periods when these comets are said to have appeared. In the year 620, and B. C. 134, there was an eruption of Etna, tho not mentioned by Justin; and this was the year of the first great comet, and of the birth of Mithridates. Nine years after, in 629, there was a second cruption of Etna. The last year corresponds nearly with the period in which Mithridates began to reign, allowing him to be eleven years old, and with the approach of the second comet.

This last comet produced most tremendous effects, as we might expect from its magnitude, and proximity to the earth. The following is Justin's description of it. "Nam et eo quo genitus est anno, et eo quo regnare primum cæpit, stella cometes, per utrumque tempus, 70 diebus ita luxit, ut cælum omne slagrare videreter." For 70 days the heavens appeared to be in a slame.

Lib. 37. 2.

The eruptions of the volcano were equally remarkable.

The lava from Etna laid waste the city and suburbs of Catana. " Ætna ultra solitum exarsit, says the historian; Catanam urbem sinesque oppressit."

Orofius, lib. 5.

In Paulus Diaconus we have a relation of fingular facts in regard to the eruption of Etna. Globes of fire were thrown from the Crater. Lipari, a small volcanic island on the north of Sicily, became so heated, during the eruption, that the rocks were dissolved, tho it is not said that this island discharged any fire. The water of the neighboring sea was so heated as to kill the sish, and melt the pitch on the decks of vessels. Dead sish appeared on the surface of the water, and many persons, who were near the island, were suffocated with heat.

This author places the appearance of the locusts which caufed the plague in Africa, in the year after the eruption of Etna. Others place this event, a year before the eruption. It is much to be regretted that authors have been so careless of the chronology of important phenomena, on the order of which may depend important principles. This however is certain, that all the great agitations of nature here related belong to the same period, and it is not surprising that they were attended with most mortal pestilence.

For authorities see Livy, Epit. 60. Orosius, lib. 5. P. Diaconus, in August. Hist. 813. Justin, lib. 37. 2, 3. Usher's Annals, 498. Muratori, vol. 1, p. 26.

The foregoing period of pestilence was one of the most dreadful on record.

It will be found invariably true, in every period of the world, that the violence and extent of the plague has been nearly proportioned to the number and violence of the following phenomena—earthquakes, eruptions of volcanoes, meteors, tempests, inundations

During the civil wars excited by Sylla and Marius, the armies lost ten thousand men by the plague, in the year of Rome 665; and B. C. 89.

Universal Hist. vol. 13. 59. Vel. Paterc. lib. 2. 21.

It must have been during this period that the comet appeared which is mentioned by Pliny. Nat. Hist. lib. 2. cap 25. "Civili motu, Octavio Consule," for this was the year, in which Octavius was Consul. This period was preceded by an extraordinary collision and disrupture of two mountains, and the bursting of sire from the chasm, in the territory of Modena. Pliny assures us, this was seen from the Emilian way, by an immense number of Roman knights and others.

Pliny Nat. Hist. lib. 2. 83.

With this period corresponds the eruption of a volcano in Hiera, one of the Æolian isles, north of Sicily, now called Lipari, which burnt for several days, and the very sea around it appeared to be sire. Pliny says this was during the Social War.

Lib. 2. 106.

The year B. C. 44 was distinguished by the death of Julius Cesar, by the hands of conspirators; soon after which appeared a counet, supposed to be the same which appeared in

1680, whose period is calculated to be 575 years. If this is its period, it must have been seen in the year B. C. 1767, in the reign of Ogyges, when Attica was inundated and rendered barren for a number of years; and when the planet Venus is faid to have changed her figure, color and courfe. When we furvey the uniform effects of comets in tempests and floods, and compare the traditional account of that event with the terrible inundations which have happened in Greece at other times, and especially with that in the time of Thucydides, which rent Atalanta from the main land; which events all took place during the approach of comets; we are constrained to believe the fact of the Ogygean deluge, and fable rifes to the dignity of authentic hiftory. This inundation might have happened during the approach of fome other comet, but the probability is, that it was during that of the comet under confideration, which fixes the time of the Ogygean flood, in the year B. C. 1767. This circumstance may serve to correct the chronology of the early events in Greece.

See Jackfon's chronology vol. 3. 312.

Its next appearance must have been in the year A. C. 1193, when Electra, one of the pleiads, abandoned her fifter orbs, and sled from the Zodiac to the north pole.

Its third appearance corresponds with the year A. C. 618, the year of the terrible comet of the Sybill, says Gibbon; and its fourth, is the one under consideration. Its subsequent appearances A. D. 531, 1106 and 1680 will be hereafter mentioned. All the periods here named, which come within the limits of authentic history, have been remarkable for pestilence, earthquakes, inundations or other great phenomena. Such was the fact in 44 and 43. There was a terrible inundation of the Tyber, a violent earthquake, many unusual phenomena in the sky, and in the year 43, a violent eruption of Etna.—Pestilence, as usual, accompanied these events.

But another phenomenon, the paleness or defect of light, in the sun, deserves more particular attention. Pliny afferts that this pale color lasted almost a year. His words are, "Fiunt prodigiosi et longiores solis desectus, qualis occiso dictatore Cæ-

fare et Antoniano bello, totius pene anni pallore continuo: Nat. Hist. lib. 2. 30.—Virgil and Ovid, who were eye witnesses of this phenomenon, have both described it, with the other prodigies of this period.

" Ille (fol) etiam extincto miseratus Cæsare Romam, Cum Caput obscura nitidum ferrugine texit."— Georg. lib. 1. 466.

" Phæbi quoque tristis imago Lurida follicitis præbebat lumina terris."

Metamorph. lib. 15. 785.

The words ferrugo and luridus give us an exact idea of the color—a paleness tinctured with the color of rust. A similar defect of light in the sun occurred at the time of the next appearance of this comet, A. D. 531, as will be hereafter related. The fact is curious. It is well known that this comet approaches very near to the sun; but whether the defect of splendor in the sun was the effect of the attractive powers of the comet, or of an alteration in the electrical atmosphere of these bodies; or whether it was occasioned by an alteration in the terrestrial atmosphere, is a question not easily solved. It might have been owing to a vapor, like that which overspread Europe in 1783.

This period was marked with famin also, with shooting stars, and numerous prodigies.

See Virgil and Ovid in the passages quoted. See also, Zonoras' Annals, lib. 10. Usher's An. p. 68c.

The comet appeared in 44 and also the pestilence—the eruption of Etna in 43 B. C. and therefore subsequent to the other events. Indeed it is more generally the case, that the volcano does not emit fire until some time after the appearance of the plague. To this however there are exceptions. Most of the great plagues appear two or three years, with different degrees of violence; and during this period, volcanoes discharge immense quantities of lava.

By a paragraph in Usher's Annals, p. 684, it appears the winter following the appearance of this comet, was severe.

The next pestilential period commenced in the year 30 B. C. An eruption of Etna, which laid all the neighboring towns in ruins, marked the commencement of this period, which however was preceded in 31 by an earthquake in Judea, in which thousands of people perished in the ruins of their houses. About the same time appeared, says Dion Cassius, "those meteors which the Greeks call comets." These phenomena were followed by a pestilence in Jerusalem, which destroyed a great part of the nobles and people of the Jews. The same period was marked by a great inundation of the Tyber, which spread over the low grounds of Rome, and was considered as an omen of the suture power of Augustus.

Dion Cassius' Univ. Hist. 10. 415. Usher's Annals, 766.

By a curious circumstance, we learn that a hard winter and pestilence afflicted Rome at this period. The Emperor Octavius Augustus, in his 5th Consulship, B. C. 29, had formed the design of resigning the empire. Horace, the Poet, his friend and flatterer, endeavored to dissuade him from this purpose, on account of the prodigies which happened at the beginning of the year, which was the winter of the year 30 B. C. and corresponds exactly with the appearance of the comet. Among these prodigies, the poet enumerates an abundance of snow, terrible hail, thunder and lightning, and a destructive inundation of the Tyber.

" Jam satis terris nivis, atque diræ Grandinis misst Pater—&c."

See the 2d Ode of the first book, which is worth the notice of the philosophic reader, on account of the description of the inundation, which proceeded from a fwell of the sea.

"Vidimus flavum Tiberim, retortis Littore Etrusco violenter undis."

It is a fact of which there is full evidence, that during the approach of comets, not only tempests are more violent, than at other times, but the ocean swells without winds—the tides are much higher and high tides are more numerous. The ancients

took notice of this fact, and it came under my own observation, during the approach of the comet in 1797.

In the 21st ode of the same book, Horace addresses Apollo who "drives war, samin and pestilence from the Roman people and the Emperor, to the Persians and Britons."

This passage is proof that the Romans found pestilence in Britain; but the Britons, at that time, had no trade, except with the coast of France. How or from what quarter, they imported the infestion, is left for the solution of Dr. Mead's soilowers.

In the year B. C. 25, according to the Universal History, a violent pestilence raged in Rome, an inundation laid a great part of the city under water, lands were left untilled and a famin enfued.

The fame year, the plague raged in Palestine, which was preceded by a severe drouth and a dearth of corn. A hard winter is mentioned about the same time, but the order of this event is not recorded.

Universal Hist. vol. 13. 502. Usher's Annals, 772. Dufresnoy's Chro.

This pestilence was preceded the year before, by "epidemic distempers which proved fatal to many." This fact is important, and will hereafter be found very material in determining the caufes of epidemic pestilential diseases. It goes to prove a progresfiveness in the pestilential state of air, or general contagion. And this instance, among many to be hereafter specified, demonstrates that the plague was not produced by the famin, according to vulgar opinion in almost all cases of this kind. Had no malignant disease preceded the plague, and had the plague followed close on the heels of famin, we should have strong ground to believe famin to be the cause of the plague; and a series of similar facts might establish that as a principle or law of nature. But it appears, that the malignant distempers, which are found to be the constant precursors of pestilence, were epidemic, in the year preceding the famin—a demonstration that the general cause, in the state of air, existed anterior to the dearth.

SECTION III.

Historical view of pestilential epidemics from the Christian era, to the year 1347.

At the close of the reign of Augustus, about the year 14 or according to some authors 16 of the Christian era, there was a great famin in Rome, and a comet is mentioned, near the same time, by Dion Cassius. This was followed by a most terrible pestilence in the east, during which twelve cities of Asia Minor were overthrown by earthquakes. Of these callamitous events, the following is the account recorded by Tacitus, An. lib. 2. 47. "Eodemanno, duodecem celebres Asia urbes conlapsa nocturno motu terra, quo improvisior graviorque pestis suit. Neque solitum in tali casu essugium subveniebat in aperta prorumpendi, quia diductis terris hauriebantur: Sedisfe immensos montes, visa in arduo qua plana suerint, essussisse inter ruinam ignis memorant."

It is a circumstance not to be overlooked that the plague was prevalent, anterior to this dreadful earthquake, as the historian remarks that this catastrophe rendered the sickness more severe and less tolerable. Such is the usual course of these calamities; the pestilence appears, before the most destructive shocks of the earth, which rarely fail to occur, during its prevalence. It is to be observed also that men obtained no security, in this instance, by slying to open places, for the earth opened and swallowed them up—fire also issued from the earth. Large mountains subsided to plains, and plains were thrown into mountains.

Tacitus An. lib. 2. 47. Plin. lib. 2. 84. Eufeb. Chron. 201. Ufher's Annals, 811.

In the year 40 of the Christian era, there was an eruption of Etna, which frightened Caligula out of Sicily and which was

rollowed by univerfal famin in Rome and the east.* This was the famin foretold by Agabus in Acts xi. 28, in the reign of Claudius Cefar. A pestilence, at the same time raged in Bab. ylonia, and multitudes of Jews, on account of it, withdrew to Seleucia.

Suctonius in Calig. Univ. Hist. vol. 14. Usher's An. 864, 868. During this famin and pestilence, a comet was visible in the year 42.

Short on Air, vol. 2. 170.

The close of the reign of Claudius and the beginning of the reign of Nero, A. D. 53 and 4, were marked by a similar train of phenomena and calamities. A comet is noted by Suetonius and Pliny about the year 54, the year in which Claudius was poisoned. Tacitus relates that people were alarmed by frequent shocks of earthquakes, which demolished many buildings, and great dearth of corn prevailed in Rome and Greece. Pliny records that three suns, by which are doubtless intended, halos or mock suns, appeared the same year. These were considered by the ancients as prodigies; but the common phenomena, they are remarkably luminous, and frequent in the periods of pestilence.

Tacitus Annals, lib. 12. 43. Plin. Nat. Hift. lib. 2. 31. Suct. in Claud. Functius Chronol.

This period was fickly, tho not recorded as pestilential. Suetonius remarks, "Ex omnium Magistratum generi, plerique mortem obierant." Many of all kinds of public officers died; by which we infer that the year was fickly.

In the reign of Nero occurred the next peffilential period. Two comets are noted, one A. D. 62 and a fecond in 66. In the year 62, Laodicea was overwhelmed by an earthquake. In the year 68, occurred a most violent tempest in Campania which destroyed villages, trees and grain; and a violent earthquake. At the same time, raged a mortal plague in Rome, which is said to have carried off 30,000 people; but by the description of its

^{*} Short places this in the 49th year of the Christian era; altho Caligula was killed in the year 11. No dependence can be placed on the dates of events, found in Short on Air; and I cannot vouch for their correctness, where I have not other authority

ravages, it is probable the number was much greater. Tacitus remarks that the "houses were filled with dead bodies and the streets with funerals; neither age nor sex was exempt; slaves and ingenuous plebeians were suddenly taken off, amidst the lamentations of their wives and children, who, while they assisted the sick, or mourned over the dead, were seized with the disease, and perishing, were burnt on the same funeral pile. To the knights and senators, the disease was less mortal, tho these also suffered in the common calamity."

As Rome, at the time under confideration, contained more than a million of inhabitants, fo mortal a plague must have extinguished a much larger number than 30,000 people—it is not improbable, a numeral or figure has been omitted by the transcribers of the original history.

The earthquakes of this period were experienced in Afia Minor, at Laodicea and Hierapolis.

Seneca mentions that a flock of 600 sheep were killed by the pestiferous vapor, discharged during the earthquake in Italy.

Dion Cassius relates, that at this period, a most formidable inundation laid waste the Egyptian coast.

It must not be omitted that the violent tempest in which St. Paul was shipwrecked on the island of Melita, now Malta, was in the year 61 or 62, during the approach of the first comet.

Tacitus remarks, that no visible cause could be assigned for the pestilence of this period; "Nulla Cœli intemperie quæ occurreret occulis." No remarkable season had occurred, to which this distemper could be ascribed. We shall find, in subsequent periods, distinguished writers making similar remarks. The reason is, these authors did not take a view sufficiently comprehensive of the operations of nature; and if the cause of plague could not be found, very near in time and place, they did not observe it. It is true, that an extraordinary season does not always precede or attend pestilence, in a particular place; but by extending our view of the subject, to general causes, operating over whole quarters of the globe, and perhaps over the whole globe; and considering the causes, as invisible, and acting for a series of years,

the whole mystery is unfolded.—Such may be the result of this investigation.

For authorities respecting the last period of pestilence here noticed, see Tacitus, An. lib. 15. 47. lib. 16. 13. Suet. in Nero. Seneca, Nat. Quest. 6 and 7. Barouuis, vol. 1. 620. Plin. Nat. Hist. lib. 2. 33. Usher's Annals, 892. Funct. Chron. Oros. lib. 7. Universal Hist. vol. 14. 439. Magd. Ec. Hist. lib. 2. 13.

Seneca places the great earthquake in Campania under the Confulship of Regulus and Virginius, which, according to common chronology, was in the 65th year of the Christian era.

The next peftilential period is one of the most remarkable in all the circumstances, that is recorded in History.

In the year 79 [fome authors fay a year later, but the difference is of no moment, as they agree in the order of the events related] just before the death of Vespasian, appeared a comet with a long coma in the month of June. On the first of November following, a most tremendous ebullition of fire and lava issued from Vesuvius and laid waste the neighboring country. At the same time, happened a violent earthquake, which buried the cities of Herculaneum and Pompeium; and so sudden was the shock, that the people, who were attending a play, had not time to quit the theater, and were all buried in a mass.

This dreadful catastrophe was preceded by rumbling noises in the earth, and the earth was heated to a great degree. Violent agitations of the sea, thunder and lightning also announced the approach of some dreadful event.

The eruption lasted three days, during which time such immense quantities of ashes and smoke were discharged, that day was turned into night, and the ashes were driven by different winds to Rome, Syria and Africa.

The agitations of the earth and the elements were tremendous and frighful. Baronius remarks, that some persons supposed the world would be reduced to chaos, or consumed with fire. The sish in the neighboring seas were destroyed.

This explosion of subterranean fire was preceded by a severe drouth in Italy. The next year, 80, was remarkable for a terrible inundation in England; the Severn overflowing a large tract of country, and destroying multitudes of cattle.

These violent effects of subterranean fire were attended by one of the most staal plagues recorded in history. A remark of Dion is here very important. He says that the "Ashes from Vesuvius caused, at the time, only slight indispositions or diseases; but afterwards produced an Epidemic distemper." The remark is incorrect, in ascribing even slight diseases to ashes; but it leads to a conclusion, which is of moment. The slight complaints which prevailed in the autumn of the year of the eruption, compared with modern observations, appear to have been the precursors of the plague, which broke out the next year, and as authors assert, destroyed, for some time, 10,000 citizens of Rome in a day.—The same year, while the Emperor Titus was viewing the ruins in Campania, a fire broke out in the city, which laid in ashes a great number of buildings.

The order of the events in this period was, a comet, drouth, flight diseases, and an cruption of Vesuvius, with the earth-quakes, the first year.—In the second, appeared the pestilence with its most malignant effects.

In this eruption of Vesuvius, the first recorded in history, perished the elder Pliny; and the Emperor Titus fell a victim to his paternal care of his subjects.

Suetonius, 23. Aurel. Victor. Epit. Dion Cassius. Pliny Epis. Baronius An. vol. 1. 713. Magd. lib. 2. 14.

In the year 90 appeared a comet. The plague is faid to have appeared in the north of England in 88, and in 92, to have destroyed 150,000 lives in Scotland.

Short, vol. 2. 207.

In 102 a plague is faid to have arisen from dead fish driven on shore, but I have no other particulars.

In the year 107 four cities of Asia, two in Greece and three in Galatia, were overwhelmed by an earthquake. A comet is mentioned by Short in 109, but as I have not found the original authority, I cannot depend on the accuracy of the chronology. It is probable that these phenomena occurred within the same year; and there is the more reason to believe this, as different and respectable authors differ two or three years in the chronology of Roman history. The next event to be related, is a remarkable instance of the truth of this observation.

Short mentions a plague in Wales in 114 which destroyed 45,000 lives; but I have not the history of the facts.

In the reign of Trajan, the city of Antioch was almost totally demolished by an earthquake. This emperor was in the city at the time, and narrowly escaped with his life. Some authors place this event in the year 114; others in 115; but Baronius has proved by an ancient inscription, that it happened under the consulate of P. Vipstanus Messala and M. Virgilianus Pedo; which brings the event to the year 117. A comet was visible the same year.

The earthquakes of this period were extremely violent—many cities were overthrown, mountains funk, rivers were dried up and new fountains appeared.

Aurelius Victor adds to these calamities a great inundation of the Tyber, violent pestilence and famin; but to which of the periods, the year 107 or 117, he alludes, is not quite certain, tho probably to the latter. "Terræ motus gravis per provincias multas, atroxque pestilentia, famesque et inundia facta sunt."

To remedy the danger from fire and earthquakes, Trajan limited the height of houses in Rome to 60 feet; and for that regulation obtained the title of "Father of the Country."

The great earthquake at Antioch was accompanied with fierce winds, a circumstance not very common; it being more usual that shocks of the earth happen during a perfect serenity and tranquillity of the atmosphere, unless in the vicinity of volcamoes.

Aurel. Victor. Epit. Trajan. Dion Cassius. Baronius vol. 2.55. Echard's Rom. Hist. vol. 2.276.

During the time that Trajan was making war on the Agarini, a people of Arabia, which had revolted from the Roman government, flies in myriads appeared and covered every veffel and utenfil, fo that the Emperor was compelled to abandon the expedition. This was near the time of the earthquake which deflroyed Antioch.

Earon. 2. 54. Magd. Cent. 2. 13.

This fact ought not to be omitted; as the generation of innumerable infects is one of the phenomena which generally attend a great pestilence—The same season was marked by terrible storms of wind, rain and hail-stones of unusual size. The win-

ter succeeding that in which Antioch was destroyed, was so tempestuous, and the Tigris so swelled by deluges of rain, that Trajan's army suffered extreme hardships and great losses, in his expedition into Assyria.

Under the year 115, I find mentioned a sudden and violent inundation of the Severn in England, which drowned people in their beds, and destroyed 5000 head of cattle. Perhaps philosophy will place this event, under the year of the earthquake at Antioch; whichever may be the true year, 115 or 117.

In the chronological tables, a great earthquake in China is mentioned under the year 114—the year of the plague in Wales.

Under the Emperor Adrian, say the compilers of the Magdeburgh history, from Eusebius, the greatest part of Nicomedia and Nicea was overthrown by earthquakes; and not long after, Nicopolis and Cesarea were totally overwhelmed. Functius assigns the sate of Nicomedia to the year 121, and that of Nicopolis to 129. By another writer is noted a comet in 127, and a plague in Scotland.

Short, vol. 2. 207.

In 137 appeared a comet, followed by the plague.—In this year or the subsequent one, the Thames was almost dry.

The plague again made great havoc in Scotland in 146.—An eruption of fire from Lipari happened in 144.

In the year 153 happened a fevere winter of three months, which covered the Thames and all rivers with ice.

In the reign of Antoninus Pius, A. D. 154, occurred an earthquake which proftrated fome towns in Afia and Rhodes. A comet appeared nearly at the same time, and a pestilence in Arabia, together with an inundation of the Tyber.

Julius Capitolinus. Magdeb. Cent. 2. 13. Baronius vol. 2. 130.

Of the general and fatal pestilence in the reign of Marcus Aurelius Antoninus and Lucius Verus, we have many accounts. It appeared in Rome in 167, but its origin was in Asia, a year or two earlier. Ammianus Marcellinus, the philosophic soldier, relates that this plague originated from the soul air of a small box or chest, which a Roman soldier had opened, in search of plunder, after the taking of Seleucia. Julius Capitolinus men-

tions the same sact on the authority of mere vulgar report or tradition. "Et nata fertur pestilentia in Babylonia, ubi de templo Apollonis ex arcula aurea, quam milis forte inciderat, spiritus pestilens evasit, atque inde Parthos orbemque complesse."

A. Marcellinus gives a more particular account of this event. "Milites fanum fcrutantes, invenere foramen angustum, quo referato, ut pretiosum aliquid invenirent, ex adyto quodam concluso a Chaldœorum arcanis, labes primordalis exsilivit, quæ infanabilium vi concepta morborum, ejusdem Veri et Marci Antonini temporibus, ab ipsis Persarum finibus, adusque Rhenum, et Gallias Cuneta contagiis polluebat et mortibus."

That a close box or other confined place, which might have been shut for ages, should contain a pestiferous vapor which might destroy the life of the man that first opened it, is not only possible, but very probable. But that this trisling quantity of noxious air should be sufficient to generate a universal pestilence from the confines of Persia to Gaul, is a vulgar notion, precisely resembling the modern opinion that the plague is conveyed from country to country, in bales of goods.

The historian adds, that the Emperor returned to Rome, and "luem secum deferre videreter," seemed to carry the plague with him. But the Romans passed only from Seleucia to Rome; whereas the plague raged over the whole earth; so that the disease must have originated in other countries, through which the Emperor did not pass, and from other causes than the noxious air of a little box. It raged in Gaul and in Scotland.

By attending to the phenomena of the physical world, during this period, we shall find causes fully adequate to the effect, without reforting to the temple of Apollo in Seleucia. The state of the elements was deranged, and nature was every where agitated. An inundation of the Tyber at Rome laid all the low grounds, and a part of the city under water, sweeping away people, buildings and cattle, and desolating the fields. Famin and carthquakes marked the same period. The air became infalubrious, and myriads of caterpillars and other insects overran the earth and devoured vegetation.

The pestilence was violent and mortal, corresponding with these symptoms of derangement in the elements. In Rome, at one time, it is related, that the mortality extended to ten thou-fand persons in a day. Its precise duration, I do not find to be specified by the historians; but it continued for a number of years; in the midst of which appeared a comet, about the year 169.

See Am. Marcellinus, lib. 23, and Julius Capitolinus, in Vero. Aug. Hist. 580. Hist. of Emperors by Pedro Mexiæ, p. 172. Echard's Rom. Hist. vol. 2. 315 to 322, who is more correct than Eibhon.

Of the fymptoms of this defolating plague, I find no account, except that the patients had a light fever, and a gangrene appeared on the extremities of the feet.

It is proper here to notice a passage in Gibbon's Hist. vol. 1. chap. 3, which describes, as halcyon days, the period of the world in which this calamity occurred. The sollowing are his words. "If a man were called upon to fix the period in the history of the world, during which the condition of the human race was most happy and prosperous, he would, without hestation, name that which elapsed from the death of Domitian to the accession of Commodus;" that is, from the year 96 to 180.

It is certain that, at this time, the Roman Empire was in its glory, and governed by a feries of able and virtuous princes, who made the happiness of their subjects their principal object. But the coloring given to the happiness of this period, is far too brilliant. The success of armies and the extent of empire do not constitute exclusively the happiness of nations; and no historian has a title to the character of sidelity, who does not comprehend, in his general descriptions of the state of mankind, moral and physical, as well as political, evils.

During the period mentioned by Gibbon, not only Antioch, with the loss of most of its inhabitants, amounting probably to more than 100,000, but thirteen other cities were demolished by earthquakes. In the famous revolt of the Jews under Trajan, historians relate that 450,000 Romans were massacred in Syria, Cyprus and other countries; and in the wars undertaken by Adrian to subdue them, it is estimated that 50 cities and 985

towns were destroyed, and 580,000 men lost their lives by famin, disease and the sword. The reign of the Antonines was distinguished for multifarious and severe calamities. The description of them, by Aurelius Victor, ought to be given in his own words. Speaking of the Emperor M. Antonine, he says, "Nisi ad illa tempora natus esset, prosecto quasi uno lapsu ruissent omnia status Romani. Quippe ab armis nusquam quies erat: perque omnem orientem, Illyricum, Italiam, Galliamque bella fervebant. Terræ motus non sine interitu civitatum, inundationes sluminum, lues crebræ, locustarum species agris insestæ, prorsus at prope nihil, quo summis angoribus atteri mortales solent, dici seu cogitari queat, quod non illo imperante sævierit."

Epit. of the lives of the Emperors.

"Unless he, M. Antonine, had been born at that juncture, the affairs of the empire would have fallen into speedy ruin: for there was no respite from military operations. War raged in the east, in Illyricum, in Italy and in Gaul. Earthquakes, with the destruction of cities, inundations of rivers, frequent plagues, a species of locusts ravaging the fields; in short every calamity that can be conceived to afflict and torment men, scourged the human race, during his administration."

How can that be a "happy and prosperous condition of men," in which they were subject to continual wars, to massacres, to the ravages of insects, and to a series of plagues, which destroyed probably one fourth of the inhabitants of the globe; and when the Roman empire was upon the brink of ruin? And how can a writer be esteemed as a historian, who substitutes the flowers of rhetoric for sober truth, and sarissees sact to embellishment?

In the year 173 a pestilence raged in the Roman armies, which threatened them with extermination.—This appears to have been a continuation of the plague before described. It prevailed in Rome in 175 and 178.

Funct. Chronol. Short, vol. 2.

A fevere winter in 173 produced famia in England, where the fnow covered the earth for 13 weeks.

In 181 a comet was visible, and in 182 Smyrna was almost ruined by an earthquake. The plague prevailed in Rome in 183.

In the reign of Commodus, about the year 187, Rome was again afflicted with a fevere plague, which was felt also in all parts of Italy, tho with less mortality than in the city. Herodian, lib. 1, gives the following account of it. " A great peftilence raged throughout Italy at that time, but with most violence in the city, by reason of the great concourse of people affembled from all parts of the earth. The mortality among men and cattle was great. The Emperor, by advice of certain physicians retired to Laurentum, on account of the coolness of the place which was shaded with laurels, from which circumstance it derived its name. It was supposed also the effluvia from the laurels acted as an antidote against the contagion of the distemper. The people in the city also, by advice of phyficians, filled their nofes and ears with fweet ointments, and constantly used perfumes, for in popular opinion, they occupy the passages of the senses, with these odors, and shut out the corrupt air; or if they do not wholly exclude it, they overpower its influence by fuperior force. But these things did not check the progress of the disease, and men and cattle continued to perifh."

The deaths amounted, in Rome, to 5000 in a day, for a confiderable time. A famin prevailed at the fame time, and historians ascribe it to Cleander, the minister of Commodus, who had monopolized the corn, to compel people to purchase of him at an advanced price. Dion Cashus however says, the year had been unfruitful. The pestilence continued three years. Indeed we may here remark once for all, that when we read of a plague of great extent and violence in any part of the world, under the date of a particular year, we may always confider that or other pestilential diseases, as prevailing at least three years. Rarely are great plagues of less duration, but often of greater. Historians feldom mention the pestilence, except in the year of its greatest violence, but no plague, I will affert, ever yet infested a particular city or country, without precursors of a very malignant type. When therefore we fpeak of pestilence, as prevailing in a particular year, we are to confider the epidemic as extending to a period of three, four or five years, perhaps

to a much longer period, either in the form of plague, a deadly petechial fever, or other fatal difease.

In the foregoing description of the disease under Commodus, we notice the vulgar modes of guarding against contagion, by stuffing the nose and ears with aromatics—a practice that in part subsists at this day, altho constant experience proves it to be utterly inessectual.

It appears from Herodian that a comet appeared at this period, or other fingular heavenly phenomena. He says, "Ea tempestate stellæ per diem perpetuo apparuerant, quædamque ex iis in longum productæ medio quasi aere suspensæ videbantur." Comets are sometimes visible in the day time, and it is well known that many of the ancients considered them as meteors, sloating in the earth's atmosphere, as we see in Aristotle, Seneca and Pliny, who have discussed and resuted those opinions. See also Sampridius who mentions the comet and unusual darkness, at this period.

Another circumstance mentioned by Herodian deserves no-He fays, that animals at this time grew out of their usual fize, affuming an extraordinary figure and disproportioned in their parts. " Preterea animalia, genus omne, minime suam naturam fervantia, cum figura corporis prodigiofa, tum membris haudquaquam congruentibus edebantur." This fact the writer arranges under the head of prodigies; but numerous modern obfervations confirm the veracity of the historian. In many plagues, to be hereafter mentioned, myriads of unufual animals have appeared, and many common animals and infects have grown to an unufual fize. With this fact almost invariably attending peftilence, and before the eyes of every man of science in well attested accounts; a fact that demonstrates a prodigiously pestilential state of the elements, modern philosophers, physicians and rulers have been tracing all the plagues of the earth to one or two little spots in Egypt and the Levant-This circumstance is hardly credible; yet is true, and indicates a lamentable decline of found philosophy.

A flight shock of an earthquake is mentioned incidentally by Herodian, after the plague. Speaking of the burning of a temple in Rome, he fays "there had been no storm or clouds, but a small earthquake preceded the conflagration:" and he infinuates that the building might have been set on fire by a slash of lightning in the night, or by an eruption of fire in the earthquake.

In 193, Canterbury in England was severely shaken by an earthquake.

The plague prevailed in London in 211, and a comet appeared in the same year. In 214, there was a most dreadful inundation of the river Trent in England, which spread over 20 miles of country, and destroyed many lives. Here is probably a mistake in chronology of at least two years—or rather a difference between different authorities. Eusebius, the learned Bishop of Cæsaria, places the birth of Christ two years earlier, than the common or Dionysian Chronology. Many authors follow one mode of computing time and many the other; and without the original authors, and a close attention to their modes of recknoing time, it is not possible to reconcile these differences. The uniform influence of comets in producing violent tempests and unusual swelling of the ocean, within a year of their appearance and after their departure, may assist in correcting ancient chronology.

In the year 218 two comets appeared, and a fevere frost of five months is related to have happened in England in 220.

There was a great inundation of the Tweed in 218, and a pestilence in Scotland in 222 which destroyed 100,000 lives.

In 235 a comet is noted, but I find no other phenomena mentioned about this time, except a great death of fish in 231, multitudes of which were washed ashore on Britain; and an earthquake in Wales in 232.

In the reign of the Emperor Gordian, about the year 243, the earth was agitated by most violent earthquakes; and in 245 there was a prodigious inundation of the sea in Lincolnshire, England, which laid under water many thousand acres of land, which are said not yet to be recovered. A severe winter is mentioned in 242.

We have now arrived to one of the most calamitous periods recorded in history—a period of mortal plagues, which commenced about the year 250, or 252 in the reign of the Emperor Decius and continued fisteen or twenty years, through the administration of Gallus and Volusian, Valerian and Gallienus. This period was ushered in by a comet in 250, the winter of which in England was so severe, that the Thames was frozen for nine weeks.—An eruption of Etna is noted under the year 253, and an earthquake in Cornwall in 251.

The plague appears to have been most satal in Rome at two different times, during this period.; viz. in the years 252 and 262 or 3, including the year preceding and succeeding each of these periods. It reached the northern parts of Europe, and in 266, Scotland had scarcely living people enough to bury the dead.

It first appeared in Ethiopia, on the confines of Egypt, and spread over all the provinces of the Roman Empire, which, says Zonoras, were excessively exhausted by its destructive ravages. Zosimus, after describing the devastation occasioned by the irruption of the Scythians, says "Lues etiam pestilens in oppidis atque vicis subsecuta, quicquid erat humani generis reliquum, absumpsit." The plague in towns and villages followed the Scythians and devoured that part of the human race which the barbarians had spared.

Jornandes fays, the pestilence "faciem totius orbis fædavit"—desolated or disfigured the face of the whole earth.—In the reign of Gallienus, 5000 citizens of Rome perished daily, in 262, or the following year, a portion of this period most distinguished for convulsions of the earth.

This latter period was marked by destructive earthquakes in Rome, Syria and other countries. In some places the earth opened and salt water issued. Trebellius Pollio says, "Frightful earthquakes shook Italy, Asia and Africa. For many days, [some authors say, three days] there was an unusual or preternatural darkness and a hollow rumbling noise in the earth, which opened in many places. Many cities in Asia were overwhelmed,

and others lost in the ocean. Pestilence followed and desolated the Roman Empire."

In the Universal History, it is said that this plague ravaged Capadocia and all Asia Minor, and was followed by samin, earthquakes and a great comet or meteor.

Orosius remarks that "Nulla fere provincia Romana, nulla civitas, nulla domus suit, quæ non illa generali pestilentia correpta atque vastata." Scarcely was there a province of the Empire, a city or a house, which was not attacked and desolated.

This passage is worthy of notice, for it will hereaster appear, that althouthe plague is usually limited to cities, where powerful artificial or local causes aid the general contagion, yet in some instances, the general state of the atmosphere has been so pestilential, as to produce plague on the most elevated hills and salubrious places, in detached villages and houses, without the least communication with the sick and infected.

Gibbon chap. 10, has calculated that "a moiety of the human species" fell a prey to this frightful epidemic.

Cedrenus page 211 says this disease began in autumn and ended at the rising of the dog-star; or beginning of August.

The state of the air, during this pestilence, was uncommonly impure. The description of it by Eusebius, in a philosophical view, deserves notice. "Quando, inquit, aer iste pravis undique evaporationibus turbatus, serenus reddetur? Tales enim ex terra sumigationibus, e mari venti, e sluminibus auræ, e portubus exhalationes spirant, ut veluti ros quidam tabidus e cadaveribus putridis, cunetis subjacientibus elementis inferatur."

Magdeburgh. Cent. 3. p. 31.

This is a remarkable instance of a state of air so highly corrupt, as to form on objects a mould or coat, like a turbid dew, from dead bodies ros tabidus—a state of air which the author ascribes to vapor from the rivers and the earth.—The account is analogous to what is related of other pestilential periods, and the fact denotes an utter derangement in the healthful qualities of air and water.—Cedrenus compares this dew to the gore of dead persons. "Ros saniei mortuorum similis apparebat."

In the Traitè de la Peste, I find the following description of the symptoms of this malady, from St. Cyprian—dejection of mind, exhaustion of strength, incessant involuntary evacuations, as in certain paralises, violent sever of the bowels, mouth instamed, stomach swelled, eyes sparkling. The disease destroyed the seet, the hands, the sight, the hearing and organs of generation.

Aurelius Victor says of this plague "Simulque Romam pestilentia grassabatur, quæ sæpe curis gravioribus atque animi desperatione oritur." The plague spread, which often arises from the more distressing cares and despair. This describes the miserable state of mankind, at that period; but anxiety and despair do not produce the plague, except during the prevalence of a pestilential state of air. There must be a strong predisposition in the body, or an imbecillity in the powers of animal life previously induced; or the utmost pressure of grief will never occasion a plague. But at the time when general causes have impaired the vigor of the animal principles, slight causes will often induce sever and destroy life. The practical inferences from this sact are extremely important to mankind.

The articles in this account of pestilence which deserve particular notice, are the introduction of the period by a comet and an eruption of Etna—the agitations of the earth by subterranean fire—the preternatural darkness of three days, a phenomenon not unusual at such times and easily accounted for, on the supposition of the extrication of a great quantity of subterranean vapor—the pestiserous state of air which covered objects with mould and corruption—and which generated plague in every village and almost every house.

See Zosimus in Gall. lib. 1. sec 26. 37, 46. Zonoras lib. 12. Trebellius Pollio in Gall. Jornandes. Hist. August. 1098. Eliop. lib. 9. Baron. vol. 2. 496. Aurel. Victor. Epit. Magdeburgh. Cent. 3. 31.

Near the close of this period, about the year 272, there was an eruption of Vesuvius. At the same time, a severe samin raged in England. Five or six years later, a severe samin prevailed over the world. "Fames ingens per totum orbem grassata est."

It is proper here to notice an inaccuracy of the celebrated Newton, in his Differtations on the prophecies, on the 6th chapter of Revelations, in which he fays, " In the reign of Probus also there was a great famin throughout the world-an usual confequence of famin is pestilence.—This pestilence according to Zonoras, arifing from Ethiopia, while Gallus and Volusian were Emperors, pervaded all the Roman provinces for fifteen years." But Probus began to reign in the year 276, whereas the pestilence broke out in Ethiopia under Decius or Gallus and Volufian, about A. D. 252 according to Zonoras, but according to other authors, two or three years earlier. Therefore the pestilence under Gallus, could not be a consequence of a famin under Probus, which was 25 years later than the plague ascribed to it. These remarks are necessary to correct that passage of Newton, and they are useful in correcting the common notion, that the plague is usually occasioned by famin. The idea is probably unphilosophical; but is certainly contrary to fact. Famin often goes before the plague, and as often follows it. But fome of the most disastrous periods of the plague, have originated during the greatest abundance of provisions .- Such was the fact in England, in 448, and in 1347, as will be hereafter related. The great error of hiltorians and physicians has been, that observing famin and possilence often cotemporary, and the cause of the plague not being obvious to the fenses, they have taken famin to be the cause. Whereas it will appear on careful investigation, that famin is an effect of the fame cause which produces the plague among men. The dearth of provisions, during this formidable epidemic, is the effect of a peffilence in vegetation; that is, a failure in the principles of vegetable life, which proceeds from the same derangement of the feafons, or defect in the properties of air and water, which causes the plague among men .- Famin often augments pestilence, and modifies the symptoms of the disease; but in a healthy state of the elements of life, air and water, famin will not produce the plague. This may be demonstrated by multiplied inflances of feamen, starving on the ocean, who often perish by hunger, without disease, or if they had diseases in consequence of mere hunger, nothing like the plague has ever been of the number.

I cannot help noticing also the observations of Mr. Gibbon on the calamities of this period. He says, "Our habits of thinking so fondly connect the order of the universe with the sate of man, that this gloomy period of history has been decorated with inundations, earthquakes, uncommon meteors, preternatural darkness, and a crowd of prodigies fictitious or exaggerated."

See vol. 1. ch. 10.

If the original writers who have related the facts above mentioned, had been as fond of decorations, as this author, we might well have distrusted their accounts of unusual occurrences. Had this elegant writer taken due pains to inform himself of the truth, before he had indulged such restections on the most credible historians, he would have found similar phenomena to have attended the same calamity, pestilence, in every age from that period to the present, and many of them if not all, during his own life, if not within his own observation.

He goes on to observe that " famin is almost always followed by epidemical diseases." This point will be afterwards considered.

He fays also that the plague at this period " raged from 250 to 265, without interruption, in every province, every city and almost every family of the Roman Empire."

The words without intercuption, were probably inferted for the fake of decoration. They are not authorized by the original writers; and cannot possibly be true, for an unintercupted plague in a city or country, would seen leave it without an inhabitant. The truth is, it seldom raged, more than six or eight months, in the same place, at one time. It seized this town, one year, and that, the next, as we observe in modern times, through the whole period.*

The more I examin the original writers, from whom Gibbon derived his materials, the lefs confidence I place in his representations of events. He appears to be a partial historian and a superficial philosopher.

^{*} The words of Zonoras, per quindecem continuos annos, are to be understood as above explained.

In 280 a comet, and in 282 an earthquake in England.

In the year 289 was visible a large comet, and in 290 the winter in England was very severe, all the rivers being closed for fix weeks. Busiris and Coptis, two cities of Egypt, were overthrown by an earthquake. In 292 famin, pestilence and drouth prevailed—the bodies of men were covered with carbuncles and ulcers.

Cedrenus.

Worcester in England was almost ruined by an earthquake in 287.

Short, vol. 2.

In 298 also appeared a comet and earthquakes soon followed, which in Syria, destroyed several thousand lives.

Magdeburgh, Cent. 5. p. 1434.

Earthquakes were experienced in Constantinople in 309 & 310. In the year 311, the usual rains of winter failed in Italy, famin followed and then pestilence. Baronius, vol. 3. p. 69, describes it as a new disease of foreign origin, which, in consequence of excessive heat, produced the anthrax or carbuncle over the whole body, which exposed the patient to mortification. It fell upon the eyes with great severity, rendered many persons blind, and destroyed the lives of great multitudes of all ages. The reader will remark that this distemper was not of domestic origin! This is a stale custom of ascribing all evils to foreign sources.

It is related that Cyprus, about this period, suffered a drouth of thirty-fix years in consequence of which it was nearly dispeopled.

Under the chronological tables, I find a famin mentioned to have destroyed in England and Wales, forty thousand lives in the year 310; and in the following year a violent earthquake injured London.

A comet is noted in 321, and a universal famin in Britain in 325.

In the year 335, appeared a comet of great magnitude, and as it was about two years before the death of Constantine the Great, superstition held it to be the omen of that event.

In 336 Syria and Celicia were laid waste by pestilential dis-

cases. There was an inundation of the Tweed, the same year. Etrop. lib. 10. Orosius, lib 7. Magdeb. Cent. 4. 1442.

I have not found any particular account of the duration of extent of this calamity. But it appears that this period, like that in the time of Thucydides, was followed by most destructive earthquakes in 340, which overwhelmed or injured many cities of the east. A comet marked this period in 339.

Baron vol. 3, p. 536.

A fnow of 15 feet depth in England is recorded under the year 341.

In 358 happened a most tremendous shock of an earthquake, which buried in ruins the greatest part of Nicomedia. The shock happened soon after day-break in the morning, 11th Kal. Sept. and was preceded by a collection of vapor or clouds, that covered the city with impenetrable darkness, so that the eye could not discern the nearest objects. This was soon succeeded by stashes of lightning and most violent winds and tornadoes, which carried buildings to the adjacent hills. The scene was closed by a shock of the earth which demolished a large portion of the city.

Authors relate that this earthquake levelled 150 cities.

Short indeed was the respite which Asia Minor enjoyed. In 362, the remains of Nicomedia were destroyed, part of Nice was overturned, Jerusalem was shaken and other parts of the world did not escape. This was the year also in which Julian attempted to rebuild Jerusalem, when sire bursting from the earth, destroyed the works and rendered the place inaccessible. This event has been ascribed to a preternatural influence; but is a common phenomenon in Italy, Asia Minor, and in all countries subject to earthquakes; and as it happened when the neighboring countries were laid waste by the explosion of subterranean sire, there is no necessity for resorting to supernatural causes, to account for the phenomenon.

During these agitations of the earth, the sea receding lest its bed, a highway for passengers. Inundations succeeded, and drouth, famin and pestilence walked in the train of public calamities. In the following years, the earthquakes were repeated and Baronius afferts that the whole world was shaken; the shores of the sea were in some places changed; some places sunk, and in others the waters rose and carried vessels over the tops of houses. Authors place the destruction of Nice in 367, and of other cities in 368 or 372.

The destruction of Nicomedia was preceded by a severe drouth—a common event, that a violent explosion of fire from the bowels of the earth, is preceded, some weeks or months, by a total exhaustion of water by evaporation.

In the midst of these convulsions, appeared a comet in 363 or 4, and a meteor or globe of fire in 363.

A hard winter of 14 weeks duration in England is mentioned under the year 359, the year following the destruction of Nicomedia, and the fevere drouth. This is a usual event. A singular light of great extent appeared in the heavens, in the year preceeding.

The whole reign of Constantius was distinguished for destructive earthquakes, and the early writers of ecclesiastical history make no doubt that God, by these judgments, manifested his displeasure at the prevalence of the Arian blasphemies." A dreadful famin closed this period.

It was during the early part of this period, in 359, that the plague broke out in Amida, a city of Persia, when besieged by Sapor, and from which, when taken, Am. Marcellinus very narrowly escaped.

Sec Barov. vol. 4. 121, 188, 209; vol. 3. 776. Am. Marcel. lib. 22 and 25. P. Mexia Hist. Emp. p. 339. Eutrop. lib. 11. Niceph. lib. 9 and 10. Magdeb. Cent. 4. c. 13. Ech. Rom. Hist. vol. 3. 116. Aurelius Victor, Epit. Julian.

Just before the death of Valentinian I. appeared a comet, in the year 375. Zosimus mentions a hard winter at that time, extending to an unusual length. Another author mentions a severe drouth about the same time. Crete, Peloponnesus and Greece in general were agitated by earthquakes and some towns were demolished.* In Wales 43,000 died of the plague.

Echard's Rom. Hist. vol. 3. 156. Zosimus lib. 4. Magdeburgh Cent. 4. ca. 13. Am. Marcel.

Gibbon chap. 26 has well described the earthquakes of 365, but

The following year was marked with famin, and universal pestilence among men and cattle. So severe was the famin in Phiygia that the inhabitants abandoned the country.

Baron. vol. 4. 380.

A comet appeared in 383, and the plague raged in Rome and in Syria in 383 and 4.—This star however is described by Nicephorus and others, as of a singular figure, resembling a burning column; its motions differed from those of other stars—it was visible 30 days.

Niceph. lib. 12. Mugdeb Cent. 4. ca. 13.

About the fame time, the Nile rose to such an alarming height as to threaten Alexandria and Lybia with an inundation.

Sozomen, l.b. 7. 20. Magd. Ibm.

Just before the death of Theodosius, about the year 394 or 5, happened dreadful earthquakes, storms, rain and unusual darkness.

The appearance of the fiery column and the inundation are placed by some authors under the year 394. The Magdeburgh History from Prosper's Chronicon, places it under the fixth year of Gratian, which is alledged to be the year of Christ 393. But Gratian was killed about the year 383. There is therefore a mistake as to the era of this phenomenon, which, as described by authors of credit, was one of the most singular that was ever exhibited to the people of this globe.

Niceph. lib. 12. 37. Magd. vol. 2. 1452 and 5.

About this period, fwarms of locusts covered the land of Judea; and being driven by the winds into the sea and washed on the shore of Palestine, by Gaza, Ascalon and Azotus, they filled the atmosphere with a settle effluvia, which occasioned pestilence among men and cattle.

Magdeburgh from Hieronymus, vol. 2. p. 1455.

In 396 Constantinople sustained a violent shock of an earth-quake, during which the heavens appeared to be in a slame. Functius places these events under the year 400, and he is probably correct.

Baron, vol 4, 20. P. Diac, lib. 13.

by mistake quotes Zohmus lib. 4. p. 221; whereas the latter author, in this passage, describes the earthquakes of 375.

We are now arrived at another fingular and distressing period of the history of man. In the year 400, under the administration of Arcadius and Honorius, a comet appeared of a predigious size and horrible aspect. Its immensecoma seemed to sweep the earth, and Baronius, the pious author of Ecclesiastical Annals, remarks, that many of the Gentiles were terrified into christian baptism and conversion.

During its approach or appearance, happened one of the most severe winters on record. The Euxine Sea was covered with ice for 20 days. A drouth is mentioned under the same period, which was so severe that the heavens were like brass. Unfortunately historians have often neglected to arrange these phenomena in due order, throwing them into a general description.

The fame period was marked by deluges of rain, and from the order of narration, it appears that the rains preceded the hard winter of the year 400. The rivers were fo fwelled as to prevent the imperial generals from passing into the east to attack Sardis.——Severe earthquakes occurred in the same year.

About the year 407 or 8, near the close of the reign of Areadius, a celestial phenomenon of a fingular species presented itself to the view of an astonished world. It was called a comet, but did not resemble one of the ordinary figure. It resembled a cone or pillar, but had not the appearance of a star, so much as of the slame of a lamp. Its motion was not regular—it began to move from the point of the heavens where the sun rises at the equinoxes, and passing the tail of Ursa, proceeded to the west.

It measured the heavens—its vertex, at some times, extended to a great length; at others, was contracted into the sigure of a cone. After being visible for sour months, it disappeared. This is the description of it, nearly in the words of Nicephorus. Meteors were observed at the same period.

Accompanying and following these phenomena, were some of the most distressing calamities. Violent earthquakes levelled cities—inundations of rivers and the sea, followed by intolerable cold florms of hail, and a drouth that blasted vegetation, by which means multitudes of people perished. Pestilence raged in every quarter, and famin so severe, that the populace demand

ded that human flesh should be fold in market. Palestine was devoured by locusts.

Nicephorus has employed a chapter to describe the physical evils, and the miseries of man, in this singular period. He declares that almost all Europe perished.—" pasa de oleto e Europe." and no small part of Asia and Africa.

Niceph. lib. 13. ca. 6 and 36. Baron. vol. 5. 20, 114, 176, 294. Zosimus lib. 5. Magd. Cent. 5. ca. 13. Ech. vol 3. 254.

In 418 appeared a comet; in 419 feveral cities of Asia were overturned by an earthquake, and in 420 there was an eruption of Etna. There was also an inundation of the sea in Hampshire, in England, in 419. Famin and pestilence prevailed also in this period.—A great storm of hail is mentioned under the year 418, and deep snow.

The next period of general pestilence commenced in the reign of Theodosius the younger, about the year 445-or a year or two earlier. A comet in 442, ushered in a severe winter, in 443, the fnow fell to fuch a depth and continued fo long in Illyricum, that multitudes of men, women and children perished. The year preceding, the Huns had ravaged the country and destroyed the provisions, which added to the public calamities. An irruption of the Sea in North and South Wales, 441, preceded the first comet, a second comet appeared in 444. In 445, severe famin and plague distressed Constantinople, and pestilence appeared in all parts of the world. In 446, Sept. 17, occured a tremendous earthquake, which demolished the greatest part of the walls of Constantinople, with fifty seven towers. continued unremittingly for fix months, and extended to a great part of the globe. Many cities were overthrown, the earth, in fome places, was thrown into large hills; in others, it opened and swallowed up whole towns. Islands disappeared and were lost in the ocean: the sea receding, left ships on dry land, springs of water were dried up and new fountains appeared, and in this violent concussion of the elements perished innumerable multitudes of fish.

The pestilence attending, and which rarely fails to attend such agitations of the earth, was universal and of several years duration. In this period, the plague in England was correspond-

ent to the terrible operations of subterranean fire. In 448 or 9, it carried off incredible numbers of people, so that the living could scarcely bury the dead.—And it must not be omitted that the plague was preceded by the greatest abundance of provisions. This was in the reign of Vortigern, and in time of peace.

Niceph. lib. 14. ca. 46. Beda. Ec. Hist. 51, 52. Baronius, vol. 6. p. 30, 36, 37, 38. Echard. vol. 3. 331. Magdeb. Cent. 5. ca. 13.

An important fact here occurs. In 446, the Picts and Scots had overrun and desolated England, so as to occasion a dearth of provisions. But this famin produced no pestilential disease. It is particularly noticed by the historian, that the plague did not occur, till a year of great plenty had intervened. This is one strong proof among others, that famin is not the cause of plague; but often accompanies, and sometimes increases the disease. It often happens that, during extraordinary agitations of the earth, the elements of vegetable life appear to be desective. The same cause which affects human health, seems to prevent the growth or vitiate the pabulum of vegetables.*

The close of this period was peculiarly distressing in Italy, Phrygia, Cappadocia and Galatia, where the famin compelled parents to devour their own children. The pestilence made great havoc, at the same time, and no remedy or alleviation could be found. The body was universally instanced and covered with tamors. The disease destroyed the eyes. A cough succeeded the cruption, and ended life on the third day.

Niceph. lib. 15 ca. 10.

This was in the beginning of the administration of the Emperor Marcian, which commenced in 450, in which year another comet was displayed in the heavens and a fingular light or

General descriptions are seldom correct. I have already taken notice of the mistakes committed by Newton and Gibbon, whose general descriptions lead, in the instances mentioned, to salfe conclusions. A similar mistake occurs in Henry's excellent History of Britain, vol. 1. cl. 1. concerning the calamities of the Britons, in the period under consideration. The author says, "the neglect of agriculture naturally produced a samin, which was followed by a pessilence."—These sacts are not correctly slated. The incursions of the Picts and Scots had occasioned the neglect of culture and a samin; but this samin was followed by plentifa, crops, which were succeeded by pessilence.

flame, a fevere drouth "ingens ficcitas," afflicted the earth, and the calamities of this period continued for feveral years.

It must be remarked here that Functions has placed this comet and the beginning of Marcian's reign, in 454. Such differences in chronology cannot sail to embarrass an inquiry like the present, the results of which depend much on correctness of dates.

Nicephorus and Evagrius give a particular account of an earthquake which laid great part of Antioch in ruins in the fecond year of the Emperor Leo, which was A. D. 458. A comet is noted under the preceding year. But they fay further, that this event took place 347 complete years after the destruction of the city in the reign of Trajan, which was in 117. Now 347 years added to this number, give 464, for the year of the last catastrophe.

Niceph. lib. 15. 20. Evag. lib. 2. 12 and 14.

In the 311th Olympiad, which comprehends the years from 465 to 468 inclusive, appeared a comet. Whether the destruction of Antioch was in 458 or 464, the extent of the shock, through Thrace, Hellespont and the Grecian isles, together with the deluges of rain which are said to have swept away whole towns in Bithynia, leave no room to question the approximation of a comet at or near the time.

Byzantine Hist. vol. 15. Evag. lib. 2. 14.

This latter period was diffinguished for pestilence which raged in Rome, about the accession of Anthemius to the empire, and according to Baronius in the year 467.

Vol. 6. 281.

In the following year, a number of houses were overthrown by an earthquake at Vienna. Of the extent and duration of the perfilence, I have no particular description. A great cruption of Vesuvius is mentioned in 472, and a severe winter of four months duration, in 473 with deep snow.—The plague succeeded in Rome.

In the year 480 Constantinople again suffered great damage by an enthquake, which demolished a great number of buildings.

In 480 or the following year another comet was visible; or probably two years later. In 484 occurred a drouth most terri-

ble and distressing—not a vine nor an olive branch retained its verdure—the earth was pale and desolate, and the sun assumed a melancholy face. Africa was almost abandoned, in consequence of this event and an attending plague.

Baron. vol. 6. 343, 426 and 7.

Baronius places the earthquake at Constantinople in 477, but others place it in 480, which is most probably correct. The difference in the chronology of different authors, who relate the events of these early ages, is seldom less than two, three and sour years.—The plague insested Scotland in 480.

In 494 an earthquake overturned Laodicea, Hierapolis and Tripoli. According to Functius, this event was in 496.

Magdeb. vol. 3. Cent. 6. ca. 13.

In 499 appeared a comet, which was foon followed by an earthquake which destroyed Neo Cesarea, in Pontus, and an eruption of Vesuvius laid waste all the adjacent country.

Zonoras lib. 3. Baron. vol. 6. 541. Magd. Cent. 6. ca. 13. p. 789.

A comet is noted in 502, and a fevere winter in 507, but I have no account of any public calamity, attending either of these phenomena, except a pestilence among men and cattle in Scotland, in 502.

In 517 is recorded a five year's drouth in Palestine.

Encyclop. Chronol.

In 518 a comet; and in Dardania, now Mæsia, a series of earthquakes demolished twenty-sour castles, divided mountains and in one place opened a sissure of thirty paces in length and twelve in breadth.

Baronius vol. 6. 702.

In 519 two cities in Cilicia were overthrown; Edissa was inundated and part of its buildings and inhabitants overwhelmed.

Zonoras, Tom. 3. Magd. Cent. 6. p. 791.

Evagrius places the inundation at Edissa, in the following period, after the destruction of Antioch; and as the historians do not always specify the year in which a particular event took place, I am inclined to believe the account of Evagrius.

Lib. 4. ca. 8.

In the 7th year of the Emperor Justin, A. D. 525, appeared a comet, and the same year Antioch was again overwhelmed in

ruin by an earthquake. Some authors relate that 300,000 perfons perished in this catastrophe, and among them Euphrasius,
the bishop.—This event happened on the 29th of May, about 12
o'clock. A conflagration followed and consumed what was lest
of the city. In the same shocks, Dyrrachium, now Durazzo,
the Epidaurus of high antiquity, Corinth and other cities were
greatly injured.

Baronius vol. 7. 109, 110, 111. Miceph. lib. 7. 3. Evag. lib. 4. Zonoras Tom. 3.

A fevere winter happened the fame year.

In 528 Antioch was again shaken and suffered considerable injury. An inundation of the Humber in England is noted about this time.

In 531 appeared the resplendent comet, whose revolution is fixed at 575 years, supposed to be the same which was visible in the year before Christ 44, after the death of Julius Cesar. This was the fifth year of the reign of Justinian. Famin and a slight plague prevailed in Wales.

At this period Gibbon commences his lively, but unphilosophical description of the formidable and destructive calamities, which afflicted the whole earth in the 6th century. See his history, vol. 4. ch. 43.

Not long after the approach of the comet in 531, the sun affumed a pale color, and shone with a feeble light. In a translation of Cedrenus, this phenomenon is thus described. "Toto anno eo, sol lunæ instar, sine radiis, succent rissem præbuit, plerumque desectum patienti similis." During the whole year, the sun gave a gloomy light, like the moon, and appeared as if eclipsed.

Byzantine Hist, 3. 293. Procop. de l cll. Vandal. lib. 4.

It is remarkable that tradition has preserved a faint account of a similar phenomenon, during the approach of the same comet, at the time of the Ogygean inundation, before Christ 1767. It is said, that the planet Venus changed her color, size and sigure. An account is preserved in tradition, of a phenomenon of the same nature, during the approach of the same star, in a subsequent revolution. Gibbon in the chapter above cited.—Pliny, as I have already remarked, mentions a similar phenomenon,

about the time the same comet appeared, soon after the death of Julius Cefar.

The appearance, in the period under confideration, is a well authenticated fact, and witnesses a singular change in the properties, and resecting powers of the atmosphere, or denotes an essential alteration in the face of the sun, which is improbable. In either case, it seemed a prelude to the most dreadful calamities, famin, earthquakes, and pestilence. I am not without suspicions that Europe might have been overspread with a vapor like that in 1783, during the eruption of Heckla.

In 534 is recorded one of the most distressing famins, that ever afflicted the earth; it continued many years, and destroyed multitudes of the human race. Pompelopolis was this year overwhelmed in ruin by an earthquake, and great numbers of its inhabitants perished.

Paul. Diac. lib. 16.

About this period, Vesuvius began to utter hollow rumbling noises, the precursors of an eruption.

Baron, vol. 7. 218. Procop. de Bell. Goth. Magdeb. Cent. 6. p. 793.

Excepting a flight plague in Wales—no pestilence is mentioned by the authors I have consulted, until the year 542. But the famin, in great severity, had raged eight or nine years before—a proof that something more than famin is necessary to generate the plague.

In 539 appeared another comet, and the famin now raged with double horror. The country of Italy had been ravaged, the year before by the Goths and Burgundians, and the lands left untilled. This might have contributed towards the dearth which followed. It is recorded that many persons fed on human flesh, some districts of Italy were deserted, 50,000 people perished in Picenum, and greater numbers in other districts. The bodies of the samished people became thin and pale; the skin was hardened and dry like leather, and clave to the bones; the slesh assumed a dark appearance like charcoal, the countenance was senseless and stern, the bile redundant.

Procop. de Bell. Goth. lib. 1.

Among these frightful effects of hunger, no plague yet ap-

pears—a circumstance that the philosopher should not pass unno-

The account which Baronius gives of this famin, is, perhaps more philosophical and deserves notice. He says, the crops sailed, corn ripened prematurely, and was thin; in some places, it was not harvested, and that which was gathered, was descient in nourishment. Those who subsisted upon it became pale, and were afflicted with bile. The body lost its heat and vigor, the skin was dried, the countenance stupid, distorted and ghastly, the liver turned black. Many perished by hunger; many betook themselves to the fields to feed on vegetables, and being too seeble to pull them, lay down and gnawed them off with their teeth.

Baronius, lib. 7. 326.

This is the most probable account of the samin. Repeated instances are on record, which evidently mark a pestilential state of the elements, as fatal to vegetable, as to animal life. In many periods of the world, there has been a universal defect in the powers of vegetation. This phenomenon in the vegetable kingdom is cotemporary, or nearly so, with pestilence among men; and superficial observers have ascribed the plague to a prior or cotemporary samin. But an accurate survey of sacts, will probably convince any candid enquirer after truth, of the fallacy of this opinion. It will be made apparent that samin and pestilence are equally the essential operations of nature.

In the prefent inflance, the famin could not be exclusively and immediately the cause of the formidable plague that afterwards affailed mankind, for it was most severe in 539, and the next year the crops were good. But the plague did not break out till 542, at least I can find no account of any pessilence, during the famin.

An eruption of Vesuvius is noted under the year 532, the year after the appearance of the great comet.—It is probable that the paleness of the sun was owing to a vapor from some volcanic eruption, as in 1783; and it is remarkable that both of these periods alike produced famin from desective vegetation.

During the remaining part of this century, a feries of most calamitous events afflicted the earth. A mountain in Rhodes burst open, and a part of it rolled down upon the inhabitants below. Many places suffered by inundations, one of which overwhelmed the borders of Thrace for an extent of four miles.

In the year 543, the whole earth was snaken by earthquakes. This was the year in which the plague broke out in Constantinople; but it commenced in Egypt, the preceding year.—In 543 there was a dearth of corn, wine and oil. The plague again ravaged Constantinople in 547.

In 545 there was an inundation of the Thracian sea, and a severe winter. A terrible dysentery in France in 548.

See Cedrenus, and Paulus Diac. lib. 16.

In 550 an earthquake convulsed Syria and Palestine; and Greece in 551. In 553 appeared a singular meteor in the north and west, which was preceded by a winter so severe that wild beasts and sowls might be taken by the hand. Inundations marked this period. Constantinople was shaken 40 days in 554.

Paul. Diac. Madeburgh Cent. 6. ca. 13.

In 557 Constantinople was almost laid in ruins by an earth-quake. In 558 a comet appeared, a severe winter sollowed and universal plague, especially in Constantinople, where the living could not bury the dead. This year the Danube was covered with ice.

In 560 an earthquake destroyed Berytus and injured Cos, Tripoli, and Balbus. An excessive drouth in 562, and a plague began which spread over the whole world. There was a dark day in the same year.

The year 565 was distinguished for a calamitous plague, in France, Germany and Italy, which Baronius calls "vehemens pestis inguinaria."

Vol. 7. 547.

In 580 Antioch was again laid in ruins by an earthquake, and a shock was felt in Scotland. The plague again prevailed, from that year to 583, in Gaul and Germany and other countries. In 587 it ravaged Italy. Earthquakes attended this period.

In 590 appeared a comet; an inundation, from deluges of rain, overfpread Rome, covering the walls of the city, and lodging innumerable ferpents on the plains. In the next summer, happened the severest drouth ever known; it lasted from January to September; and the most deadly plague ravaged all Italy. In this pestilence, died Pope Pelagius.

This is a general sketch of the phenomena recorded of the period under consideration.

Of the universal and destructive plagues which dispeopled the world in the reign of Justinian I. and the succeeding age we have accurate accounts by cotemporary historians: From two of which, Procopius and Evagrius, I shall transcribe the particulars.

Procopius relates, "That this pestilence, which almost destroyed the human race, and for which no cause could be assigned but the will of God, did not rage in one part of the world only, nor in one season of the year. It ravaged the whole world, seizing all descriptions of people, without regard to disferent constitutions, habits or ages; and without regard to their places of residence, their modes of subsistence or their different pursuits. Some were seized in winter; some in summer; others in other seasons of the year.

It first appeared in Pelusium in Egypt and thence spread west-ward to Alexandria and all parts of Egypt; eastward towards Palestine, and extended to all parts of the world, laying waste islands, caves, mountains, and all places where men dwelt. If it passed by a particular country at first, or slightly affected it, it soon returned upon it with the same desolating rage which other places had experienced.—It began in maritime towns and spread to the interior country. It seized Constantinople in the spring of 543.

Most persons were seized suddenly without any premonition, nor was there any change of color or sense of heat; for until evening the sever was so slight that the patient was not ill, nor did the physician, from the pulse, apprehend danger. But in some cases, the same day; in others, the next; in others, at a later period, a bubo arose, either in the groin, the arm pits, or

near the car, or in some other part. All patients alike had these symptoms.

Some were seized with drowliness and slumbering; others with surious distraction. The slumberers forgot all things—some would eat if defired; others were neglected and starved.

Neither physician nor attendant caught the distemper by contact of the sick or dead; and many, encouraged by their wonderful escape, applied themselves with assiduity to the care of the sick and the burial of the deceased.

Many were seized, they knew not from what cause, and suddenly died. Some who were given over by physicians unexpectedly recovered; others who appeared to be in no danger speedily expired. Many died for want of relief; others recovered without affiliance. No cause of the discase could be devised by human reason—no means of prevention or cure. To some, bathing was beneficial; to others, injurious. Many leaped into water and the sea—In many the bubo, without sleep or delirium, turned into a gangiene, and these died with excruciating torture.

The physicians opened the bodies of some, and sound within the fores huge carbuncles. Those whose bodies were spotted with black pimples, of the size of a lentil, lived not a day. Those who had running sores escaped, and these were the most certain signs of recovery. Some had their thighs withered; others lost the use of their tongues.

To women with child, the difease was certain death.

This difease in Constantinople lasted four months, raging three months with extreme mortality. In the beginning, few died more than usual; but the disease gradually increased, till it swept off 10,000 persons in a day."

Procopius calls it arrogance to pretend to assign the natural causes of this pestilence, declaring them to be undiscoverable.

Perfic. lib. 2. ca. 22.

Authors mention the early effects of this disease on the brain; the patients, on the first attack, saw phantoms of evil spirits, which made them imagine themselves smitten by some person.

Evagrius, who felt the effects of the same disease himself and

lost many of his family by it, has enumerated so many singular circumstances, that I shall offer the reader a translation of his account. When I say, the same disease, I refer however to a subsequent epidemic. Procopius, as an eye witness, described the pestilence of 543 in Constantinople. It did not continue incessantly to rage in every place, for this would have soon lest the earth without an inhabitant; but after an interval of a sew years, it returned and revisited the same places. The plague described by Evagrius was many years subsequent to that mentioned by Procopius. He wrote about the year 594. His descriptions however are general.

See Hist. Eccles. lib. 4. ca. 29.

"I will now describe the plague, which has prevailed in these times, and already raged fifty-two years, a thing never before known, and has already depopulated the world. Two years after the taking of Antioch by the Persians,* a pestilential disease began to prevail, in some respects resembling that which Thucydides has described, in other respects different. It had its origin in Ethiopia, according to common report, and spread over the whole world, falling on different places by turns, and sparing none of the human race.

Some cities were fo feverely affailed by this difease, that they were left without an inhabitant. Some districts however were more slightly affected. The pessilence did not always begin its attacks at the same season of the year, nor cease to rage, in all places in the same manner. In some places it broke out in the midst of winter; in others, in the spring; in some, it began in summer; in others, in autumn; and in some cities, it attacked certain parts of the town, and left others untouched.

Very often we might observe, particular families all perished, in a city where the disease did not prevail, as an epidemic. In some places, one or two families only perished, while the rest of the city escaped. But we observed particularly that the families which escaped, the first year, experienced the same calamity in the year succeeding.

But what above all appeared fingular and furprifing was, that

^{*} Under Chofroes A. D. 540.

the inhabitants of infected places, removing their refidence to places, where the disease had not appeared, or did not prevail, were the only persons who sell victims to the plague, in the cities which were not infected. And these effects were particularly observable, both in cities and in other places, in the cycles of the Indictions.* Especially in the second year of each indiction, was the plague extremely mortal. Of this I am myself a witness, for it may not be improper, when the occasion seems to require it, to interweave into this history what concerns myself. At the commencement of this calamity, I was seized with the inguinal plague; and in the diseases, which have at different times prevailed, I have lost many of my children, my wise and great numbers of my kindred, of my servants and laborers: the cycles of indiction parcelling out my calamities among themselves.

At the time of writing this account, the disease had already invaded Antioch the fourth time; the fourth cycle of indiction had passed, after the first invasion of this disease, when I lost a daughter, and her son.

This discase was a compound of various others. For in some persons, seizing the head, it rendered the eyes sanguineous and the face tumid: Then falling upon the throat, soon put an end to life in all that were thus seized. Some were afflicted by discharges from the bowels. In others an abscess formed in the groin, a raging sever followed, and the second or third day, the patient died, with his body and his mind apparently sound, as the they had not selt disease. Some were seized with delirium and expired. Carbuncles also arising on the body extinguished the lives of many. Others recovered once and again, and afterwards died of the same disease.

The modes of contracting the disease were various and all calculation was bassled. Some perished by once entering insected houses, or remaining in them—some by only touching the sick. Some contracted the disease in open market. Others, who sled from the insected places, remained safe, while they commu-

The cycle of indiction was a period of 15 years, at the end of which the Romans paid a certain tax to the Emperors.

micated the difease to others who died. Many who remained with the sick, and freely handled them as well as dead bodies, wholly escaped the disease. Others who had lost their children and dependents, and in despair sought death, by attempting to throw themselves in the way of insection and assiduously attending the sick, sound all their efforts in vain; they could not contract the disease.

The distemper has already prevailed fifty-two years, to this time, exceeding all preceding plagues: For Philostratus was surprised that, in his time, that calamity had prevailed for fifteen years. What will happen hereaster is uncertain, since all things are at the disposal of God who understands the causes of things and the events."

Thus far Evagrius. See also Nicephorus lib. 17. ca. 18.

The reader is defired to attend particularly to the foregoing relation of facts, as fome important conclusions will, in the fequel, be drawn from them, and other authorities hereafter to be cited.

It will be remarked that altho authors speak of this pestilential period, as of sifty-two years duration, as Evagrius and Gibbon have done, yet this is not accurate. Evagrius, from whom this number is copied, says, the pestilence had then prevailed sifty-two years; but it was still raging, and what was to happen afterwards, he could not determin.

The truth is, plagues were uncommonly frequent during this period; but the disease did not prevail without intervals. On the contrary, the years remarkable for mortality are specified by historians, viz. 542 and 3, 547, 558, 562 to 565, 582 and 3, 587, and finally one of the most destructive periods of all was 590 and the sew following years. Although this was a long and severe period of calamity, yet from the best accounts I can obtain, I see no reason to believe the mortality, in any given term of sive or ten years, from 542 to 600, to have been greater, than in some other periods of the same duration. More people probably died in a short space of time, in the reign of the Antonines—in that of Gallus and Volusian—and sar more, in the dreadful plague of 1346 to 50.—It is even probable that in the

last 50 years of the 16th century, the earth sustained as great a loss of inhabitants as in the same space of time in the 6th century. General descriptions are rarely correct, and Mr. Gibbon's unphilosophical, tho eloquent sleurishing description of the miseries of the human race, in Justinian's reign is calculated to mislead a careless reader.

Evagrius indeed fays, this plague exceeded all preceding ones. This is natural; Thucydides faid the fame of the difease in his time. But we are more able to form a correct comparison between the different epidemics that have prevailed, than the cotemporaries with any particular one.

Agathius relates that in the pestilence at Constantinople in 558, many died suddenly as with an apoplexy. The most robust constitutions survived only to the 5th day. The critical period in the Athenian plague was the 7th or 9th. Thucydides makes no mention of the stupor at the beginning of the distemper, nor of the volutatio humi, whirling of the earth, or dizziness, nor of baboes, nor of the effects of the disease on pregnant women.

Freind's Hist. of Medicine 416 et seq. Baron. vol. 7. 357, 358.

Warnefred relates of this pestilence, in Liguria, where it was particularly mortal, that there appeared suddenly certain marks "quædam signacula," upon the doors of houses, on garments, and utensils, which could not be washed out but grew brighter by washing. The next year, appeared in men's groins, or other delicate parts of the body, tumors like nuts or dates, which were soon followed by intolerable sever, which extinguished life in three days. If the patient survived the third day, he had hopes of recovery.

I should have ranked this account among the fictions of a disturbed imagination, had not more recent and well attested facts given me reason to credit it.

The defeription of the terrible effects of this difease in Italy by the same author, is melancholy and painful to the reader.

The dysentery which raged in France in 548 was accompanied with figns of the plague, and was nearly equal to it in mortality. The plague raged this year at Munster, in Ireland.

Short vol. x. 67. Smith's Hist. Cork to.

The defolating plague of 590 was mortal almost beyond example, and preceded or attended with extraordinary phenomena. In 588 Antioch was overwhelmed by a violent earthquake, and 60,000 people buried in its ruins. The inundation of the Tyber exceeded all that had been known, as did the drouth of the fuecceding fummer. The intervening winter was equally remarkable for its feverity-" qualem vix aliquis prius recelebat suisse," fays Warnefred; fuch as the oldest persons could scarcely recollect. Violent tempests overturned buildings. About the same time, swarms of locusts appeared in Trente and devoured every species of vegetable. In some parts of Italy, they continued their ravages for five years. Cedrenus adds, that fish died, and this mortality he ascribes to the freezing of the waters, page 332. -Modern observations prove the fallacy of the reason here asfigned; fish do not die beneath a cover of ice; but the death of fish by means of earthquakes, and of fickness, is a common event.

Agust. Hist. 1156, 1157. Magd. Cent. 6. ca. 13.

The order of the phenomena here related was this—the carthquake at Antioch—deluges of rain and inundations, tempests, a most rigorous winter, with a comet, excessive drouth, pestilence.

See also Echard's Rom. Hist. vol. 4. 246.

Africa was almost depopulated by this plague. So sudden and rapid was the disease in its action, that during a procession in Rome, instituted by St. Gregory, on account of that calamity, no less than eighty persons sell dead in the street.

Authors relate that the serpents, washed from the mountains by the slood, and lodged on the earth, putressed, and contributed to the subsequent plague.

Gregory of Tours relates, that the plague, at that time, was introduced into Gaul by a veffel and her eargo; but it did not spread regularly from house to house, but started up in distant and detached places, like fire in a field of stubble. Marfeilles and Lyons were made waste by its mortality. It was most fatal to the poor.

Lib. 9.

The following facts are related of the pestilence in Rome in

581, in the collection of German writers by Pittorius, page 683. Men died suddenly, at play, at table, and in conversation. Sometimes they fell dead in the act of sneezing, "dum sternutabant," so that when one heard another sneeze, he turned to him and exclaimed, "God help you"—which was the origin of a custom still observed in some countries.* Sometimes persons expired in the act of nodding or gaping; which gave rise to the practice of making the sign of the cross, on such occasions—a custom not yet obliterated.

In 599, the plague in the east, in Africa and Rome, was dreadful. The death of the Emperor Mauritius, in 602, was preceded by the appearance of a comet. A severe winter, about this time, killed the vines, and grain suffered by frost and blight. The army of barbarians, marching to besiege Constantinople, was so harrassed and weakened by the plague, as to be compelled to abandon the enterprize. Cayanus their commander lost seven sons.

Niceph. lib. 18. 35. Magd. Cent. 6. 13 and 7. 13. Baron. vol. 8. 138. Paul. Diac. lib. 4.

The Magdeburgh History mentions a severe winter in 604, which was followed by excessive heat and drouth in 605. It places the first comet of 606 in April and May; the second in November and December.

Cent. 7. 13.

The year 615 was distinguished for an epidemic elephantiasis in Italy, and the shock of an earthquake. A comet appeared in 617 and pestilence in 618.

Baron. vol. 8. 243. Short vol. 2. 207.

Here is a period in which mention is made in history of comets, without all their attendant calamities—one in 625, another in 632. It is the first period of the kind I have been able to find; and whether this silence of history is to be ascribed to the carelessues of writers in that distracted period, when the world was overrun by barbarians, or whether men escaped extraordinary maladies, I am not able to decide.

An earthquake in Palestine however marked the approach of the comet in 632.

Funct, Chronol.

[&]quot; This cuflom was of higher antiquity.

Short mentions an earthquake at Antioch in 637; and shocks in Palestine in 638 which continued for 30 days—a comet in 639, and the plague in Syria in 640. But I have not the original authorities. The Universal History relates that in 639, the plague was so severe in Syria, Arabic and in Medina, that the Arabs call that year the "Year of Destruction."

Vol. 1. 485.

A general pestilence in Italy is mentioned in history under the year 651, but no particulars. A surprising meteor had passed the hemisphere, in the preceding year. A violent plague in Constantinople in 654.

Functius Chron. Magdeb. Cent. 7. ca. 13.

In 664 pestilence raged in Normandy, England and Ireland; and the historian remarks that the same disease which had assisted England, afterwards invaded Italy in 665. Thus it would appear that this epidemic broke out first in the north of Europe.

Beda, Eccle. Hist. p. 136. Baron. vol. 8. 496.

But the disease appeared in Egypt the same year it did in England and Ireland.

Paul. Diac. 980.

In the same year, in March, appeared a bow, iris, stretching across the heavens, and all stesh trembled, says the pious Diacon, expecting the last day.

Ibm.

In 669 or 70 appeared a fingular meteor or flame in the heavens—the next year an unufual florm that destroyed men and cattle; and in 672 the plague raged in England, of which died Bishop Ceadda.

Beda, lib. 4.

Short mentions a comet in 672, and a fevere frost in 670, the year of the celestial slame.

In 678 according to Beda, and in 677 according to Sigebert, in the 9th or 10th year of Conflantine Pogonatus, appeared a comet in August, which was visible for three months. The year preceding was marked by most calamitous tempests which cut short the fruits of the earth, except leguminous vegetables

^{*} Livy mentions a fimilar bow at Rome, during a great plague.

which were replanted and come to maturity. About the fame time appeared clouds of locusts in Syria and Mesopotamia. Universal pestilence followed these phenomena, in 679 and 680. England and Ireland were ravaged by it in 679; and in 680, during July, August and September, Rome was laid waste: "parents and children, brothers and sisters, were borne to their graves on the same bier." Multitudes of people sled to the mountains, and the streets of the city were overgrown with grass and weeds. A violent earthquake shook Mesopotamia and other countries in 680. The locusts appeared two years before the earthquake, and in the same year with the comet, according to Paulus Diaconus. A severe drouth followed the comet, which in England lasted three years.

See Paul. Diac. lib. 6. Beda, Ec. Hist. p. 116. Baron. vol. 8. 526, 544. Magd. Cent. 7. ca. 13. Muratori, vol. 6.

In 681 famin, fays Beda, raged in England, and in 683, peftilence "quæ ex more famien fecuta est," fays Paulus Diaconus. In this latter year, if this was the fixteenth of Conflantine, according to Baronius, there was a violent eruption of fire from Vesuvius, which laid waste all the neighborhood.

Baronius, vol. 2. 564. Magd. Cent. 7. cap. 13.

In the same year Syria and Lybia were afflicted by famin and pestilence.

Other authors place this last pestilence two years later. The disease raged in Ireland in 685, in which year, there was a great inundation of the sea and the island of Inissidda was torn into three parts. In 687, or according to others in 684, appeared a star, which was probably a comet, but without a coma.

Smith's Cork, p. 11. Magd. Cent. 7.

Warnefred relates that a fingular meteor appeared in 685.**

Notwithstanding some differences among authors respecting the time of the events here related, we observe all the violent agitations of the elements which introduce and attend great plagues.

In 690 happened in Italy, one of the greatest inundations

^{*} We cannot but notice the coincidence in time between meteors and volcanic eruptions.

from rain that was ever known—a severe pestilence followed, "Pestis inquinoria."

In 696, the same disease raged in Constantinople; but no particulars are mentioned.

Magd. Cent. 7.

A fevere winter preceded this pestilence, when the Thames was covered with ice for fix weeks.

In 707 a terribly fevere winter is mentioned and a violent earthquake in Scotland. Short mentions pestilence in Scotland in 703 and in 713, but I have no particulars.

In 717 happened a very fevere winter, so that animals died of cold; and the same year, a great overflowing of the Tyber. The Saracens, in an immense army, marching to besiege Constantinople, perished with cold, hunger and pestilence, and in the city, the plague extinguished the lives of 300,000 of its inhabitants. An earthquake in Syria in 718.

Paul. Diac. lib. 6. 47. Baron. vol. 9. 15. Magd. Cent. 8. ca. 13. Cedrenus.

Here is a chasm in the history of comets of 40 years—at least I can find no mention made of them from 685, to 729. The severe winter and the inundation of 717 however leave very little room to question the approximation of one at that time, and others doubtless appeared, during this period.*

There was a great plague in Constantinople in 724.

In the year 725, a vapor like smoke issued for several days, from the sea between Thera and Therasia, the two islands which, many centuries before, had arisen from the bottom of the sea. With this vapor issued dense substances, which, when exposed to the air, grew hard and formed a species of pumice, with which the neighboring sea and the countries of Asia Minor and Macedonia were covered. A small island arose at the same time.

Magd. Cent. 8. ca. 13. Muratori, vol. 1. 151.

^{*} I have found no author that mentions a comet about this time; but it is worthy of remark that the splendid comet of 1401 was calculated to have a period of 343 years. This was therefore the same which appeared in 1744. If this calculation is just, the same comet must have appeared in 1058—in 715—in 372—and in 29 or 30; or near these years. Now it appears that there was one in 1058 and in 375 attended with all the usual calamities—it is therefore presumcable that it appeared in 715 or 16.

In 729 appeared two comets in January; one preceding the fun, visible in the morning; the other following it, was seen in the evening. The same year the plague prevailed in Norwich.

A plague in Syria raged in 732, but no particulars are mentioned. The following year, the heavens appeared all in a flame.

Magd Cent. 8. ca. 13.

The next pestilential period is remarkable for the violence of the operations of nature.

In 740 a tremendous earthquake, or rather a continuation of fuccessive shocks for twelve months, announced the commencement of a series of calamitics. It began on the 7th Kal. November, and demolished buildings, statues and walls in Constantinople, with a multitude of cities in Thrace, Nicomedia and Bythinia. Sigibert places these events in 741.

In 742, or as others fay in 743, a most severe drouth was followed by most terrible earthquakes. The next year appeared a comet and the year following, another; and the third year after the drouth, which was either in 745 or 6, according to different authors, a remarkable thick darkness covered the earth from August to October. At this time the plague was raging at Calabria in Naples, and it continued to spread with dreadful havock for several succeeding years, in the countries of the east. So violent was it in Constantinople in 746, that the living could not bury the dead; but the bodies were carried in cart-loads and thrown into empty cisterns, and any place that would conceal them from the sight. Fatal indeed was the disease, when "eodem die aliquis mortuum efferebat, et ipse mortuus afferebatur"—the man who buried a corpse, was sometimes carried, the same day, to his grave.

In the order of the events here related authors agree. Cedrenus mentions an extraordinary light or flame in the sky in 742, and a similar flame in the north, the year following. He mentions at the same time a famin in Constantinople; and limits the darkness to sive days, from the 10th to 15th of August.

Paulus Diac. Hist. August. 10. 19. Magd. Cent. 8. 13. Baron. vol. 9. 144, 185.

At the close of this period and while the plague raged in Con-Santinople, in 749 or 50, Syria was laid waste by an earthquake whole cities were exterminated—others removed entire from mountains to plains, for a distance of six miles. This catastrophe corresponded with the approach of a comet. Short mentions two.

Magd. Cent. 8. 13. Baron. vol. 9. Short. 1. E1.

Such was the waste of people in Constantinople by the preceding plagues, that the emperor Constantine repaired the loss by introducing the inhabitants of neighboring countries.

In 760 or 61, for this difference occurs among good authorities, appeared a comet, or light, called dokites, by the Greeks, from its refemblance to a beam; which was visible 10 days in the east and 21 in the west.—In 762 appeared two other comets and the following winter was the most severe probably on record. It began about the first of October, and lasted till February. The Euxine sea was frozen to the distance of one hundred miles from the shore, and the snow and ice accumulated to the depth of thirty cubits. In this frost, the animal and vegetable kingdoms suffered great injury. On the breaking up of winter, the ice from the Danube and the Euxine was forced in huge masses, into the Bosphorus, and against the walls of Constantinople, which were greatly damaged.

In March, falling stars, or meteor's were very frequent, and the succeeding summers were remarkable for most terrible drouth, in which all springs were exhausted. Myriads of venemous slies appeared, and a desolating mortality concluded this series of disordered seasons.

Paul. Diac. lib. 22. Baron. vol 9. 271. Magd. Cent. 8. ca. 13. Short on Air, vol. 1. 82.

Short mentions a fatal pestilence in Wales in 762.

On the authority of Short, I have mentioned a mortality after the fevere and unufual feafons of 763 and 4; but the original writers I have confulted do not mention it; tho the fact may be found in others which I have not feen. It is altogether probable that such extraordinary seasons should occasion great sickness; but it is equally probable that if any destructive and general plague had followed them, the writers I have consulted would have mentioned it.

I am led to notice this circumstance, by the consideration that

no earthquake is recorded during this period. This circumflance is of no finall consequence in this inquiry; and is a confirming proof of the justness of my suspicions, that pestilence has an intimate connection with subterranean heat or the action of fire. It appears that the plague, for the most part, is violent and extensive, in proportion to the action of the fire that exists in and about the globe. The preceding pestilential period, beginning in 740, is a striking instance of the truth of this remark.

A great mortality happened in 766. In 767 a fevere drouth exhausted all springs and rivers and the year following was distinguished by a comet. Pestilence prevailed in England in 771, and in Chichester died 34,000 people.

Short vol. 2. 208.

Short mentions plague and famin in France in 779—a comet, an earthquake at Conflantinople, and pestilence in Scotland in 784; but I have no particulars.

In the reign of Charlemagne, about the beginning of the ninth century, commenced a period of great mortality. A comet in 709, was followed by an excessively cold winter in 800. These events were preceded by violent earthquakes in Sicily and Crete and in 798, an extraordinary darkness in England of seventeen days. In 801 earthquakes shook Italy, France and Germany, and these phenomena were repeated in 802 and 3. A prodigious tempest in the year 800, levelled a multitude of buildings.

In 802 the plague prevailed in various places, " propter molitiem hyberni temporis," fays the annulist Bartianus, by reason of a mild winter. This however could not be the true reason.

In 808 a very mild winter was followed by the plague. In 810 happened the greatest mortality among horned cattle that is on record. In some places in Germany, it destroyed almost all the species.

Lancisius 146. Annal. Fuldenses 810.

In 811 swarms of locusts from Africa invaded Italy and devoured every green thing.

In 812 appeared a comet, and after a chasm in the accounts of Etna of nearly sour hundred years, that volcano is recorded

to have discharged fire in this year. P. Diaconus places the comet in 813, and a violent earthquake.

Magd. Cent. 9. ca. 13. Muratori vol. 2. 505, 507. Pifterius' Germ. Script. vol. 2. 38.

In 817 was a comet, and a pestilence soon after commenced, which authors relate to have arisen from excessive rains and a humid air. This plague raged in almost every part of France in \$20, and crops failing from excess of moisture, a samin ensued. Baronius mentions earthquakes in 820 in those places where the Christians were persecuted. The following winter was so severe that the Rhine and the Danube were covered with solid ice for more than 30 days, and sustained loaded carriages.

In 823 was another most severe winter, in which the snow lay on the earth twenty nine weeks, and occasioned the death of many animals and men. An earthquake and a universal plague in France. The next year fell a shower of hail, which killed men and cattle. Severe drouth the same year.

Magd. Cent. 9. ca. 13. Muratori, vol. 2. 513, 516. Short, vol. 2. In 827 the Thames was covered with ice for nine weeks.

In \$28 appeared a comet in Libra; and in \$29, another in Ariès; with many meteors. The earth in France was violently shaken in \$29; a violent tempest followed, but no pestilence is mentioned.

Baron. vol. 9. 309. Magdeb. Cent. 9. ca. 13.

In 839 appeared a comet and another in 842. In 840 Conftantinople was shaken for five days, and some parts of France selt the shock. The rains were excessive, the Rhine overslowed, and the storms of hail and wind were unusually severe.

Magdeb. Cent. 9. ca. 13.

In 850 another comet is mentioned, and in the following year a most severe drouth, which occasioned a famin that compelled men to feed on human stess.—There was a severe earthquake in Gaul the preceding year.—A pestilence in many parts of Scotland in 853.

Baron. vol. 10. 73. Magd. Cent. 9. Muratori, vol. 2. 531. It will be observed that no pestilence is noted under some of these last instances of comets and other phenomena. History, during the dark and barbarous ages under consideration, is ex-

tremely barren; and the smaller calamities of all kinds have been passed over in silence. Whether any considerable mortality prevailed, at these periods or not, we cannot determin from the silence of the dull annals of the dark ages.

In 855 an earthquake at Constantinople, and in other places, violent tempests. In 856 another earthquake and a tremendous inundation of the Tyber, which was followed by an epidemic disease, called a plague of the sauces, in which the throat was obstructed by defluxions, and sudden death ensued.* In 858 a comet, and the succeeding winter was so severe that the Adriatic sea was covered with ice and people walked on it to Venice. This was followed by an earthquake in Constantinople.

Muratori relates that in 855, two unufual stars appeared for ten days, alternately, and that the next year the winter was very severe, dry and pestilential, so that a great portion of men perished. But I suspect he refers to the same years mentioned in the preceding paragraph.

Baron. vol. 10. 131. Muratori vol. 2. 534. Short vol. 1. 85.

The plague was in Scotland in 863.

The winter of 864 is recorded as very fevere. In 867 there were violent tempests, and in the following year a general famin in Europe, severe earthquakes and a comet.

Magd. Cent. 9. ca. 13.

In 872 a comet, and a most excessive heat and drouth, which out short the grain.

Ibm.

In 874 appeared in France myriads of grass-hoppers or locusts of a remarkable size, with six feet and two teeth harder than stone. They are represented as having leaders, which went before them a days journey, measuring a certain space; the swarm followed about 9 o'clock and there waited for the rising of the sun, obscuring the heavens by their numbers, and with a broad mouth and large intestines, devouring every green herb and tree. Their days journey was four or sive miles.

These animals were at last driven into the British channel by the winds, and being washed ashore, their putrefying bodies caus-

^{*} A species of quinfy.

ed a stench, and sickness, which, with a pinching famin, destroyed a third of the people, on the neighboring French coast.

The fucceeding winter, 875, was terribly fevere and continued from November to the vernal Equinox.

In this or the following year, for authors differ, appeared a comet of extraordinary brightness, and in June following, were deluges of rain, which, in Saxony, swept away a whole village, with its inhabitants and cattle.

In the year 878 a mortal pestilence raged among the cattle, especially about the Rhine. Dogs and birds which at first collected round the dead bodies, suddenly disappeared.

Magd. Cen. 9. ca. 13. Piftor. Germ. Hist. vol. 2. 57c. vol. 1. 63. In 879 there was an eruption of Vesuvius.

In Feb. 882 appeared a comet with a vast come preceded in January by an earthquake. In the next year Italy was severely afflicted by famin. In 884 the plague was in Oxford.

Magd. Cent. 9. 13. Short. vol. 2.

In 887 the winter was unufually long and fevere; and a pefilence among cattle was fo mortal, that few furvived it.

Muratori, vol. 2. p. 92.

A comet is noted under 896, and a famin in France and Germany, in the following year.—Italy was fhaken by earthquakes.

Dufrefnoy. Baglivus.

In May 904 appeared a comet, followed by a fevere frosty winter of four months, and violent earthquakes with mortal pel-tilence in 905.

Universal Hist. vol. 17. 37. Magd. Cent. 10. ca. 13.

In 912 appeared a comet of unusual splendor and the following winter was very cold "acutishimum suit frigus," and meteors in the air very frequent. A famin followed in Germany, and Italy experienced earthquakes.

Magd. Cent. 10. Short. vol. 1. Baglivus. p. 542. The plague was in Scotland in 922.

Short, vol. 2.

A fevere winter in which the Thames was frozen for 13 weeks in 929, followed by a dreadful famin, is mentioned by the last cited authors. An earthquake is mentioned in 935, and a pestiz sence in 937, but no details.

In 940 there was a severe winter and pestilence among cattle.

In 942 and again 944 appeared a comet, the latter very large with a brilliant coma; followed by fevere famin in France and Italy. Some authorities place the latter comet in 945. The winter of 946 or 7 was long and fevere, continuing to the vernal equinox of the next year.

Magd. Cent. 10 .- Pistor. Germ. Script. vol. 1.

The fame period was marked by earthquakes in France and Germany.

In 954 pestilence invaded the north of Europe, with great destruction—Scotland lost forty thousand inhabitants. The following winter was severe.

Baron. vol. 10. 739.-Magd. Cent. 10.

In 961 a flame or fiery column appeared in the heavens. In 962 a very fevere winter and a famin. In 964 a dreadful plague in the Emperor Otho's army. In 968 a comet, an earthquake and violent winds which destroyed the grain and occasioned famin.

Baron. vol. 10. 771. Magd. Cent. 10. Pistorius, vol. 1. 134. English authors mention a malignant fever in London in 961; at which time there was a large marsh on the south side of the Thames.

Maitland's Hist. London.

In 975 appeared a very large comet in harvest, and the following winter was excessively severe. The next year England was afficied with grievous famin. An earthquake preceded, in 974.

Magd. Cent. 10. ca. 13. Simeon Dunelmensis.

In 981 a comet and in 983 another. In this latter year was an eruption of Vessivius. Universal famin followed and a plague among the Lacedemonians.

Baron. vol. 10. 831. Magd. Cent. 10. 13.

This period was followed by defolating earthquakes in Lacedemon in 986.—In 987 the feafon was unfavorable and occasioned dearth—malignant fevers prevailed in England and the cattle died of tluxes.

Brompton, Angl. Scrip. 878.

Meteors and a flaming sky were observed in 993, in which

year was a great eruption of Vesuvius. Then followed an excessively severe winter, which lasted from November to May. The rivers were frozen dry, sish perished and a searcity of water ensued. In July a severe frost gave to the trees the gloomy aspect of winter.

With these singular seasons prevailed a famin and a deadly plague among men and cattle.

In 995 a comet was feen. The Saxon Chronicle places the foregoing events three years earlier.

In 996 an epidemic flux prevailed with great malignity in England.

The events here related are similar to what are common at the present day; a volcanic discharge of sire being followed by unusual cold and snow. Meteors also are common near the time of such discharges.

Magd. Cent. 10. 13. Baron. vol. 10. 877.

Hitherto our accounts of the great volcanoes have been very imperfect. The first instance of an eruption in Iceland, which is recorded, was in the year 1000; and from that period we have a regular history of volcanic discharges in that island, which is one of the principal outlets of fire on the globe, and which we shall find, has no small connection with the extensive and powerful operations of fire, both in Europe and America. There are many volcanoes in the island of which Heckla is the principal.

In the year 1000, there was an eruption in Iceland, two globes of fire or great meteors were feen, violent earthquakes in England, and a fevere winter followed. In the same year appeared a comet with a long coma.

In the year following a flux, and fevers with a burning ague, were epidemie and mortal in England.

Magdeb. Cent. 10. 13.

The next period of general pestilence was remarkable for its extent, violence and attending phenomena.

In 1004, an eruption of Heckla in Iceland, with a violent earthquake announced the approaching calamity. In 1005 appeared a comet of frightful aspect, and in the winter Italy was:

for three months, convulfed by earthquakes. In the fame year commenced a famin, and a plague of three years duration, which defolated the whole earth. Cotemporary authors affirm that more than half the human race perished. The living were fatigued with burying the dead—" ut sepelientium tædio, vivi ad huc spiritum trahentes, obruerenter cum mortuis." Such was the weariness of those that buried the corpses, that the living before their breath had left their bodies, were tumbled into the graves with the dead.

At the close of this horrible destruction, Vesuvius discharged prodigious quantities of lava which laid waste the neighboring country.

In 1009 was feen a comet in May. The beginning of the year the earth was deluged with rain, and a plague among the Saxons followed.

The plague is also mentioned under the year 1012, with violent rains and inundations, followed by an earthquake in 1013. But the necessary materials for a detail are wanting.

Magd. Cent. 11. 13. Baron. vol. 11. 27. Muratori, Tom. 5. 55.

In 1015 appeared a comet, attended with violent tempests, and followed by famin in 1016. In 1017 another comet was seen, and the following year is noted as pestilential. But I have no particulars.

In 1020 was feen another comet, and the winter was exceffively fevere, so that men perished with cold. This was sollowed by pestilence, in which the bodies of the infected generated "ferpents," says the historian; by which he probably means some species of worms. A similar fact will be related from Thuanus in the 16th century.

In 1021 was an earthquake, and the next year, the drouth and heat were extreme.

In 1025 the summer was wet. The plague raged in England, and in other parts of Europe, pestilence with violent earthquakes.

Magd. Cent. 11. 13.

In 1029 was an eruption of Heckla, and pestilence in some parts of Europe.

A comet in 1031 was accompanied, in its passage, through

the fystem, with great storms of wind and rain, producing vast inundations. In France, England and the east raged samin and pestilence. Locusts were added to these calamities, which were so severe in some parts of the world, that multitudes were compelled to leave their country. Violent earthquakes marked this year, and what is usual in the tempestuous seasons occasioned by comets distinguished by volcanic eruptions, a splendid meteor, or globe of sire.

During an eclipse of the sun in 1032 or 3, authors mention a singular phenomenon—a sassing color in the air, which gave to the human countenance a cadaverous aspect. But it might be merely the effect of a partial darkness, with a hazy atmosphere.

A fevere winter in 1035, was followed by an eruption of Vesuvius in 1036. The frequent coincidences of this kind deferve notice.

In 1037 is noted an igneous appearance in the heavens, like a beam. These phenomena were followed by pestilence in England and in the Emperor's army, and with earthquakes.

Magd. Cent. 11. 13. Univ. Hist. vol. 17. 166. Echard's Rom. Hist. vol. 5. 146.

In 1042 commenced another distressing period. A comet in this year was followed by an eruption of Vesuvius in 1043 and snow in harvest. The year 1042 was very tempessuous and rainy; the dykes in Flanders yielded to the swelling ocean, and the low grounds were overwhelmed, with infinite destruction. At this time began a general famin in England, France and Germany. The year 1043 was also distinguished for rains and storms; autumnal snows were early, and an infectious disease carried off vast numbers of cattle. In 1044 there was great mortality among men.

In 1047 fell a deep fnow in the west of Europe, which overwhelmed small trees, and lay till March. In March 1048 was a violent earthquake, followed by a tempestuous season and great sickness. There was an eruption of Vesuvius the same year, and an earthquake in October. The reader will remark a very regular connection between eruptions of volcanoes and violent winds. During this period the countries about the Hellespont were, for three years, ravaged by locusts.

In 1052 a tempest is noted which demolished many buildings. In 1053 a comet which was followed by a famin. But the seasons are not described.

In 1057 fevere frost and great quantities of snow ruined the vines. During the following year, a comet was seen, the year after which the winter was very long and severe, and in 1060 prevailed famin, and plague among men and cattle.

In 1062 a trembling of the earth in Constantinople, attended with thunder and lightning, was succeeded by the plague. The next year was distinguished by a comet, visible 40 days, a tempest of four days, deep snow, and extreme cold, which proved satal to vines, trees, birds and cattle.

In 1065 feveral hundred thousand Scythians, marching to invade the Roman empire, perished with pestilential diseases.

In 1066 a comet was feen in May, and a cold winter fucceeded. Egypt and Arabia, countries not subject to earthquakes, were violently convulsed in November, and a plague speedily followed, which, authors affirm, swept away one half the inhabitants. This was attended with famin.

The north of Europe speedily selt similar calamities. Violent earthquakes in 1068, and a comet in May, of apparent diameter equal to that of the moon, visible 40 days, were succeeded by samin. The country in England from Durham to York was depopulated. Men subsisted on dogs, cats and every unclean thing; or perished and their bodies were left to putrefy on the earth. The winters were unusually severe.

Magd. Cent. 11. 13. Murat. vol. 5. 44. Baron. vol. 11. 370.

In 1074 another comet appeared and a hard winter. The winter of 1076 was excessively cold from Nov. to March, so that the roots of vines were killed. In April 1077 appeared a comet, and famin and plague raged in Constantinople with such mortality, that the living could not bury the dead. An earthquake was experienced in England. Shocks were also felt in 1081 and 1082.

In 1084 raged famin and pestilence; the latter cut off the

Whole army of the Emperor Henry, in Rome. In 1085, Ruffia was laid waste by locusts and the plague. The seasons were tinsavorable in England, the crops bad and a great mortality among cattle. In 1086, were great inundations in Flanders, Italy and other countries; and in 1087 the fish died in the rivers.

> Magd. Cent. 11. Baron. vol. 11. 564. Stowe's Annals. Knighton. Hist. Ang. Script. 2353.

Authors relate that in 1086, domestic fowls left the houses and sted to the woods. The two following years, the same calamities continued—bad seasons, murrain among cattle, and a violent sever, which appeared in the former year, raged in these and affected one half the people of England. In 1089 a burning plague destroyed mankind. Earthquakes distinguished these periods.

Functius Chro. vol. 1. 102.

In 1091 appeared a comet; another in 1094; a third in 1096, and a fourth in 1098.

In 1091, many violent tempests happened which levelled buildings, 600 houses were blown down in London; swarms of locusts darkened the sun, and the next year a plague raged, which the historian relates to have arisen from the putteraction of their bodies. The place where the locusts appeared is not named.

A most severe winter in 1093, occured after a very rainy summer in England. The summer of 1094 was also excessively tainy.—The plague at the same time raged in England, Gaus and Germany. A violent earthquake with a tempest in 1094. The comet in Oct. 1096 was attended with great rains, which prevented the sowing of winter grain, and samin followed. Various stery appearances and meteors were observed, during this period, and the winter of 1095 was severe.

In 1098 a pestilence invaded cattle, from the bad quality of their food, which had been injured by great rains. This was the year of the last comet above named, and in the following year, was a hard winter and a dearth. Syracuse was injured by an earthquake.

Magd. Cent. 11. 13. Matthew Paris, p. 17. Muratori, Tom. 5. 59.

To the year 1099 or the following, is to be affigued the tersible inundation which spread over the low lands in Kent, belonging to Earl Goodwin, and which, never having been recovered, now form the shoals, called Goodwin Sands, of dangerous navigation.—A severe winter followed, and pestilence and famin in various places.

Pistorius, vol. 1. Anderson, Hist. Com. vol. 1, 176.

It is probable that the events related in the two last paragraphs happened in the same year. The inundation is said to have drowned in Holland one hundred thousand people.

A dark day is mentioned in the year 1099.

In the year 1100 raged a pestilence in Palestine, said to have originated from the steach of dead bodies. In Syracuse, a violent earthquake demolished a tower, with the loss of many lives. In 1101 a singular meteor, and such multitudes of worms, called papiliones, from their resemblance to a pavilion, that they covered two or three miles of country.

Magd. Cent. 12. cg. 13.

In 1103 a new star shone for twenty sive days, and a comet of a bright staming color.—A great mortality happened this year,

Magd. ibim. Matthew Paris.

In 1105, there was a discharge of sire from Heckla, and in the same year, a great quantity of snow, a violent earthquake in Jerusalem, about Christmas, and about the same time, a light in the west almost equal to the sun, and two mock suns.

In Feb. of the following year, a comet* of unusual spleng dor for three weeks was visible from three to nine o'clock, and two mock suns. A violent earthquake happened the same year. Many meteors were seen and violent tempests and inundations, with myriads of infects in the air, marked the disorder of the elements.—The year was also noted for sterility of grain, and a consequent dearth—men were attacked with plague and unusual diseases—" ignotis morbis, igne, slamma, ardore invisibili homines excruciati et absque ad ustionis nota extincti,"

Magd. Cent. 12. ca. 13. Muratori, Tom, 5. 485.

The reader cannot fail to remark how regularly the mention of comets is accompanied with a failure of crops, meteors, and tempests. We have proof in modern times that these were not the

^{*} Supposed to be the same as that which appeared in 531 and in 1680.

fictions of imagination. See the years 1769-70—1783-4—1788-9.

In 1107 appeared a comet with a long coma—another was feen in Normandy in 1108.

In the year 1109 eryfipelous difeases were epidemic in England; which afflicted and destroyed many people; their limbs covered with black spots, like carbuncles.

Magd. Cent. 12. ca. 13. Sigebert. Polydore Virgil.

In December 1109 appeared a comet, and in June 1110 another, which spread its coma to the south. A severe winter, with deep snow and long continued cold, sollowed and sterility of grain. An unusual recess of water in the Trente, severe earthquake in Salop, and a mortality among men and cattle distinguished the year 1111.—An earthquake and severe plague are mentioned under the year 11112; but the year was remarkable for abundant crops of grain.—This year there was an extraordinary recess of the water in the British Channel for a whole day, sish died in the water and domestic sowls took slight into the woods.

Magd. Cent. 12. ca. 13. Knighton, Hist. Ang. Script. 2379.

Here we have an account of a progression in the pestilence—from the eruptive diseases of 1109 to the plague in 1112—This is the modern order.

In 1113 or, as some authorities have it, in May 1114, a comet appeared, and in a period of distressing calamities. In this year there was an eruption from Heckla in Iceland.

In May 1113 an extraordinary snow very much injured trees and vegetables. In June a dreadful tempest laid waste whole countries, and the excessive heat of the summer produced dysentery and other pestilential epidemics. In 1114 many cities in Syria were prostrated by an earthquake; and its effects were selt in all the oriental countries. In November 1115 many houses in Antioch were swallowed up in a chasm rent in the earth. In January 1116 various places suffered by shocks of the earth, and in 1117 all Italy was shaken for forty days.

In 1113 Flanders was overwhelmed by an inundation, which compelled many Flemmings to abandon their country, and they settled in England.

This event feems to fix the approach of the comet in the year 1113.

Severe drouth and a fingular recess of the ocean left rivers dry in 1114. October 15th people walked over the Thames between London bridge and the tower. In December the sky appeared to be in a flame.

The winter of 1115 was most rigorous, and a terrible mortality swept away the cattle. A comet appeared this year also.

The year 1116 was rainy and fruits were destroyed. In 1117 swarms of locusts about Jerusalem devoured vegetation, and in England great damage was done by floods.

In 1118 and 1119 earthquakes were violent. In 1120 the locusts and mice overran Judea, and Trent suffered much from earthquakes. A severe winter followed in 1121, and a drouth the next year, which occasioned a scarcity of provision, and men and cattle perished.

In the foregoing period, no great pestilence is mentioned, but fuch diseases as were occasioned by intemperate seasons, except among cattle.

> Magd. Cent. 12. Baron. vol. 12. 117. Muratori, Tom. 5. p. 60. Maitland's Hist. Lond.

In 1124 happened a very fevere winter, which deftroyed trees and vines—fucceeded by a cold fpring which retarded vegetation. The following year was noted for a deftructive plague among men and cattle, in France and Brabant. Terrible was the famin in Italy, and in England so many people perished with hunger, that dead bodies lay in the highways unburied. In 1125 the famin, accompanied with pestilence, continued in England, Germany and Italy. The season was excessively wet and all fruits were injured or destroyed. In 1126 appeared a comet in October, sollowed by a winter excessively severe, and in the sollowing year, violent earthquakes occurred in Syria. Erysipelous distempers were satal in England.

In the pestilence of 1125, it was computed that one third of the people perished.

Magd. Cent. 12. Baron. vol. 12. 160. Dufresnoy. In 1130, 31 and 32, happened the most destructive murrain among cattle and fowls ever known in England. In 1131 an excessive drouth in France.

In October 1133 appeared a comet. The fame year, England was shaken by carthquakes, and inundations continued a whole month. Authors affert that the sun exhibited singular appearances, changing its figure and dimensions, and that there was a remarkable intemperature in the air. In modern times, the face of the sun is often disfigured with spots, and it is not unphilosophical to suppose that moving vapor in the air may suddenly change its apparent diameter.

In 1134 the sca broke into Flanders, as it did in the following year. This year was rainy.

In 1135 the drouth destroyed vegetation and occasioned a dearth. The Rhine was fordable in almost any place. Terrible tempests and earthquakes and an emption of Vesuvius marked this period, and a dreadful plague ensued.

Short, vol. 1. 118.

The eruption of Vesuvius was in 1136 and a second in 1139. The summer of 1137 was as remarkable for drouth, as was that of 1135. The plague was universal. The disorders in the elements occasioned a long and desolating famin.

Magd. Cent. 12. Piflorius, vol 1. 156. Matthew Paris. Knighton mentions the fun's changing its form in 1133, and adds that a darkness happened which rendered a candle necessary in the day time.

Chronocon.

From this it is probable the fun presented appearances, like those which we observed on the 19th of May 1780, and which are usual in dark days.

The reader will remark the occurrence of fach days, in years when electricity thakes the earth, or fire and lava are discharged by volcations. The will note also the drouth that preceded the eruption of Vesavius in 1135 and 1132.

In 1140 was an earthquake in England. In 1141 a very severe winter. In 1143 the air, for a mile in extent, was filled with an unusual infect, with the body of a worm and the fize of a fly. A general plague among men and cattle began the same year, and raged with great violence in various countries.

In 1144 or as some authors relate in May 1145 appeared a comet, illuminating the heavens, and the same year were violent earthquakes. In 1146 another comet, and the plague incredibly satal. A samin prevailed with distressing severity, for 12 years, including the years just named.

Magd. Cent. 12. Muratori, Tom. 5. p. 65. Piltorius, Germ. Script.

If men, at this period, had any respite from natural evils, the intervals were very short. In 1150 a very severe winter and severe pestilence are recorded in the Saxon chronicle, together with famin and an eruption of sire in Iceland. Earthquakes, inundations and pestilence marked the subsequent years. The years 1151 and 2 are mentioned to have been very rainy—the winter of 1153 and 4 severe, and the summer of 1156 excessively dry. These phenomena follow each other so rapidly, and are related with such brevity and in general terms, that it leaves the mind at a loss to what influence to ascribe the diseases which afflicted nations for a series of years about this period. In this gloomy and barbarous age of the world, history is concise and destitute of accurate observations.

In 1157 there was an eruption in Iceland, with a very cold winter. In 1158 an eruption of Vesuvius, an earthquake in England, and an inudation of the Tyber. Pestilence appeared in Scotland in 1154.

Not long after these events, Antioch, Tripoli, and Damascus were convulsed by an earthquake, with the loss of 20,000 lives.

After an interval of more than 300 years, during which I find in history no account of any eruptions from Etna, this volcano is introduced to our notice by an almost continual eruption from 1160 to 1169. Earthquakes were violent in 1161—in Sicily an inundation drowned 5000 people—in 1163 one of the greatest inundations in Friesland ever known, preceded by a very severe winter. At this time the plague was raging in Milan, Normandy and Aquitain. Unusual darkness is mentioned in 1164. In England, the sea overslowed twelve miles of country, destroying men, cattle and improvements. In 1165, a comet appeared with a long coma; 12,000 people perished by an inundation in Sicily, and Norfolk and Suffolk in England

were shaken by an earthquake. Most of Frederick Barbarossa's army perished by the plague in 1167. This period was remarkable for great wind and hail.

In 1169 the eruption of Etna was very violent; Catana was demolished by an earthquake, and 15,000 people perished—Asia Minor selt the shock. In the next year, so general and tremendous were the earthquakes, that many of the best cities in Syria, Palestine and other countries, were laid in ruins. Germany suffered by earthquakes and inundations. Pestilence marked this period, and in 1172 a malignant dysentery raged in England.

In 1174 mention is made, for the first time, of an epidemic cough or catarrh. There is however no question that influenza and measles always preceded or accompanied pestilence in the ancient and middle ages, as they do in modern times. Authors have neglected to record the prevalence of all the minor epidemics, or nearly all, until after the invention of printing.

In 1175 history mentions an eruption of Etna, pestilential discases in England and a famin. In 1176 a long and severe winter, and an irruption of the sea into Holland with immense destruction—a severe drouth sollowed with a loss of seed time. The year 1177 was distinguished for violent winds.

In 1178 a comet was succeeded by a most rigorous winter, and destructive inundations. On the 11th of September, was a dark day, with singular appearances of the sun and moon. A= nother comet is mentioned in 1179 and a great hail storm.

In 1181 appeared a comet, and earthquakes, with an eruption of Etna, marked this period.—At this time Denmark was almost laid desolate by excessive rains, famin and pestilence, while Germany lost half of its inhabitants by the plague. Some allowance must be made for exaggeration in the accounts of the more destructive plagues. This was an age of superstition, and the imaginations of men were susceptible of strong impressions.

In 1185 is recorded a most violent earthquake, over Europe. Calabria was overturned, and thousands perished. On the Adriatic, a whole city was swallowed up, and the shock was felt to the Baltic.

In 1186 Russia and Poland were desolated by locusts and pestilence. The winter was so mild, that the following harvest was in May, and vintage in August. In Carinthia, the locusts devoured every green thing.

An unufual conjunction of planets happened, this year, in Libra; and so great was the alarm, in that ignorant and credulous age, on account of the calamities predicted by astrologers, that a solemn fast of three days was appointed by the Archbishop of Canterbury. Luckily no uncommon event happened in England, until the next year, when pestilential diseases prevailed among men and cattle. In 1188 the plague was in Rome.

Magd. Cent. 12. Murat. vol. 5. p. 70—6—182. Univ. Hift. vol. 32. 110. Henry Hift. Brit. vol. 3. 380.

I have no accounts of comets in this period from 1181 to 1211; altho it is probable that feveral were visible.

How far may we suppose the conjunction of all the planets had any influence in producing the remarkably mild winter of 1186?

In January 1193 was a remarkable aurora borealis.

In 1193 and 4 excessive rains injured the grain and produced a dearth. In England an acute pestilential sever was epidemic and lest in health scarcely a number of persons sufficient to tend the sick. The usual forms of burial were neglected, and dead bodies were thrown into graves in piles. A severe winter put a stop to this epidemic. Brompton, with a natural partiality for religious houses, informs us that the only places exempted from the destruction of this pestilence, were the monasteries—Cotemporary with this disease was an earthquake and a singular stery appearance in the sky. Short places this sever under the year 1196 and calls it a "burning ague." See the years 1001 and 1723.

Brompton's Hist. Ang. Script. 1271. Magd. Cent. 12. Short, vol. 1. 130.

The winter of 1200 was cold; the summer of 1201 was very rainy; and the winter succeeding was severe almost beyond example. In 1203 was a fore famin from bad seasons. In 1205 a rigorous winter and a great hail storm; in 1206 an eruption of Heckla; but I have no account of any epidemics that prevailed.

In 1210 was an eruption of Heckla, and a cold winter. In 1211 appeared a comet, in May, visible for 18 days. Great tempests marked this period with inundations. In 1212 Venice and Damascus were violently agitated by earthquakes, and in Sicily thousands perished by an inundation. These phenomena were the heralds of a severe pestilence, which, in 1213, was so satal in Italy, that authors assirm scarcely one tenth of the inhabitants survived. In the year following appeared two comets.

The year 1219 was distinguished for the approach of a large comet, distressing inundations, in one of which perished 36,000 inhabitants, an earthquake and a volcanic eruption in Iceland. In 1220 the plague was so fatal in Damietta, that authors relate three persons only survived out of 70,000. By this we are to understand the disease to have been extremely mortal; but we must reject the literal meaning of such relations. It is doubtless true that the pestilence of this period has rarely been exceeded in mortality.

This period was very calamitous in the north of Europe. In 1221 Poland was afflicted by excessive rains, and the floods which followed swept away whole villages. The winter succeeding was severe, so that frozen wine was sold by weight, while samin and pestilence almost desolated Europe. In most countries, the living could hardly bury the dead; and in some cities, scarcely a person survived.

In the year 1222 appeared a comet of unufual magnitude and the fummer was excellively dry. A frost, with deep snow in April, destroyed the fruits. In autumn the earth was deluged with rains and swept with violent winds. An earthquake shook Germany and Lombardy; in Cyprus two citics were demolished; the shocks were frequent and continued for two months, in Brixia, Venice, England and other countries. The plague raged, for three years, with uncontrolable sury, in Germany, Hungary, France and other countries; falling on cattle as well as man.

During this dreadful period, the discharges of fire and lava, from the volcanoes in Iceland, exceeded what had been before known in the same space of time. There were two eruptions in

1222, one from Heckla; the other from Reikenese; and the eruptions of the latter were repeated in 1223, 1225 and 1226. In 1224 was a severe drouth; in 1225 a rigorous winter, followed by a dearth, and mortal diseases among sheep.

Let any candid man observe the natural phenomena accompanying this desolating period, from 1219 to 1226; and decide for himself how far the sire or electricity of the system is an agent in producing them, and the attending diseases.

We observe here the progress of pestilence to be the same as in modern times. The plague appeared in Egypt almost at the same time with the comet, and first derangement of the elements in 1219 and 1220; but was two, three, sour and sive years later in the high northern latitudes.

No comet is mentioned in the histories of this dark period, as far as I can find, from 1222 to 1240; but that there was one, in the vicinity of the earth, between 1228 and 1233, is very probable.

In 1228 an inundation in Friesland demolished whole towns, and it was estimated that 100,000 people perished. Great rains in summer and excessive heat were followed by a severe winter, with deep snow.

In 1230 the waters of the Tyber rose to the stairs of St. Peter's Church, and drowned the lower city. July and August were excessively hot. An inundation of the Danube in 1232, and in 1233 so severe a frost, that rivers were converted into highways in Italy; and earthquakes marked the year, with a dark day.

During this period from 1230 to 1233, France, Denmark and Italy were wasted by dreadful famin and plague. These calamities continued in 1234 and 5, in England and France. In London alone 20,000 people were starved. Worms and locusts devoured the fruits of the earth.

The winter of 1236 was rainy—the following summer extremely dry, and in England most distressing agues were epidemic. In 1237 was an eruption of a volcano in Iceland.

In 1239 pestilence again raged—a new star, like Lucifer, appeared. Famin was so severe that persons fed on human sless.

In 1240 a comet appeared in Feb. and was visible a month. Mortal diseases prevailed, and authors relate that the fish, on the English coast had a battle, in which eleven whales and a multitude of other fish were slain and cast ashore. The cause to which this phenomenon is assigned is laughable enough; but the fact is important; for it strengthens modern observations, that when pestilential diseases prevail on the surface of the earth, fish often perish beneath the water. Of this no doubt can remain; and this alone demonstrates that the pestilential cause is as powerful or nearly so, at the bottom of rivers and the ocean, as on the earth—a fact that reduces the theory of propagating the some of epidemic diseases in vessels, clothes and similar articles, from one country to another, to a thing of very trisling consideration.

The winter of 1240 was very severe—the snow was deep and cattle perished. An eruption of sire in Iceland is noted the same year.

In 1242 the Thames rose by means of excessive rains and overwhelmed the country for six miles about Lambeth. The years 1243 and 4 were remarkable for continued drouth, meteors and a most fatal plague.—An eruption of sire in Iceland in 1245.

In 1247 a violent earthquake was experienced in England, and in September a fatal plague. The earthquake was in February and followed by a very rainy fummer. The winter following was fo mild, that people wore their fummer clothes; but from March to May was cold.

The summer of 1250 was rainy and tempestuous, followed by a hard winter. The summer of 1251 was intolerably hot, and epidemic diseases prevailed, with great mortality.

In 1252 late frosts in spring, and succeeding drouth destroyed the fruits of the earth. At the close of July came great rains, vegetation started, but great mortality prevailed among cattle. At Michaelmas began the plague in London, which spread over England, and raged till August following. This is one instance of the plague's appearing in autumn, running through

the winter, and ceafing about the time, in the hot feafon, when that difeafe ufually begins.

The winter of 1254 was rigorously cold, a murrain among sheep was very fatal, and in England and France a mortal distemper among horses called the evil of the tongue, but it is not described.

In 1255 appeared a comet; tides rose to an uncommon height; rivers swelled with excessive rains and tempests levelled buildings. In 1256 the rains and tempests were equally violent, and another comet appeared. In 1257 the summer was also excessively rainly. From these rains came a dearth of corn in England and France in 1258, which was also rainy; and famin and diseases made havoc with human life. Fisteem thousand persons perished by hunger in London; but I have no account that the plague prevailed at that time.

To this feries of wet feafons succeeded severe drouth in 1259 and 1260; and the mortality continued till the summer of 1259—after which plenty succeeded to want.

The year 1261 was rainy in England and Scotland, and a dearth was the consequence in the following year.

In 1262 an eruption of a volcano in Iceland.

In 1263 a fevere frost in winter converted the Thames into a highway for men and horses. In 1264 a comet was visible from June 20th to September 28th and pestilential diseases swept away horses and cattle.

In 1266 fwarms of Palmer worms devoured all vegetables in Scotland, and feveral villages on the Tay and Froth were sweptaway by floods. These were preceded by a remarkable halo.

In 1268 appeared a comet, and violent tempests and rain are noted, together with sterility of grain and dearth in Austria and Sicily.

In 1269 the winter was extremely fevere; horses and carriages passing on the ice over the Thames. A plague raged among the Crusaders, on their march to the holy land, of which died the French king and his son. Some authors mention a comet of stupendous magnitude under this date; which is probably the same as that noted under the foregoing year.

In 1274 was a great carthquake and a comet of frightful afpect—an earthquake also in 1275.

In this year, it is related, the ret among sheep was first known in England. As this was said to be an imported disease, it is proper to state how it was introduced. Short on Air, vol. 1. 155, says, "This year, a rich Frenchman brought into Northumberland a Spanish ewe, as big as a two year old calf, which sheep being rotten, seen infected the country, so that the disease overspread the whole kingdom, and lasted 25 or 28 years, till it lest very sew sheep alive. This was the first rot ever known in England."

The reader will judge which is the greater calf, the man who gravely tells or the man who believes such a tale as this.

Historians fix upon the year 1277 for the formation of the Dollert Sea, between Groningen and East-Friesland, by a great inundation, which overwhelmed 33 villages irrecoverably; with many farm-houses in the open country.

In 1280 a great inundation was followed by a very cold winter. In 1281 Poland was afflicted with famin. The winter of 1282 was the feverest then remembered; an earthquake shook Italy and a plague raged in Denmark. In 1283 the same malady prevailed in Scotland. In 1284 the winter was one of the mildest ever known; the year was also remakable for great tempests, an unusual darkness and an eruption of Etna. The year 1285 was noted for a similar darkness, most parching drouth and the commencement of a famin in England.

This drouth was followed in 1286, by the approach of a comet. In this year, Prusha was infested with a new species of worms, whose sting was possenous. Swarms of slies and pestilential severs in Spain nearly destroyed the army of the French king, then making war on Arragon.

In 1287 fifteen islands in Zealand were overwhelmed by an inundation, with the loss of 15,000 inhabitants.

In 1288 the fummer was excellively hot and dry. Grain was however abundant in this and the preceding year. The drouth was followed by great mortality and a fevere winter

In 1293 a comet was visible, and a great snow sorm happen-

ed in May. Italy was shaken by earthquakes. In the following year, England was distressed by severe famin, thousands of the poor perishing with hunger. A severe drouth exhausted all the springs and rivers, grass withered and cattle were fed on straw. The winter of 1293-4 was extremely cold, and an eruption of Heckla happened in 1294.

In 1295 and 6 many countries were afflicted with famin, and in 1297 the plague prevailed in Scotland.

A comet of great magnitude appeared in 1298, or as other authors fay, in 1299, and others in 1300; whose approximation was attended with violent carthquakes in Germany, and other places in 1299, and with an eruption of Heckla in 1300. The year 1298 was noted for a great mortality among the Jews, and multitudes perished in the east with various diseases in 1299.

In 1305 appeared a comet, attended with fatal peftilence. A hard winter followed, and the Rhine was covered with ice.

In 1311 mount Heckla discharged its siery contents; in 1312 appeared a comet, and a three years samin commenced in Bohemia and Poland, which was exceedingly distressing. Men became like wolves and preyed on human sless.

In 1314 inceffant rains destroyed the grain; a comet appeared in December following, and in 1316 raged a desolating dysentery in England, accompanied with an acute sever, which, like the true plague, lest scarcely survivors to bury the dead. The samin continued to rage with all its horrors. Horse sless was a delicious dish. Wheat sold at forty shillings the quarter; equivalent to £30 sterling in these days.

In 1318 the winter was severe, and in 1319 the plague prevailed in England. A murrain spread among cattle, at the same time, with satal destruction.*

In 1321 the drouth was extreme, and there was an eruption of Etna. Eruptions of Etna are also mentioned in 1323, 1329 and 1333, and a severe winter, in the first of these years 1323, which covered the Baltic with ice. The plague raged in 1325.

The year 1330 was rainy and the crops indifferent. The year

^{*} I have no account of any comets from 1315, to 1337—which may be owing to the defect of my historical materials.

following, Ireland was distressed by famin, but Dublin was relieved by plenty of fish, called Thurlheds, which had not been seen there for ages. In 1332 was an eruption in Iceland.

In 1336 grain was abundant. A violent earthquake shook Venice, and a succeeding plague laid waste the city. This was preceded by numerous abortions.†

In 1337 happened a feverely cold winter, without fnow. Two comets were visible, one four months, the other two. The plague prevailed in Nuremberg and other parts of Europe. The winter following was also fevere. Pistorius places these comets in 1336, and mentions an inundation at Florence. At this time, Europe was, for three years, rayaged with locusts.

In 1339 or 40, appeared another comet. Great floods, an eruption of Heckla, and a fevere winter followed, which covered the north sea with ice.

See Short on Air, vol. 1. Piftorius, vol. 1, and 2. Dufrefnoy's Chron. Henry's Hift. Eng. vol. 4, 500. Camden's Britannia. Functius Chron. Knighton's Chron.

In travelling through the dark ages, we find but few interesting descriptions; and nothing could have induced me to undertake the tedious detail of detached facts respecting pestilence, but a strong desire to ascertain all that can be discovered of the operations of nature, in producing epidemic diseases. It is of infinite importance, in discussing this subject, to know whether certain phenomena of feafons, of subterranean fire, and unusual animals, uniformly attend pellilence; and to afcertain, if pollible, the order in which they proceed, for the purpose of discovering whether they are connected with each other as cause and effect. Barren as the history of the barbarous ages really is, we yet find it to contain a great number of facts, that will affift us in developing the causes of epidemics. The subsequent periods of the world furnish more ample materials—we now approach the morning of science, when the clearer lights of more accurate history will illuminate our path.

[†] To repair the waste of population, the Senate passed a decree inviting persons to come and reside in the city, and promising them the rights of citizenship, after two years residence. Howel's Survey.

SECTION IV.

Historical View of pestilential epidemics, from the year 1340, to 1500.

HE pestilence next to be described was the most general and awfully distressing that the world ever experienced. The precise year when it appeared in Asia, where it began, is not ascertained; but probably about 1345, perhaps a year or two earlier.

The histories of that age relate, that it commenced in Cathay, China, and was preceded by the bursting of a huge meteor or globe of fire; or as others relate, the fire burst from the earth. These accounts were taken from Genoese seamen, and are recorded by Villani; but Dr. Mead, with that obstinacy that rejects truth when opposed to preconceived theory, thinks the report incredible, and questions not the disease originated in Egypt. Had he ever examined the subject, like an impartial man, he would have believed the account of the seamen, for there is not a more certain phenomenon in nature, than the appearance of meteors and the explosion of sire in pestilential periods.

Villani, book 1. ch. 2. Mezeray, Tom. 1. 798.

This plague appeared in 1346 in Egypt, Syria, Greece, Turkey; in 1347 in Sicily, Pifa, Genoa and other parts of Italy; in 1348 it appeared in the fouth of France, first in Avignon, which is not a maritime city, but at a distance from the sea, and afterwards in other parts of the kingdom and in all the southern provinces of Spain. At the close of the same year, it made its appearance in England, first in Dorsetshire, and soon travelled over the whole country. In 1349 it overrun Ireland, Holland, Scotland, and in 1350 all Germany, Hungary and the north of Europe.

This pestilence was remarkable for raging in winter as well as summer, even in the north of Europe. In France it sirst appeared at Avignon in February and prevailed there nearly a year.

Muratori, vol. 3. part 2. 588.

Short has placed its first appearance in the south of England in September. But Archbishop Parker has placed its origin just after Christmas. His words are, "Ea statim post nativitatis dominicæ celebratum sessum, ipsa nimirum hyeme et rerum omnium ad victum necessarium copia, cum vix ulla contagionis suspicio oriri mortalibus potuit, incepit." "Immediately after the feast of our Lord's nativity, in winter and amidst the greatest abundance of provisions, when there could be no suspicion that a contagious disease would arise among men, the plague commenced." It raged about five months and according to this author ceased in May following; although the summer.

Parker's Antiq. Brit. p. 360.

In the English Annals by William Wyrcester, in the black book of the Exchequer, it is faid that this plague prevailed in the parts of London and its vicinity in autumn 1349.

These different accounts of the time of the first appearance of this difease, are reconcileable on the principles which modern observations have unfolded. It is found that the plague is always preceded, for fome months, and in fome instances, for two or three years, by other malignant fevers, which increase gradually to the violence of the true plague; and often the degrees of violence are fo gradual, that physicians themselves can hardly determin a line of distinction between the malignant diseafe, which is the precurfor of the plague, and the plague itself. That is, they are at a lofs to know where the malignant difease ends and the plague begins. Hence all the disputes, at the commencement of a pestilence, whether the disease is the plague or not-a circumstance which appears to have marked the origin of all great plagues, and yet physicians and philosophers in Europe seem never to have suspected the cause.—These facts will be hereafter demonstrated, and they annihilate at a blow the whole doctrine of the propagation of that disease from country to country by infection.

From the uniform operations of nature in the case of epidemic pestilential diseases of the kind under consideration, there must have been in England, during the summer, previous to the appearance of the plague, malignant severs, which might approach to the violence and satality of the plague. This circumstance might create a small difference in the accounts of the origin of the plague—inaccurate observers mistaking the one disease for the other—or rather naming the previous putrid sever, the plague, before it put on the characteristic symptoms.

It is possible however that these authors may refer to the commencement of the disease in different parts of England.

This formidable calamity deferves a particular description, with all the phenomena attending it.

In 1347 appeared a frightful comet, in August. Preceding and during the prevalence of the disease, the whole earth was shaken by most tremendous earthquakes. All Germany was shaken in 1346. In 1349 on the 9th of Sept. Sicily was shaken to its foundation, together with all Italy. In Greece many cities were overthrown, and in many places towns and castles were demolished. Thousands of people were swallowed up and the courses of rivers were obstructed.

Over Avignon was suspended a meteor or pillar of fire for an hour. The heavens were at times illuminated as with flame, and meteors were frequent.

I have no particular description of all the seasons, during the sive years, in which this mortal pestilence desolated Europe. But the year 1347, the year of the comet, was, in England, excessively rainy, and the air humid.* Short, from Johan Cole de Billona, mentions that a hot air, cloudy and moist atmosphere had continued for some years, and that a malignant, contagious peripneumony sollowed in all Europe. But unfortunately the compiler leaves us in the dark as to the precise time of

[&]quot;Mutius, in the collection of German history, fays that the whole year 1343 was foutherly, moist weather, but there were no heavy rains to cool the air. Fruit was abundant, but corn was not nutricious. See vol. 3. 241.—In England the rains continued from May to Christmas.

its appearance, and whether before or after the other forms of this pestilence.

Mezeray relates that in China, the disease originated from a vapor, which burst from the earth, was horribly offensive and consumed the face of the country through an extent of 200 leagues. This account may be inaccurate, but is not to be wholly rejected. That some action of subterranean heat was instrumental in generating the disease, is very probable; or at least that some phenomena of sire accompanied it, because this supposition is consonant to the whole series of modern observations.

The pestilential state of air, in that period, is strongly marked by the appearance of myriads of unusual and loathsome insects, not only in China, but in Europe. They are described as young serpents, or as venemous insects, or as large vermin with tails and eight short legs—in which description, probably, a frightened imagination had some share of influence. But of the fact of their existence, there can be no doubt.

In the Ouse there was a great inundation just before Ascension day, and in York began this plague speedily after the flood.

The fymptoms of this fatal malady were—violent affection in the head and stomach, beloes and other glandular swellings; small swellings like pimples or blisters; usually a fever, and a vomiting or spitting of blood.—The swellings in the glands were infallible signs of the disease; but the most fatal symptom was, the pimples or blisters spread over the whole body. Hemorrhages from the mouth, nose and other parts, indicated a universal and sudden disorganization of the blood. The patient usually died in three days or less—which denotes the virulence of the poison, or rather the activity of the disease, which destroyed the powers of life in half the time, which the bilious plague usually employs

The peripneumony which was epidemic about the fame time, appeared in a burning fever, infatiable thirst, a black tongue, anxiety and pains about the heart, short breath, a cough, with expectoration of a mixed matter, open mouth, raging delirium, sury, red, turbid or black urine, restlessness, and watchings,

black eruptions, anthraces, buboes, and in some, corroding ulcers over the whole body. The disease usually terminated the 4th day, sometimes not till the 7th. The blood was black and thick; but sometimes greenish and watery or yellowish.—Venesection was certain death. The disease bassled medical skill—the only remedies that appeared to relieve, were laxatives early administered, cupping and scarification, leeches applied to the hemorphoids, and inwardly, insusions of mild, diaphoretic, attenuating, pestoral vegetables.

It will be hereafter proved that malignant pleurify and peripneumony usually form a part of that series of diseases which always occur during a period of general contagion. When plague and yellow sever occur in *summer*, in northern climates, pleurify and peripneumony often assume, in *winter*, great and even pestilential violence.

This plague was so deadly that at least half or two thirds of the human race perished in about 8 years. It was most fatal in cities, but in no place died less than a third of the inhabitants. In many cities perished nine out of ten of the people, and many places were wholly depopulated. In London 50,000 dead bodies were buried in one grave yard. In Norwich died about the same number. In Venice died 100,000—in Lubec, 90,000—in Florence the same number. In the east perished twenty millions in one year.—In Spain the disease raged three years and carried off two thirds of the people. Alsonso 2d. died with it while besieging Gibraltar.

In this fatal period, the apprehension of death destroyed the value of property. In England, and probably in other countries, cattle were neglected and they ran at large over the country. The corn perished in the fields for want of reapers; whole villages were depopulated; and after the malady ceased, multitudes of houses and buildings of all kinds were seen mouldering to ruin. A horse which before had been worth forty shillings, after the sickness, fold for half a mark.

Altho in the year preceding there had been a plenty of provisions, yet the neglect of agriculture during the general diffress produced a famin. Such was the loss of laborers, that the few

furvivors afterwards demanded exorbitant wages, and the Parliament of England was obliged to interfere, and limit their wages, and even compel men to labor.—See 23d Edward 3. A. D. 1350. The preamble states, that a great part of the people, especially workmen and servants had died of the late pestilence, and those who survived, seeing the necessity of men, demanded excessive wages.

This disease was particularly fatal in Denmark—all business was at a stand, towns were deserted, and all was terror and despair. It reached the highest northern latitudes; it broke out in Iceland, and was so fatal, that the settlements there are supposed not to have since recovered their population. It was called the sorte diod, black death.

In some places people attempted to escape infection by taking their families on board of vessels, and putting to sea; but it was in vain; they were seized in every place, without regard to age or sex.

In 1348 the malady fwept away the Greenland merchants and feamen. This difease also, or some other cause destroyed the colony of Danes in that country, for it was extinguished and has never been sound or heard of to this day.

This pestilence was remarkably fatal to the monks and regular clergy of all descriptions. In one society at Montpeliers, of 140 members died all but 7: About the same proportion perished in Magdalen Society. In Marseilles, of 140 not one survived. But a circumstance related in Knighton's Chronicon deserves particular notice. At Avignon where the disease first appeared in France, 66 of the Carmelites had died, before the citizens were apprized of the fact; and when it was discovered, the report circulated that the brethren had killed each other.

An important consequence results from the sact—that this plague first appeared in a monastery, which might be crouded with lazy, idle, silthy monks; in a city not commercial, nor a sea port. There was no idea of any imported insection; but there must have been strong local causes, which sirst excited into action the general contagion which, at that time, pervaded the atmosphere over the whole globe.

Such was the havoc made by this pestilence among the clergy

in England, fays Knighton, that a vicarage which before the plague, might have been supplied for four or five marks a year, or two marks and the man's board, was raised to the price of twenty marks or twenty pounds.

Col. 2600.

This pestilential period was preceded and attended with all the usual phenomena of satal Epidemics.* The earthquakes and the insects have been noticed. Abortions were among the remarkable precursors of this malady. The same sact is noticed by Diemerbroeck, before the great plague at Nimeguen, in 1635. The same has been mentioned by the authors he quoted, Forestus, Sennertes, and others; and is ascribed to the tenderness and debility of the heart and Viscera. Hence pregnant women first feel the effects of a state of air unfriendly to the support of life, and if they are seized with plague, are always its victims.

Another phenomenon attending this plague was the death of fish. This circumstance, with the bad state of the water, which is often affected by the pestilential state of the elements, and was greatly affected in this period, gave rise to a report that the Jews had poisoned the wells and springs. The prejudices against the Jews, which have marked and scandalized all christian countries, except America, were at their height in the reign of Edward the 3d of England, the period under consideration. These prejudices drove legislators and princes to exercise every species of cruelty upon the Israelites, on account of their usury; and when the report of their poisoning the water circulated, the populace in some places and especially in Germany, rose and assassing multitudes of these unfortunate men.

The death of animals, particularly of sheep, marked the same period. In England, 5000 died in one pasture. The state of the air and water was so pestilential that it is averred by historians, the souls and sishes had blotches on them.

Authorities. Short, on air. vol. 1. 165. Knighton, Chron. Pennant's Arctic Zoology p. 67. Townsend's Travels in Spain, vol. 2. 219. Maitland's Hist. of London. Muratori, Tom 3. 588 and 594. Univ. Hist. vol. 32. 251. Stow's Survey, 478. Mazeray's Hist. France. Villani, and many others.

^{*} Except eruptions of volcanoes, of which I have no account, at this period except in Iceland in x340. But my accounts of volcanoes are very imperfect.

It may be remarked that this mortal pestilence raged in England and France, during peace, or rather during a truce, which had been concluded between Edward III and the King of France in 1347, and which lasted seven years.

Guido, an inhabitant of Avignon, when this malady appeared, and who escaped death by the favorable process of a bubo, relates a fact that throws light on this subject. He says that the malady was of two kinds—" the first, and which preceded the other about two months, was a sever, with spitting of blood," not unlike that which prevailed in the time of Fracastorius. All who were seized with these symptoms, died in three days.

The other kind, which succeeded the first, came on with continued sever, carbuncles and abscesses, in the glands.—This was as fatal as the other, except near its decline, and the patient died in five days.

Friend's Hift. Med. p. 564.

It is remarkable, that the disease which is technically called plague, pestis, is always preceded by a similar sever. It is in fact the plague in its first slages, tho it does not exhibit the glandular swellings, which modern physicians contend are characteristic of true plague, and mark a generic or at least a specific difference between that and any other kind of typhus sever. This fact of a progressiveness in the disease, annihilates the savorite notion of deducing all plagues from insection; a notion which is bandied about between physicians and legislators like a tennis ball, tho unhappily for mankind, infinitely less harmless.

At the close of this dreadful period, in 1350, were severe earthquakes in Italy. In 1356 a violent shock in Switzerland, and in Germany, especially on the Rhine, which did great injury. To this succeeded most violent rains, and samin and pestilence in Germany, with prodigious mortality.

Muratori, Tom. 3. part. 2. 594.

Brabant escaped this terrible pestilence and so did Milan.

In 1352 authors relate that 900,000 people in China perished by famin.

The rainy and humid scasons which introduced the great pestilence of 1347-50, were succeeded by drouth in 1350, a comet in 1351, with tremendous storms, and a meteor which burst with a heavy report. The winter following was fevere, and in 1354 Africa and Cyprus were devoured by locusts.

In England prevailed epidemic madness in 1355.

In 1358 was a fevere winter, followed by an eruption in Iceland, and a wasting plague in Italy in 1359. According to Baccace, Florence lost 100,000 citizens, and Petrarch fays, scarcely ten of a thousand survived. There was a great mortality particularly among child-bed women, and cattle did not escape.

This peltilence also became nearly general. In 1361 Milan, which had escaped in 1348, was severely afflicted, as was all France, England and Ireland, and it was computed that Scotland lost one third of its inhabitants. This plague was called the fecond in the reign of Edward III, and it was in time of peace.

In this peftilential time, occurred a remarkable from of hail and fnow, in April 1360. The tendency of the elements in fuch periods to generate hail and fnow, is a fact that well deferves confideration.

In January 1361, a violent tempest spread desolation over Europe. The winter was severe, and the summer dry. In March 1362 appeared a comet in the North East, with a vast coma, and an eruption in Iceland. A dearth and diseases among cattle followed.

This last pestilence differed from that in 1348, in two or three particulars. It raged with most violence, on mountainous districts, where the air was pure, and where the plague of 1348 did not prevail. It attacked the nobility and gentry with more violence than the poor; contrary to the usual fact; whereas the disease of 1348 was most fatal to persons in the humbler walks of life.

Muratori Tom. 3. part 2. 600. Liber Niger Saccarii vol. 2. 433. Henry's Hist. Britain vol. 4. 194.

The comet and volcano of 1362 were followed in 1363 by a winter of extraordinary feverity, which lasted from September to April. The Rhine was covered with ice for ten weeks.

The year 1365 was rainy, and the plague carried off 20,000 people in Cologne, and the vicinity. In 1366 an eruption in Iceland destroyed 70 farms. The same year was very sickly in England and deaths sudden.

In 1363 was visible in March a comet with a coma, and the crops failed. In this year commenced in England the third great plague in the reign of Edward III.; the reader will note that this was preceded by a fickly year in 1366. The mortality was great, and especially about Oxford. The most fatal year was 1369, and in Ireland the disease raged in 1370. I have no particulars of the progress of the disease on the continent; but it was very fatal.

Murat. vol. 3. 632. Pistorius vol. 1. lib. Niger 435. Maitland's Hist. Lond. Van Trail's Letters on Iceland.

In 1373 raged an epidemic madness among the lower people in England; and in 1374 a similar disorder prevailed in France and Italy. During pestilential periods, some general cause seems to affect the brain in a powerful manner, even in persons who escape the plagues.

In 1374 also was an cruption of a volcano in Iceland. There was also famin, a violent plague in Italy and some parts of France. In 1371 there had been a severe earthquake in the south of France.

Murat. Tom. 3. 646, 649.

In 1379 commenced a great fickness in the north of England, which almost laid waste the country; and in 1380 was seen a comet. The disease is not described, but it was the forerunner of a most dreadful plague. Provisions were good and cheap.

In 1381 and 2 confiderable earthquakes were felt in England, and a fevere pestilence appeared at Avignon in France, which raged for four or five years, depopulating many cities. It prevailed in Italy, France, Germany, England, Ireland, Greece, and the East.

There was an eruption of Etna in 1381, and the year closed with great rains. The year 1382 was without winds. The plague was most fatal to children, and great ravages were made also among the friars. In this pestilence Lubec lost 90,000 people.

Liber Niger Sac. 441. Short on Air.

In 1388 the drouth was so severe, that the Rhiue was fordable at Cologue. In 1389 violent tempests raged in England, with great destruction; and in the year following, was an erup-

tion of a volcano in Iceland. In modern days, we observe the same train of phenomena, evidently depending on one general cause. In 1389 appeared a singular meteor or light in the heavens.

The year 1389 was remarkable for the death of children in all parts of England. From the phenomena that attended and the diseases which followed, compared with the order of diseases in modern days, it appears very probable that this disease was a species of Angina, which almost invariably precedes the plague. In the next year, a deadly plague raged in the north of England. Swarms of gnats and slies marked this period, and some parts of the continent were overrun with locusts.

Pistor. vol. 1. Short on Air.

The reader will remark the excessive drouth preceding the eruption in Iceland and the siery appearance in the heavens in the year of the tempest. In these phenomena, nature is nearly uniform.

It is a very common event that dysentery of a malignant type fucceeds the plague. Such was the case in England, in 1391, when this disease was epidemic and very mortal. A dearth of corn might have contributed to the same event; but it is often the sact, without any scarcity of food.

An uncommon redness of the sun is mentioned in July of 1391, and for six weeks after, thick vapor or clouds. Perhaps these might have been occasioned by the eruption in Iceland, in the preceding year; as it appears to have been a phenomenon somewhat similar to that which Europe beheld with amazement and terror in 1783.—I have however my suspicious that while the central sires expel immense quantities of burning lava, from volcanoes, they may force through the earth in the adjoining continents, a subtle vapor, that is invisible, until it is collected and condensed in the higher regions of the atmosphere.

The beginning of the 15th century was marked by a fevere and defolating pestilence. The disease sirst appeared in the last year or two of the former century. In 1399 the mortality was such in Spain, especially in Andalusia, that the king was obliged to suspend the law which restrained widows from marrying with-

in a year after the death of their husbands. It was preceded by a fevere winter.

Mod. Univ. Hist. vol. 20. 353.

In 1402-3 and 4 the plague in Iceland carried off multitudes of the inhabitants.

Van Troil.

In 1400 epidemic and mortal fickness prevailed in England. A violent earthquake the same year in Persia. In 1401 Florence was nearly dispeopled by the plague. In 1402 in March appeared a comet of a siery aspect, and coma, which was visible for three months.* In 1402 a frost so severe that the Baltic was passable for horses for six weeks. In 1406 the sea broke into Holland, Zealand and Flanders, with prodigious injury. A plague carried off 30,000 people in London; and a comet the same year. The winters following were so severe that most birds died. In Sept. there were great floods from rain. In 1408 there was an eruption of Etna and deep snow.

Pistorius, Germ. Script. vol. 1. Short on Air. Maitland's Hist. Lond.

The fummer of 1406, when the plague raged in London, was close, moist and southerly weather.

In 1411 the dyfentery carried off 14000 people in Bourdeaux, but I have no account of the feafons. The plague raged in Aquitain and Gascoigne with great mortality. In 1412, there were uncommon tides in the Thames. In 1414 a comet, and in 1416 an eruption of fire from a volcano in Iceland, preceded by great snow.

In 1421, according to some authors, happened the dreadful inundation in Holland, which formed the Zuyder Sea. In 1422 there was an eruption of fire in Iceland, and a severe winter followed. The same year, the plague raged in Poland. From these phenomena, I suspect the approach of a comet, but have no account of one.

In 1426 a comet, an excessively hot summer, and a violent earthquake which overturned twenty cities in Catalonia, in Spain, and was felt in most parts of Europe. In 1427 the seasons

^{*} According to Liber Niger Saccarii, this was in 1401, and this is more probably correct. The period of this comet is 343 years and we shall find it under the year 1744.

were rainy, the winter mild, a dearth and famin followed, and the plague in Dantziek. Epidemics prevailed in England, and the year following, the plague.

In 1430 happened a general earthquake—in 1432 a great inundation in Germany—in 1433 a comet was visible for three months, in the south, and the winter following was terribly severe. The frost began in the last week in November and lasted till the middle of February.

> Pisterius Germ. Script vol. 1. Short, vol. 1. Liber Niger Sac. vol. 2.

In 1436 there was an eruption of a volcano in Iceland and a fevere winter. An epidemic fever prevailed in Venice, which was attributed to the use of stagnant water.

In 1438 and 9 violent storms and great rains injured the corn and a dearth ensued. A comet in 1439 and a hard winter followed. To these phenomena succeeded in 1440 a series of distressing epidemics, severe coughs, small-pox, severe and dysentery, which proved exceedingly satal.

Short vol. 1. Pistorius vol. 1.

In 1443 Bohemia, Hungary, and Poland were terribly injured by an earthquake. In 1444 there was eruption of Etna and Lipari, and the explosion was repeated in 1446 and 7. An epidemic prevailed in 1445, which suddenly ended life, but it is not described. In January 1449 was seen a comet. This year the plague raged in Italy and in 1450 samin and plague. In Milan perished 60,000 people.

Muratori vol. 13. Short vol. 1.

This plague of 1450 is faid to have arisen in Asia, and afterwards spread over Italy, Germany, France and Spain, leaving alive scarcely a third of the human race.

In 1455 appeared a comet and another in 1456. In this latter year, Italy was violently shaken by an earthquake, and 40,000 people perished.—Pistorius places the earthquake in 1457, and says it demolished 40 towns, and destroyed 60,000 lives. In 1459 a plague began in July and raged six months in Italy.

Pistorius vol. 1. 375. Muratori Tom. 5. p. 50. Short vol. 1.

It will be observed, in this period and in many others, that the plague is not mentioned under the year of the earthquake. Modern observations explain the progress of pestilence, which is most usual, viz. measles, catarrh, angina, and other malig nant complaints preceding the crifis of the pestilential state of air, or plague. And we find almost invariably some of these diseases to be epidemic, even before the comet, earthquakes and eruptions of volcanoes, altho the most violent form of the pestilence does not always appear till a year or two after those phenomena. There is also a difference, in the times of the appearance of the plague in various countries. In Egypt, the pestilence usually appears first, and is cotemporary with the comet, or nearly fo; and the same year, when the plague rages in Egypt, we find anginas and other malignant difeases prevailing in Europe and America, in northern latitudes. This difference in time evinces the power of local causes, in aiding the progress of the epidemic constitution of air, and which produce the most violent difeafes in Egypt, one, two or three years, previous to their appearance in cooler latitudes. But it will almost always be found true, that the commencement of a feries of epidemics is nearly at the same time in all parts of the world; the precurfors of the plague being nearly cotemporary in different countries; altho the pestilential constitution or general contagion arrives to its crifis much fooner in Egypt, Smyrna and Constantinople, than in places less exposed to the influence of local causes of disease.

In 1465 peffilence again appeared in Italy, but I have no particulars. In 1467 a comet, and a mild winter is recorded; a remarkable fact, and the fecond inflance I have found in hiftory. Indeed fo uniform are hard winters during the approach of comets, that the accounts of exceptions are to be suspected of inaccuracy in point of time.

In 1468 a most deadly plague raged in Parma of which Short gives a particular description from Rolandus Capellatus.

Short, vol. 1. 194. Muratori, vol. 13. Edit. Milan. Pistorius, Germ. Script. vol. 2.

In 1471 the winter was rigorous and stormy. In 1472 appeared three comets; two of them of distinguished magnitude. In 1473 most excessive heat and drouth, and authors relate that

the woods took fire by the heat of the fun. This drouth continued three years—all fmall rivers were dried up—the Danube was fordable in Hungary. In 1475 and 1476 appeared those enormous swarms of locusts, which always denote a state of air highly pestilential, and ravaged Hungary and Poland. In 1474 earthquakes were selt in Germany. In 1475 an eruption of a volcano in Iceland.

These phenomena, in this period, as usual, introduced most terrible pessilence, which began in 1472 and arrived to its height in 1477. It raged in Italy, Germany, France and England, and how much more extensively, my authorities do not inform me. It prevailed several years, with incredible mortality. In Paris perished 40,000; a large number for the population at that time. In England the number of deaths was not estimated; but authors relate that sistem years of civil war did not carry off one third of the number. This year 1477 was excessively hot. In 1478 innumerable locusts overran Italy.

In 1478 and 9 the plague in England repeated its ravages; beginning like that of 1348, in autumn, raging through the winter until the next autumn.

Pistorius, vol. 2. 754. Muratori, vol. 13. Short, vol. 1. Maitland's Hist. London. Fracastorius de Contagione, 136. Fernelius de morbis Pestilentibus.

In 1480 the winter was fevere.

In 1481 and 3, a most deadly plague infested Italy and Germany.

Muratori, vol. 13. Pistorius, vol. 2. 875.

In 1482 a species of pleurify was epidemic in Italy.

Fracastor. p. 182.

In 1484 the winter was fevere.

In 1483 or 5 appeared in England a new species of the plague called Sudor Anglicus, or sweating sickness of the English, because it was supposed to attack none but Englishmen. This however was a mistake; for the same disease, at different times, appeared in Ireland, Germany, Sweden and Holland.

In the life of Erasmus, it is said to have appeared first in 1483, and to have returned in 1485. John Kaye, or Caius, a cotemporary physician, says, it first appeared in 1485 in the

Duke of Richmond's army, on his landing at Milford Haven, in Wales. But on all hands it is agreed to have had its origin in England, and to have been a species of plague. It is called "novum pestilentiæ genus," a new kind of pestilence; and instead of being peculiar to England or Englishmen, "a Britannis exortum, incredibili celeritate per orbem longe lateque divagatum est;" it originated in Britain, and with incredible rapidity spread far and wide over the earth.

Life of Erasmus, 347. Friend's Hist. Med. 566.

Sir Thomas More, in a letter to Erasmus, declares this disease in London, Oxford and Cambridge to have been more dangerous than a battle. "Minus periculi in acie, quam in urbe esse."

The fummer of 1485 was excessively rainy, and an inundation of the Severn made great havoc with men and cattle.

This difease attacked persons suddenly, with a sensation like that of hot vapor running through the part affected. To this succeeded internal heat, unquenchable thirst, and profuse sweating, which often carried off the patient in two or three hours. The violence of the attack was past in 15 hours, and in 24 hours the patient was considered to be out of danger. It was most satal to persons in high health and easy condition of life. It was attended with most of the symptoms which characterize the plague—anxiety, restlessness, violent pain in the head, delirium and excessive drowsiness.

See the life of John Caius, in Aikins' Biographical Memoirs of Medicine, p. 120, also Friend's Hist. Phys.

This was a peffilential period, for the plague infested Italy and Germany in 1483, and Denmark in 1484. And it will be found on examination, that when the sweating sickness raged in any part of Europe, that or some other pestilential disease, was in other countries. During the prevalence of this form of the plague in England, at this period, Denmark lost nearly one half of its inhabitants by the common plague; which raged terribly for two years.

The author of the Traite de la Peste, page 23, remarks, "That until the 15th century the plague exhibited the same character; but then "its accidents degenerated," or rather it

reigned a new malady, which, under different external appearances, committed fimilar destruction on the human body. It did not any longer show itself by buboes, carbuncles and pimples; nor by any of the eruptions which the heat of the viscera pushes out; nor was the skin withered by the parching dryness which accompanies the carbuncular spots; on the other hand, the skin was inundated by torrents of sweat, which seemed to be poured from the whole body, the viscera were dried, and the heat which dissipated the sluids, seemed to disorder all the laws of the animal economy.

About the middle of the 16th century, the plague refumed its former character, but the fymptoms fomewhat varied and lighter."

The fweating plague at first attacked none but Englishmen. Even Scotchmen escaped, in foreign countries, where Englishmen were seized. Foreigners in England escaped. This however was on its first invasion in 1485—for, in subsequent years, it spread over other countries. But the fact of its seizing only Englishmen at first, is precisely analogous to what has happened on many other occasions, in other countries. It recurred in England in 1506, 1518, 1528 and 1551.

In 1491 appeared a comet, the feafon was very wet, an epidemic fwept away cattle, and a famin afflicted Ireland. A fevere winter is noted in 1493.

Short, vol. 1. Smith's Cork. page 30.

In 1495 and 6 the plague raged in Portugal.

Hist. of Portugal by Osorio.

In 1496 an epidemic leprofy prevailed in Germany, which covered the body with ulcers from head to foot.

Pistorius, vol. 2.

In 1498 the summer was very dry. In 1500 a tempest in Rome did great injury, a comet was visible in Capricorn, an eruption of Vesuvius, and a mortal plague raged which carried off in London 30,000 people. The king for safety retired to Calais. Maitland arranges this plague under the year 1499. This pestilence was preceded by an abundance of provisions.

Short, vol. 1. Maitland's Hist. London.

It is a current opinion that the venereal disease was imported

into Europe by the first adventurers to America, with Columbus; and that it gradually spread in Spain; from whence it was carried into Italy by some of the soldiers, who were in the siege of Naples in 1494; thence it was propagated rapidly throughout Europe. This subject will be hereafter considered. It is however remarkable, that an epidemic leprosy spread over Germany, about the same time, which seems to indicate an unusual tendency in the human body to ulcerous and scorbutic complaints.

SECTION V.

Historical view of pestilential epidemics, from the year 1500 to the year 1600.

THE comet of 1500 was followed by an excessively severe winter in 1501, to which succeeded a summer of great heat and drouth in 1502. In this latter year the plague carried off 500 persons daily in Brussels; the city was soon abandoned, the streets were overgrown with grass, and the roofs of houses with moss.

Skenkius' Obf. p. 748.

De Pauw vol. 1.85, mentions a desolating plague in China in 1504. In the same year, the malady prevailed in Ireland.

In 1505 appeared a comet; and another in the following year, in which also was an eruption of Vesuvius, which was succeeded by a severe winter. Pestilential diseases were universal. A fatal spotted sever overspread Europe in this hot, moist summer. The plague raged in Lisbon and London was severely visited by the sweating disease.

Short vol. 1. Smith's Cork p. 34. Osorio's Hist. of Portugal. Fracastor, de Contagione.

In 1508 a great earthquake convulsed Italy and Germany. In 1509 a shock demolished a part of the walls of Constantinople, with many buildings, and the loss of 13,000 lives: After which the plague almost dispeopled the city.

These events commenced a distressing period. In 1510 there was an eruption of Heckla, and universal catarth or severe influenza in Europe. This was called in France cocoluche, from the practice of covering the head of the patient with a cap. It was preceded by a series of moist weather.

In 1511 appeared a comet; another in 1512 and a third in 1513. In 1511 the plague prevailed in Verona, and in 1513 &

malignant fever or dyfentery, which covered the body with black spots. Bleeding was pernicious; cupping and actual cautery were successful.

In 1514 cats perished by an epidemic pestilential disease, says Fernelius; and the plague was in Tournay; while a mortal distemper raged among the cattle in England.

In 1515 a malignant eatarrh or throat distemper in Holland seized persons suddenly, and if not cured, in a few hours, sell on the lungs and terminated in death in one day. In this year and the next appeared comets, and Germany suffered universally by inundations.

To these disasters succeeded a severe winter in 1517, followed by a very hot summer. Corn was in great abundance, but the sweating plague made great havoc in London, and so malignant a murrain raged among cattle, that ravens and dogs which sed on their careases, swelled and died.

This deadly sweating plague was preceded, in the spring of the year, by an epidemic inflammation of the throat, so virulent as to destroy life in a sew hours. The malignity of this disease has rarely, if ever been equalled in modern times. It seems to have been merged in the sweating plague, about midsummer. Authors relate that half the people of England perished with these diseases.—The disease in the throat seems to have been of an inflammatory diathesis, as early bleeding and purging were the only successful remedies.

In 1518 the plague visited Lisbon, and the sweating disease prevailed in Brabant.

Short vol. 1. 206--7. Smith's Cork, 34.

In 1521 appeared a comet, followed by a cold winter. In undations are faid to have overwhelmed, in this year, 72 villages and 100,000 people. England fuffered by dearth and fickness, and in 1522 the plague visited Munster in Ireland, and the continent.—The winter following was distressingly severe.

Pessilential severs prevailed in 1524 and 5. The mortality in London alarmed the people, and the terms were on that account, adjourned. In 1527 appeared a comet, and one in each year, for fix years in succession. In 1527, the wetness of sum-

mer injured the grain, a fevere famin enfued, and many of the poor were starved to death. This year is noted for a great hail storm in Italy.

In 1528 the spotted fever, that almost infallible precursor or companion of the plague, broke out in all parts of Europe; the plague in Italy, and the sweating disease in London with dreadful mortality, terminating in death in six or seven hours. The same disease prevailed in Cork.

In 1529 the sweating disease seized Amsterdam, raging a few days with great mortality, and passing rapidly to other places.

In 1530 was an eruption of Etna, and an earthquake in Lifbon demolished 1400 houses. In 1531 was another eruption of Etna, the sweating plague raged in Germany, and pestilence, in some form, was almost universal.—A great hail storm, the same year.

See Skenkius' Obs. Smith's Cork 35. Short vol. 1.
Maitland's Hist. London.

Fracastor informs us that the petechial sever of 1528 was preceded by a mild winter and southerly rainy weather, together with inundations in spring, and unusual darkness. He observes, that appearing in many places, it must have had a common cause.

De Contagione, p. 160.

The last remark is verified by modern observations. The petechial fever is an almost infallible forerunner of the plague in the Levant, in Italy and other countries. It may be laid down as an axiom, on this subject, that altho the appearance of this fever is not always and certainly followed by the plague, yet that the plague, in most parts of the east, is always preceded by a petechial fever.

In 1533 there was a volcanic eruption in South America, but I have no account of the difeases of that year.

In 1534 the plague was in Narbonne.

In 1535 there was a terrible plague in Cork.

In 1538 appeared a comet, which was preceded by eruptions of Etna in 1536 and 7 and a hard winter. In 1539 another comet and in 1541 a third.

In 1538 a mortal dysentery raged all over Europe, as also in the following year. The preceding summers had been moist, and an acute sever, with violent pain about the heart, delirium, moist and black tongue, anthraces and buboes, had been epidemic. But Fernilius remarks that the unusual dysentery of 1538 and 9 could not be ascribed to any visible cause in the seasons.

In 1538 also was a violent earthquake at Puteoli, near Naples and Vesuvius, where there was an immense eruption of sire. This year the plague raged in Constantinople, and in 1539 was still more destructive.

In 1539 the drouth in Ireland was excessive—and nearly dried up the river Lee at Cork.

In 1540 there was a terrible drouth. In England a pestilential ague and a dysentery were epidemic and mortal. Another eruption of Etna happened this year, and the next year a comet.

Short, vol. 1. Mignot's Hist. Turkish Empire, vol. 2. p. 4.

In 1541 the plague raged in Constantinople.

The year 1543 was very wet and cold, and a great mortality among cattle. In 1542 the plague was in Geneva. In 1543 it raged in London in winter. In 1545 there was an eruption of Etna. The plague again raged in Geneva, and all over Europe a pestilential epidemic, called the Troup Gallant, which seized chiefly the young and robust, with a mortality nearly equal to that of the true plague, of which it seems to have been the precursor. Patients had a violent pain in the head, heat in the kidneys, universal lassitude, continual watchings ending in strenzy, or drowziness ending in lethargy; and worms rising into the throat, with danger of suffocation. Bleeding was the only remedy; then detergents and cordials. The disease terminated on the 4th or 11th day. Charles, duke of Orleans, died of this disease at a monastery in Abbeville.

In 1547 the plague prevailed in most parts of Europe, as in Ireland and in Germany; and in 1548 in London. Here my labors begin to receive aid from that accurate and elegant historian Thuanus, who, in lib. 4, describes the disease as it prevailed in Saxony. "Such was its violence that all other distempers gave way to it or ran into it. Most of the soldiers in the

Emperor's army were feized. They experienced a most intolerable pain from the heat of the head; the eyes were swelled and fiery; the tongue bloody; respiration difficult and breath setid; vomitings of bilious matters frequent; finally the body became livid, with pimples here and there scattered over it, which bred worms. Death took place the second or third day."

During this year great rains inundated Tuscany. Locusts in 1547 were unusually numerous.

Short, vol. 1. Thuanus, lib. 1. and 4. Univ. Hist. vol. 37. Smith's Cork. p. 40.

This pestilential period was long and severe. In 1548 the plague was in London. A contagious peripneumony prevailed over Europe, with spitting of blood and difficulty of breathing. In 1549 the plague prevailed in Prussia and Portugal.

In 1550 a comet in March, and the same year an eruption of Etna and Lipari. The summer was very rainy and the winter dry. In 1551 the earth was deluged with rain, and infinite damage was done by floods. The catarrh was epidemic in France. An epidemic pestilential sever raged all over Europe, and the sweating sickness in London. The plague followed in various parts of Europe. In 1552 it raged in Misena, and the patient discharged blood by the pores for three days before death. In 1553 the same distemper raged in Paris, with extreme mortality, and to appease the wrath of heaven, many heretics were burnt.

At the same time, pestilence spread over Hungary and Transylvania for two years and suspended the operations of war. This year also there was an earthquake from the Elbe to Saxony.

Thuanus, lib. 12. Skenkius' Obf. p 766.

In 1554 there was an eruption of fire in Iceland and in the fame year appeared a comet. In 1555 the fummer was exceffively rainy, and fevers were very mortal in England and France.

In 1556 a comet and a drouth; the fevers of the last season raged with augmented violence; as also the spotted fever and confluent malignant small pox.

This year there was an eruption of Etna, and in China a targe district of country was sunk by an earthquake, with all its inhabitants, and became a Lake. These phenomena indicated

à great disorder in the elements and introduced most deadly epidemics.

In 1557 a comet; an inundation of the Tyber; and a violent catarrh was almost universal. The cough was severe, and pain in the side, difficulty of breathing and sever attended. In general bleeding the first or second day was successful; but in a small town near Madrid, bleeding was fatal, and 2000 patients died after venesocition.

In Alemar this epidemic assumed the form of a fore throat; 2000 persons were seized almost instantly in October, of whom 200 died. Forestus ascribes it to a vapor, for it was preceded by thick clouds of an ill smell.

In 1556 the plague raged in Vienna.

In 1557 a violent plague broke out in a small inland village between Delph and the Hague in Holland—an instance of its origination at a distance from a sea-port; and it spread over the country, in June. This disease was preceded by meteors in the air, and attended with abortions. Such was the mortality, that the poor fought for cossins for their dead relations. In Delph only, died 5000 of the poor. It continued through the winter to May 1558.

In the same summer pestilential severs raged with great mortality in France, Holland and other countries.

In de Thou's history of his own times, vol. 2. 227, we have an account of the spotted, or petechial sever, which appeared in Spain in 1557, which was nearly as mortal as the inguinal plague. He calls it a "new disease" and unknown to the ancients. The spots differed from the florid pimples of the purple sever. It was putrid, malignant and much resembling the plague, but "did not carry so pestilent a contagiousness." It was called in Spain the "puncticular disease." Innumerable people perished by it that year. The same sever in Florence "was succeeded by a violent plague," which had raged on the Tuscan coast.

In 1558 appeared a comet. The summer was excessively hot and the winter very cold. Dysenteries raged in France, and in Holland semitertians, which affected principally the rich,

as the plague, the last year, did the poor. In some places quartan agues were fatal, and malignant severs, in others.

Violent tempests and inundations are mentioned, this year and the last. In 1558 died Charles V. emperor of Germany.

Short vol. 1. Van Swieten vol. 16. p. 23. Maitland's Hift. Lond. Univ. Hift. vol. 27. 373.

In 1560 a comet, and a dearth of corn in England.

In 1562 and 3 the plague spread over Europe. It broke out in 1562 among the English soldiers, who were sent to garrison New-Haven in France. The next year it raged in London and carried off 20,000 of its inhabitants. Authors say, the soldiers from New-Haven introduced it into London; but who introduced it into New-Haven, we are not informed.

The truth is, this terrible disease appeared in most parts of Europe about the same time. In Frankfort, Nuremberg, Magdeburgh, Hamburgh, Dantzick, and in the vandalic maritime towns, Wismar, Lubick, Rostock and others, perished by computation 300,000 persons in the year 1563.—This disease also raged in winter, for Thuanus mentions the death of Castalion, a literary character of that age, by the plague at Basle in January.

This year was remarkable also for earthquakes. In Sept. was a violent one in England, especially in Lincoln and other northern parts. In January the river Thames was agitated by preternatural fluxes of the tides, which forced back the natural tides, three times. In winter, severe cold rendered that river passable as a highway.

The fame year earthquakes were felt in Illyrica, and Dalmatia, and Catana suffered a great loss of lives.

In 1564 a comet appeared, and remarkable northern lights, or meteors, and a destructive inundation of the Thames.

Short vol. 1. Maitland's Hist. Lond. Thuanus. Strype's Life of Archbishop Parker, 131.

In 1564 epidemic quinsies were very mortal, and in some places, the spotted sever or the plague.—In winter came on as severe a frost for two months as was ever known.

This epidemic quinfy was a species of angina maligna, and fatal as the plague. It spread over Europe.

In 1565 France was afflicted by pestilential epidemics, in

which bleeding and purging were fatal. The next year appeared the plague in Lyons.—Charles IX. demanded of the physicians the best mode of treatment, and they all decided against vene-fection.—One fourth of the inhabitants of France perished.

In 1566 the fpring was rainy and the harvest dry. The Hungarian fever broke out in the Emperor Maximilian's army, and as authors affirm, the foldiers, when difbanded, spread it all over Europe, with great mortality. This difease invaded the patient at 3 o'clock in the afternoon, with flight cold and shiverering for about fifteen minutes. This was followed by intenfe heat, and intolerable pain in the head, mouth and stomach, fo that the flightest touch of the bed clothes, made the fick utter shrieks: The pain in the mouth and stomach being the pathognomonic fymptoms of the difeafe.—The thirst was unquenchable, and a longing for wine, which was fatal, if taken. tongue was dry and lips chopt. Delirium came on the third day. A critical loofeness and deafness were favorable-Swellings behind the ears were frequent. The most miserable crisis was, tubercles on the top of the foot, which, if neglected, ended in mortification. Many fuffered amputation. Spots, like flea bites, appeared on the body, and if livid or black, they were fatal fymptoms. Copious bleeding, on the first seizure, was, of all remedies, the most successful.

Skenkius' p. 770. Short vol. 1.

In the year 1567 was an eruption of Etna, and in Tercera, one of the Azores, fire burst from a lake on the top of a hill, and the water released from its bed, rushed down and swept away part of a settlement below. In 1568 a spotted sever raged in Paris, in which prostration of strength rendered bleeding satal. The winter of 1567 was very severe, and the summer excessively dry.

In 1569 appeared a comet.—The spotted sever in this year became epidemic in Europe, raging for three years with great destruction. The plague was in London. Short remarks that this spotted sever "in several places turned to the plague, and where the plague raged, it turned to this sever."—Indeed this spotted sever was a milder form of the pestilence, raging as it

usually does, for some time, before the glandular plague appears. In this period, it was the herald to announce one of the most general plagues that Europe ever knew. The petechial sever prevailed principally from 1569 to 1574, interspersed with the real plague, in a sew places; and the real pestis sollowed it, with mortal rage, and prevailed for three or sour years.

In 1570 a most dreadful earthquake in Chili, S. America, destroyed many villages and buried the inhabitants in their ruins. This is the first occasion I have of introducing America in this history.

Ulloa b. 8. ch. 7.

Thuanus, whose authority is very respectable, and who was cotemporary with this period, relates that in 1570 the dikes in Holland were broken by a swell of the ocean, and that 400,000 people were overwhelmed in the floods. He says further that similar phenomena were observed, that year, in different places over the whole world. Reggio, Florence, Venice and Modena selt severe shocks of earthquake in 1571, and Ferara was laid in ruins.

The summers of 1570 and 71 were moist and warm; and in general the seasons were similar for the two succeeding years. The winters were rigorous. Fluxes, measles, worms and semitertians were epidemic in many places. In 1572 appeared a comet or new star, very bright and clear, larger than Jupiter, in the constellation of Cassiopeia, behind her chair. It was stationary for 16 months and by degrees evanished. The winter succeding was remarkable for hard frost and deep snow. The author of Observations de Physique et de Medicine, says, that all maladies in France in 1572 turned to epilepsy and palsy.

This year the plague raged in Poland; and at Basse a malignant sever, chiefly fatal to men of robust constitution.

In 1574 the petechial fever, which had spread mortality over Europe, especially in Italy and Spain, began to change into the usual form of the plague. This disease made its appearance in London, in a small degree, in October and November of this year.

In 1575 the plague appeared in many parts of Europe, and

raged with incredible mortality for three years. It was reported in Italy to have been imported into Verona and Venice, from Trent. Such was the current vulgar opinion. But men of science held the disease to be generated in cities from the filthiness of private dwellings, and not to be produced by the position of the stars or malignant constitution of the air.

The truth was, the difease in Italy first appeared in Trent, an inland town, far from the sea-another instance in which the advocates of importation from Africa or the Levant are filenced. Philosophy disdains to look abroad for the cause of an epidemic, when the strongest of all causes exist in the place. is fituated in a valley, on the bank of the Adige, a river which often overflows the adjacent low lands; and after the flood recedes, the place is fometimes fo fickly that the people are compelled to retire to the neighboring hills. Strong local causes therefore account for the first appearance of the plague in that city. The general contagion of the atmosphere, which had produced spotted fevers and other deadly diseases all over Europe for four years preceding, was aided by the local unhealthiness of Trent, and here appeared first, the crisis of the pestilence, or plague. See the description of that country in Zimmerman on Air.

The disease almost depopulated Trent in 1575, and became mortal in the neighboring Venetian territories. This mortality however was only the forerunner of greater evils. The disease indeed subsided in winter, and the people supposed its violence to be past. They might have known otherwise, had they attended to the *progressiveness* of the malady, and the certain indications of its increase.

In 1576 the disease appeared in Venice; and as it carried off a few people at sirst, in scattered situations, opinions were, as usual in all such cases, divided as to the nature of the distemper. In this state of the public mind, two eminent physicians, Mercuriale of Forli, and Capavacca of Padua, undertook to affert the disease not to be pestilential. The senate, observing the controversy among the Venetian physicians, as to the nature of the distemper, listened to the two foreigners, who declared

they could cure it, and put a stop to the removal of the diseased from the city. By this means, says the historian, the distemper was obviously increased; and it raged with terrible sury, till it carried off 70,000 of the citizens, with sifty-seven valuable physicians and surgeons. The two foreign physicians were dismissed, with applauses for having preserved the good of Venice to their personal safety.

This account from Thuanus deferves particular notice. We here fee the same doubts about the nature of the difease on its first appearance, which prevail in all similar cases—as in Marfeilles in 1720-in London in 1665-and in America, with respect to the yellow fever, which is only another form of plague. The fource of all these doubts and controversies, which have fo often embarraffed the citizens and difgraced the faculty, is, the progressiveness of the pestilence. The malignant diseases preceding, flide into the glandular plague fo gradually, that phyficians themselves do not know precisely when the distemper should lose the name of malignant fever and take that of plague. Sydenham honeftly confesses that, in 1665, he did not know whether the malignant disease which appeared in May and became epidemic, just before the plague, was the real plague or And the truth is, that the difease often affails people, in a few feattering cases, at the beginning of a plague, with a mortality equal to the true pestis, and coithout the distinctive marks of plague, the glandular tumors.

These facts will hereafter, with careful observation, obviate all controversies at the beginning of pestilential diseases; and they will decide infallibly all questions relative to the domestic or foreign origin of such maladies.

This pestilence was severely felt in Padua, Milan, Cremona and Pavia. Vicenza, which escaped this year, was visited the next, with equal severity.

Dr. Mead is puzzled to know why Vicenza, which lies between Verona and Padua, should escape the plague, in the year when both those cities were insested; and yet the next year, should suffer equally with her neighbors, when they were exempt from the calamity. He finds some difficulty in accounting for

the conveyance of the infection from one to another, without communicating it to the intervening city. This subject will be confidered in a subsequent section; I will only here remark, that nothing is so fatal to truth and science, as for a man of popular talents to espouse an erroneous theory, and then strive to bend sacts to its support.

See Thuanus, lib. 62. Shenkius, 756. Short, vol. 1.

In 1575 multitudes of flies and beetles were found in England, and in 1576 an earthquake was experienced.

In November 1577 appeared a comet of surprising magnitude, with a long coma—and most terrible tempests accompanied its approach. In 1578 another comet, and in 1579 an eruption of Etna. In 1578 were earthquakes in England.

Short, vol. 1.

In the great pestilence of the preceding ten years, not only Europe, but Asia was laid waste. So general and severe was the disease that the operations of war, in the Turkish empire, were suspended. Messina in Sicily lost 40,000 inhabitants—and Europe must have lost in ten years, by the pestilence under the various forms it assumed, one third, or more probably one half her people.

In this period we see all the extraordinary operations of nature united. Comets, earthquakes, in Europe and S. America tempests, volcanoes, unusual animals, excessive stoods from rain or an extraordinary intumescence of the ocean all mark an extreme agitation or disorder of the elements.—The vast comet of 1577, the year when the plague was at its height, was calculated to approach within 840,000 miles of the earth. Upon the Newtonian principles of the power of attraction, the influence of that body on the earth must have been prodigious.

Lneyelop, art. Astronomy.

In this year appeared in Moravia a new difease, evidently diftinct in its symptoms from any known malady, and which Thuanus has described.

This also was the year in which a sudden disease seized the court and attendants at the Oxford assizes in England. Early in July, while the court was sitting, "there arose, says Stowe, amidst the people such a damp that almost all were smothered—

very few escaped, that were not taken at that instant. The jurors died presently—after which Robert Bell, Lord Chief Baron. There died in Oxford 300 persons—and sickened there, but died essewhere, more than 200 from the 6th to the 12th of July. After which died not one of that sickness, for one of them insected not another, nor died thereof any one woman or child."

Chronicle, p. 681.

This sudden catastrophe is ascribed to a damp or vapor. But there is no need of resorting to such a cause. The atmosphere, during the period under consideration, was not surnished with the power of supporting animal life, in as ample a manner as it usually is.—This is evident, from the universality of mortal epidemics. In this state of the atmosphere, a multitude, crouded into a court room, in the hot month of July, must speedily destroy all the respirable air, and death must ensue. That the principal cause was not only local, but sudden, is demonstrated by the circumstance, that no insection accompanied the diseased. Had the cause of their illness been long in operation, it would have produced in the body that species of poison, which is noxious to persons in health. Persons, suddenly deprived of life, as by damps in wells or the sumes of charcoal, communicate no insection.

It is suggested by some writers, that this disease was occasioned by an infected prisoner, who was brought from jail into court; but Stowe does not mention this circumstance. And it is possible the catastrophe might have been owing to a sudden discharge of mephitic vapor.

Scarcely had the last period of pestilence come to a close, when another series of maladies succeeded, and nearly in the order of those last described.

In 1580 appeared a comet on the 10th of October which was visible for two months. The preceding summer was very moist and rainy, and about the rising of the dog-star, came on a cold dry north wind. In June began an epidemic catarrh in Sicily, which spread over Europe. In July, it was in Italy; in August, in Venice and Constantinople; in September, it extended over Hungary, Bohemia and Saxony; in October, on the Bal-

Poland and Russia.—Its symptoms were nearly the same, as in this country, but the disease was more violent and satal.—In Rome, died of it 4000 people—in Lubec, 8000; at Hamburgh, 3000; and multitudes in other places. It appears to have been attended with more sever than in ordinary cases—The sever was continual for four or sive days, with a pain in the head, straitness of the breast and cough—it terminated in prosuse sweating.—In general bleeding and purging were found to be prejudicial.

Riverius, lib. 17.

In this year and about the time, when the catarrh had overspread Europe, broke out in Grand Cairo, one of the most desolating plagues ever known. Prosper Alpinus, who lived in
that age, reports the number of deaths, from November 1580,
to July 1581 to have been 500,000. It will be found on examination that the plague, in a series of pestilential and epidemic
diseases, appears in Egypt, before it does in Europe and America, and is nearly cotemporary with the catarrh, angina or other
precursor of the pestilence in more northern latitudes. This
sact deserves notice. The plague which followed the catarrh in
Europe, did not appear in many places, perhaps in none except
in France, in the year 1580.—In northern latitudes, the malignity of the epidemic constitution does not appear, till the second
or third year, after its commencement in catarrh or measles.

In Paris however the plague raged in 1580, the same year it appeared in Egypt, and carried off 40,000 people, mostly of the poorer sort; and at the same time, it prevailed in many of the neighboring towns, especially, says Thuanus, " at Laon in Vermandois, which city is in a position exposed to a hot sun, in which died 6000."

The historian further remarks, that the "crops that year were plentiful, and the sky serene; so that it was thought the disease was produced rather by the influence of the stars, ab astrorum impressione, than by the malignity of a corrupt air." This is another proof that a state of air, as described by Hippocrates, is not always the cause of pestilence.

Akho this malady broke out in France in 1580, yet it had been preceded by the catarrh. The historian remarks, that the catarrh was not so much dreaded for its mortality, tho many died of it, as for the astonishing rapidity with which the contagion spread from place to place. It seized the lower spine of the back with a chill, horrore; to this succeeded gravedo, a dull pain in the head; and universal languor or debility, resolvens membra, loosening or unhinging the joints. If the crisis was not savorable in five days, the disease terminated in a fatal sever.

See Thuanus and Riverius, also lib. 17-

In 1580 confiderable earthquakes were felt in Belgium, at Cologne and about the Mediterranean. The same skocks were felt in various parts of England, but Short places them under the following year. The German sea was agitated, and a great swelling of its waters was observed.

See Thuanus, lib. 71, 72. Short, vol. 1. p. 260.

In 1580 also, the marshes in Essex, and some parts of Kent in England, were laid waste by mice, which were so numerous as to destroy the herbage, and a murrain among cattle succeeded.

In this year was iffued a proclamation of Queen Elizabeth, upon the representation of the Mayor and Aldermen of London, prohibiting any new house to be built within three miles of the gates of the city, and more than one family to reside in a house. The reasons assigned for the prohibition are connected with this subject. The increase of London had long been considered as an evil, by swelling the head too large for the body, and several attempts had been made to restrain the increase. The resort of people to the city from the country was held to be prejudical to agriculture.

But the proclamation states further, that "fuch great multitudes of people, brought to inhabit in small rooms, whereof a great part are very poor, yea such as must live by begging, or by worse means, and they heaped together, and in a fort, smothered with many families of children and servants, in one house or small tenement, it must needs follow, if any plague or popular sickness should, by God's permission, enter amongst those multitudes, that the same would not only spread itself, and invade the whole city and confines, but a great mortality would enfue the fame, and the infection be dispersed through all other parts of the realm."

In this paper, we observe some powerful causes of pestilence in London to be explained—and events showed how little good was done by the interference of authority with private rights, and an attempt to check, by positive prohibitions, the natural growth of towns. This proclamation, like all which had preceded it, was useless. The city increased, and the plague continued to ravage it, until the good providence of God arrested the evil, by a general consignation, and men had become wise enough, to build large, airy houses, and keep them clean.

Maitland's Hiftory of London.

In 1582 a remarkable tempest is mentioned, and a comet in May. A severe carthquake was selt in South-America, and a small city near Lima was destroyed.

Ulloa's Voyage, vol. 2. b. 7.

In 1583 feveral concussions of the earth were experienced in England, and the plague appeared in London. At the same time it appeared in Germany or Holland; as Diemerbroeck mentions this as a pestilential year. The following winter was severe. In Rome there was a famin.

Maitland's Hist. Lond. Short, vol. 1.

In 1585 in spring appeared very malignant pleurisies. In 1586 Thrace was overrun with locusts, and the plague raged in Hungary, Austria and Turkey. A comet appeared in each of these years, and in 1586 Lima in South-America was nearly ruined by an earthquake. See Ulloa, from whom my accounts of earthquakes in Spanish America, are all taken.

In 1587 a very cold spring, but a plentiful year in most countries. The plague raged in Flanders, which was almost depopulated by disease, war and famin. In some parts, the wild beasts took possession of the houses. Dogs ran mad, and did no small mischief, and fields were covered with weeds and bushes. The catarrh appeared in England, this year, but how extensively, I am not informed. An eruption of fire in Iceland is recorded under the same year.

In 1589 the English fleet, returned from Portugal, with the Hungarian fever, fays Short, and introduced it into England. What an influence have names, and what mischief is done by ignorance and false philosophy! The Hungarian fever! As tho this fever had been a native of a particular foil, and transplanted from country to country, like a fruit-tree. Names are not always harmlefs. The name, Sudor Anglicus, given to the fweating plague, because it appeared first in England and was at first peculiar to Englishmen, has led the moderns to suppose, the disease to have been limited to England or to Englishmen, altho it repeatedly spread over all Europe. In the same way, the infect which injures wheat in America, was ignorantly called the Heffian fly, and altho the animal was never known in Germany, yet people believe, that, like yellow fever, it was imported. It is thus that ignorance gives currency to an improper name, and the name in turn affifts to propagate and perpetuate an error.

The truth, in regard to diseases, is, that they often assume peculiar symptoms; such as are not usual. These are not properly new diseases, but modifications of common sever, proceeding from the infinite variety of that cause of sickness, which I denominate general contagion, and which Sydenham called the Epidemic Constitution of the air. This or other causes are perpetually diversifying the symptoms of diseases; so that physicians are often at a loss whether to call a disease by an old or new name. Wherever the peculiar causes first exist, there will the peculiar symptoms of disease first appear—and when similar causes exist in other places, the same symptoms will attend the disease.

In 1590 multitudes of people perished by famin. A comet approached the system, the winter was cold, a violent earthquake convulsed Hungary, Bohemia and Vienna; near the latter place, the earth emitted an offensive smell. The drouth was extreme. The Azores were shaken by an earthquake, and a tempest in September threatened to overwhelm them in mass.

In 1591 universal catarrh in Europe was a prelude to most destructive pestilence. It is singular also that the plague broke out in Narva and Revel, in Livonia, on the gulf of Finland, in the 59th degree of latitude, and raged through the succeeding

cold winter. Six thousand persons perished in Revel. As to its origin, the great Thuanus could not decide whether it was "a belli incommoditatibus, sive cæli inclementia," from the distresses of war, or intemperature of the air. There could have been no suspicion of a foreign origin.

Thuanus, lib. 100.

Cotemporary with the catarrh was a malignant spotted fever in Trent. A distressing famin caused a great mortality in Italy.

In 1591 the plague began to show itself in Italy, but attended with peculiar symptoms. A fever, little infectious, seized the head, inducing delirium, and in many patients, was attended with fluxes and flatulent bowels. It terminated fatally on the tenth day. The remedy was bleeding "Secta vena capitis, quæ in brachio est, aliisque a capite manantibus," says Thuanus. It attacked chiefly men between the ages of 30 and 50; but was satal to sew women. It raged in Umbria, Tuscany, Romagne and Lombardy, sweeping away, in some towns, almost every man. From August to August, it was computed that 60,000 persons perished.

Thuanus, lib. 102.

In 1592 the petechial fever spread over Florence, with a malignity that entitled it to the name of plague. It was most fatal to the nobles.

In England the drouth in this and the former fummer was extreme. The Thames was fordable at London. The plague appeared in Shropshire in the west, and carried off 18,000 citizens in London. Persia suffered much by an earthquake in the same year.

Short, vel 1. Sims on Epid. Mem. Med. Soc. vol. 1. Ataithand's Lond.

In the fame year a furious pestilence prevailed in Candia. It appeared in spring, increased till July and then abated. On its sirst appearance, all insected and suspected persons were removed to a distant hospital, but without effect. The disease continued to spread—a proof that it was an epidemic. In September, it was supposed to be extinguished; but in October, it broke out with fresh violence, and the diseased were confined to their houses—a useless and pernicious regulation. The city lost 10,000 inhabitants.

In 1594 was a fevere winter. The years 1594, 5 and 6 were very rainy in England and Germany. Crops failed, and in Hungary, the famin was extreme.

In 1596 appeared a comet. Violent earthquakes shook different countries, and several cities in Japan were swallowed up.

In 1596 and 7 prevailed in Cologne, Westphalia and other parts of Germany, a singular disease, which authors ascribe to the famin which had preceded. It was a malignant sever, which was attended with convulsions and raving madness, or delirium. Sometimes the convulsions were attended with little or no sever. The patient was contracted into a knot or ball by the violence of the convulsions, or extended to full length, like a dead body—sometimes the extension of the body was succeeded by a contraction in the same paroxism. The particulars respecting this disease do not fall within the plan of this history, but may be found in Short, vol. 1.

In 1597 appeared a comet, and the same year the catarrh was again epidemic. Malignant severs, accompanied with worms in youth, were predominant also, and the plague was in Juliers and Geneva. A dearth in England. The winter of 1597 was severe, as was that of 1599.

The summers of 1598 and 99 were remarkably dry, and swarms of sleas, gnats and slies abounded. Tertians, with petechiæ, were frequent, and continual severs which yielded to bleeding and purging, or went off with a bilious diarrhea.—Small-pox and measles were also epidemic.

These diseases, as usual, were the precursors of a very distressing plague, which, in the autumn of 1598, raged in London, Litchfield, Leicester and other places in England. It even broke out in the small towns in Wales and the northern counties, as in Kendal in Cumberland, where died 2500—in Richmond, where died 2200—at Carlisse which lost 1196 inhabitants; and at Percrith which lost 2266.

See Camden's Britannia.

In 1598 Pegu, in Afia, was depopulated by famin, and Conthentinople was almost stripped of its inhabitants by the plague, Seventeen princesses, sisters of the Sultan, Mahomet III. died in one day. To arrest the progress of this mortality, cannon were fired and aromatics burnt in all parts of the city; but with what success the historian does not inform us.

History of the Turkish Empire.

In Italy an inundation of the Tyber injured Rome.

In 1599 the spring was cold and dry; the summer hot and rainy, with great floods. A very mortal distemper raged among cattle in Italy. In Spain and Lisbon died 70,000 people of the plague. In some places, a fatal dysentery prevailed.

Short, vol. 1. Sims on Epid.

SECTION VI.

Historical view of Pestilential Epidemics from the year 1600 to the close of the year 1700.

HE year 1600 was remarkable for pestilence in aimost every part of Europe. Spain, where the disease was fatal the year before, was this year almost depopulated. There raged throughout Europe, a pestilential, mortal cholic which destroyed the lives of all whom it seized, within four days. The patient, as soon as he was seized, became senseless—the hair fell from his head—a livid pustule arose on the nose, which consumed it—the extremities became cold and mortified.

In Florence a terrible earthquake destroyed many buildings.

The winter of 1600 was very cold. In the fummer of 1601 there was a fevere drouth of four or five months; and a violent dysentery followed, with double tertians and continual fevers. The plague raged in Portugal, attended with black round worms. At Christmas, there was an earthquake in England. The same year there was an earthquake at Arequipa, in Peru, accompanied by an eruption of a volcano.

In 1602 a cold and dry fummer and winter, the catarrh was epidemic, and acute fevers prevalent. These diseases and phenomena accompanied a series of calamities in all parts of Europe.

The famin that marked this period, for a feries of years, exceeded in extent and severity, what had been before recorded. Famins are usually local; but in the present instance, there was a failure of crops for several years, in almost every part of Europe; while the plague committed most desolating ravages.

In Muscovy the famin raged for three years at the beginning of the century under consideration, attended with the plague. Parents devoured their dying children; cats, rats and every un-

clean thing was used to sustain life. All the ties of nature and morality were difregarded; human slesh was exposed to sale in the open market. The more powerful seized their neighbors; sathers and mothers, their children; husbands, their wives, and offered them for sale. Multitudes of dead were found, with their mouths silled with straw, and the most silthy substances. Five hundred thousand persons were supposed to perish in Muscovy, by famin and pestilence.

At the same time, the samin in Livonia, and the cold winter of 1602, destroyed 30,000 lives. The dead bodies say in the Areets, for want of hands to bury them.

Thuanus, lib. 135. Encyclopedia, art. Russia.

At the same time, raged a most dreadful pestilence in Conflantinople, which also followed a famin.

In England, there was also a dearth, and in 1603 perished 36,000 in London, of the plague, which was said to be imported from Ostend.

Maitland's Hist. Lond. Mignot's Hist. Turkish Empire, p. 256.

Even in this case, the report of imported insection into London was believed, altho the nation had before their eyes, a demonstration to the contrary; for the same malady broke out in every part of the kingdom, and had actually prevailed in Chester, in the north-west corner of England, the year preceding.

It is idle to ascribe the plague to infection, communicated from person to person, or from clothes to persons. The disease, in 1602 was in every part of Europe, and appeared nearly at the same time, in the most distant parts. In this case, as in those before related, of 1580 and 1591, it had been preceded by catarrh, and a course of malignant severs. The malignity of the disease in 1602 resembled that of 1348—persons were seized with spitting of blood, and died in three days.

In August 1603 in Paris died 2000 persons weekly of the plague. This disease was attributed to the diet and silth accumulated, under a defective police.

Wraxall, vol. 3. 438.

Why the filth of Paris did not produce the plague in other seasons, writers have not informed us.

The period under confideration was remarkable for the universality of the action of subterranean fire. The earthquakes of 1600 and 1601 and the bursting of a volcano in South-America have been mentioned. In 1603 there was an explosion of Etna. In 1604 a second eruption in Peru, and a comet.

The plague abated, in some places, the year following; but London was not free from it for a number of years, and from 1606 to 1609 inclusive the distemper carried off from two to four thousand citizens in each season.

In 1607 commenced an unufual concurrence of great agitations in the elements, and fevere peftilence attended.

In this year appeared a comet, and another in 1609. The winter of 1607-8 was the feverest that had been known for an age; boats were built on the Thames. And here for the first time, I am able to introduce North-America, into this history; from which will be derived some of the most important evidence in regard to the universality of the causes of pestilential epidemics.

The feverity of the winter mentioned was equally great in America, as in Europe. George Popham, and a company of fettlers under the patent of king James, to the London merchants, attempted a fettlement at Sagadahoc in 1607; but Popaham, the Prefident, died during the winter, and the extreme cold was one of the discouragements that contributed to break up the fettlement.

Gorges Hist. New-England. Purchas, vol. 4. 1637. Hutchinfon's Hist. Mass. vol. 1. 2.

In this fame year was an eruption of Etna.

The comet of this year produced a most remarkable tempest, with a swell of the ocean, that did incredible damage in England. In the latter part of winter, the tempest brought in a flood into the Severn, which overslowed the country, near Bristol, to the extent of ten miles, with a rapidity, that left no time for the people- to save their effects, and many lives were lost. The slood rose above the houses, where people had resorted for safety, and overwhelmed them. The loss of cattle and goods was immense.

In Somersetshire, the inundation laid waste an extent of 20 miles by 10; overwhelming five towns. So sudden was the

firuption, that laborers were caught in the fields, and were feen floating on the timbers of their houses. In Norfolk, the inundation was not less destructive.

Thuanus, lib. 138.

In 1608 a very malignant dysentery prevailed.

In 1609 the approach of the fecond comet produced effects equally remarkable with the last. The action of subterranean fire was extensive. There was an eruption of Etna, and a violent earthquake at Lima in Peru. The winter was so severe, as to convert the Thames into a common highway.

In this year the plague was augmented in London; and it raged in Alemar and Denmark. In the years 1607 and 8, it had been very mortal in Cork.

The pestilential state of air, at this time, was experienced at sea. The people on board the sleet under Sir Thomas Gates and Sir George Somers, bound to Virginia, were seized with the calenture, a spotted pestilent sever, which, on board of one of the ships, was so malignant as to be called the plague. Thirty-two dead bodies were thrown out of two ships. Was this disease imported? In the same passage, the sleet met with a tremendous storm of sour days continuance, and Sir T. Gates was shipwrecked on Bermuda.

Purchas, vol. 4. p. 1733.

In 1610 the catarth was again epidemic. In some parts of the continent prevailed the Hungarian sever like the plague, and severe bilious complaints. A remarkable siery bow in the heavens was observed in Hungary; and Constantinople was insested with clouds of grass-hoppers, of great size, that devoured every green thing. The malignant sore throat was fatal in Spain, and authors relate that this was its first appearance in that country.

In 1611 the plague carried off 200,000 of the inhabitants of Constantinople. It appeared also in some other places. The summers of the three last years were very hot and dry.

In 1612 appeared a comet. A terrible tempest made great havor with shipping—2000 dead bodies of sailors were found on the coast of England, and 1200 on that of Holland. Some towns were injured. In the following year, Provence in France

was greatly injured by an inundation; and swarms of locusts succeeded, which laid waste the vegetable kingdom.

The summer of 1612 in England was excessively dry, and a malignant sever severely afflicted the nation.

In 1613 the plague appeared in detached parts of France, and in Montpelier, a malignant difease so fatal, as to want only the buboes, to prove it the true plague. It was marked with red and livid spots, swellings behind the ears and carbuncles. One third who were seized died.

Riverius, lib. 17.

The preceding summers, the earth was covered with grass-hoppers, and the air filled with clouds of slies.

In this year also Constantinople was ravaged with the plague; and as cats were supposed to spread the infection, the physicians, who were mostly Jews, advised the emperor Achmet I. and he accordingly ordered all the cats to be transported to a desert island near Scutari.

Short, vol. 1. Mignot's Hist. Turkish Empire.

In 1614 the winter was fevere; there was an eruption of Etna, and an earthquake in the Azores. The heavens appeared, at one time in a flame, and afterwards very dark.

This year was remarkable for the most universal small-pox, and most satal ever known. It laid waste Alexandria, Crete, Turkey, Calabria, Italy, Venice, Dalmatia, France, Germany, Poland, Flanders and England. The mortality equalled that of the plague. In Persia also it raged, with measles.

In 1615 the feafons were cold. In 1616 a very hot and dry fummer—quartan agues epidemic—not a family in Germany escaped; but not fatal.

In 1617 the fummer was hot and dry.

In 1618 appeared a remarkable comet in November, (Short mentions four) and a town in Rhetia was overwhelmed by an earthquake. Violent tempests, inundations and hurricanes are recorded of the same year, and in Bermuda, the year following, a storm tore up the strongest trees by the roots. In 1619 Heckla discharged her siery contents.

In 1618 broke out in Naples a malignant Angina which ravaged the place for many years. The plague appeared at Bergen,

in Norway, in Denmark and in Grand Cairo. This was the beginning of a very 'pestilential period, and here must be introduced the terrible pestilence which wasted the American Indians, just before our ancestors landed in Massachusetts. As this is one of the most remarkable sacts in history, and one that demonstrates the general causes of plague to belong to other climates, besides those of Egypt and the Levant, I have taken great pains to ascertain the species of disease, and the time of its appearance.

Capt. Dermer, an English adventurer, who had arrived in America, in a fishing vessel, a year or two before, passed the winter of 1618-19 in Monhiggan, an Indian town on the northern coast. On the 19th of May 1619 he sailed along the coast, on his way to Virginia, and landed at several places, where he had been the year before; and he found many Indian towns totally depopulated—in others a sew natives remained alive, but "not free of sickness;" "their disease, the plague, for we might perceive the sores of some that had escaped, who described the spots of such as usually die." These are his words. He sound some villages, which, in his former visit, were populous, all deserted—the Indians "all dead."

Purchas, vol. 4. 1778.

Richard Vines, and his companions, who had been fent by Ferdinando Gorges, to explore the country, wintered among the Indians, during the pestilence, and remained untouched, the disease attacking none of the English. Belknap's Life of Gorges, American Diography, vol. 1. p. 355, but the year is not specified.

Gookin, in his account of the Indians, Historical Collections, p. 8, places this pestilence in 1612 and 13, about seven or eight years before the English arrived at Plymouth. But this cannot be accurate, unless the disease began to rage for a number of years previous to 1618. Capt. Dermer's letter in Purchas is decisive of the time of the principal sickness, and fortunately we have another authority which is indisputable.

A fermon was preached by Elder Cushman at Plymouth, in 1620, just after the colony arrived, and fent to London to be published. In the Epistle Dedicatory which is dated December, 21, 1621, the author has these words. "They [the Indians]

were very much wasted of late, by a great mortality, that fell amongst them, three years fince, which, with their own civil dissentions and bloody wars, hath so wasted them, as I think the twentieth person is scarce left alive."

Hazard's Collection, vol. 1. p. 148.

This corresponds also with the accounts in Prince's Chronology from original manuscripts. This fixes the time in 1618, precisely agreeable to Capt. Dermer's account. This was the year of the principal mortality; but like other pestilential periods, this continued for a number of years; for some of the Plymouth settlers went to Massachusetts, (now Boston) in 1622, to purchase corn of the natives; and "found among the Indians, a great sickness, not unlike the plague, if not the same." It raged in winter, and affected the Indians only.

See Purchas 4. 1858. Prince's Chron. 124.

The time then is fixed. The disease commenced, or raged with its principal violence in 1618 and through the winter. This was the year of the remarkable comet, when the plague was raging in many parts of the world. So fatal was the pestilence in America, that the warriors from Narragansett to Penobscot, the distance to which the disease seems to have been limited, were reduced from 9000 to a few hundreds.* When our ancestors arrived in 1620, they found the bones of those who peraished, in many places, unburied.

Magnalia, book 1. p. 7.

The kind of disease is another important question. Dermer seems to think it a species of plague, and he saw some of the sores of those who had survived. Hutchinson, vol. 1. p. 34, 35, says some have supposed it to have been the small-pox, but the Indians, who were perfectly acquainted with this disease, after the English arrived, always gave a very different account of it, and described it as a pestilential putrid sever.

Fortunately General Gookin, in the passage above cited, has left us a fact, which leaves no doubt as to the nature of the malady. His words are—" What the disease was, which so generated the state of the malady.

^{*} Hutchinson fays, 30,000 of the Massachusetts tribe alone were supposed to be reduced to 300.

erally and mortally swept them away, I cannot learn. Doubtless it was some pestilential disease. I have discoursed with some old Indians, that were then youths, who say, that the bodies all over were exceeding yellow (describing it by a yellow garment they showed me) both before they died and afterwards."

This account may be relied on for its authenticity and it decides the question, that the pestilence was the true American plague, called yellow fever. If any confirmation of this evidence were necessary, we have it in Prince's Chronology, where it is recorded that this sever produced hemorrhapy from the nose.

At the time Gookin wrote, about forty or fifty years after the fettlement of New-England, the infectious fevers of autumn were called "pestilent," and they were frequent in the country, but had not then acquired the appellation of yellow.

Winthrop's Journal, p. 51.

This fever has been frequent among the Indians fince the English fettled the country. Some instances will be hereafter related.

The evidence then of the origin of the yellow fever in this country, between the 41st and 44th degrees of latitude, is complete, leaving no room for doubt or controversy. No intercourse existed, in 1618, between this continent and the West-Indies; nor did a single vessel pass between New-England and the islands, till twenty years after that pessilence. Not one of the islands was then settled, except by the Spaniards, with whom our ancestors had no commerce. Not an European was among the Indians, except a French seaman, who had escaped from a wreck a year or two before, and Mr. Vine's men, who arrived directly from England. These men escaped the disease; none being attacked but the Indians; another evidence of the origin of the malady in the country.

In Gorges' description of New-England, there is the following account of this pestilence. "The summer after the blazing slar, which moved from the east to the west, even a little before the English removed from Holland to Plymouth, in New-England, there befol a great mortality among the Indians, the greatest that had ever happened in the memory of man, or been taken notice of by tradition, laying waste the cast."

The author further remarks that this star was much noted in Europe. In America it was seen in the south-west, for "thirty sleeps," as the Indians express themselves. The description of the comet here given answers to that of Riverius, who represents it as very splendid, larger than Venus, moving from the cast to the west, and visible from Nov. 27, 1618, till the close of December. This was the time the pestilence was raging among the Indians. Gorges indeed says, it was the summer after the blazing star. It is true, that the disease continued not only into 1619, but occurred in autumn for some years subsequent. We hear of it among the Massachusetts Indians in 1622. From this it appears that this was a long and severe period of pestilence, between 1617 and 1623, or a later year; like the present period in the United States.

It must be remarked that in 1618, the same year when the Indians in America were falling a prey to this malady, the angina maligna broke out in the kingdom of Naples, and spread mortality over the country, as authors affirm, for eighteen years. This however is not understood, as affirming the disease to have been constantly epidemic; but as prevailing at certain times and seasons.

The fame destructive principle operated in Virginia. Capt. Dermer relates that when he arrived in the Chesapeek on the 8th of September, "The first news struck cold to our hearts, the sickness over the land."* Three hundred of the settlers died in 1619.

It appears from Purchas that the emigrants to Virginia in 1619, 20 and 21, amounted to 3570, in 42 fail of ships. There were 600 souls in that colony before these arrived, making the whole number 4170. Of these, 349 perished in the Indian massacre of 1622, which would leave 3821 survivors. But in 1624 no more than 1800 were living. Scanty means of subsistence might have contributed to this mortality; but most of it was in consequence of severs, that were probably the est-

† Mr. Jefferson allows only 2516 persons to have arrived in that

period.

^{*} Capt. Dermer was probably the first Englishman that ever passed through the rapids between Long-Island and the main land, now called Hell-Gate. He describes this passage as a cataract, and mentions the difference in times of high water, from the east and west.

fects of the climate, and a very unfavorable state of the atmosphere.

In 1620 a comet was followed by a cold winter. In England the year was distinguished by a violent tempest, a preternatural tide, and a very wet summer. The Hungarian sever, so called, spread along the Rhine, and in the next year became insectious. London became sickly. The year 1621 was remarkable for an epidemic malignant small-pox.

In 1622 a comet is noted, and an earthquake in Italy. In New-England the spring was excessively dry, from the third week in May to the middle of July.

In 1623 the epidemic fevers in Europe became more fatal, as the period of pestilence approached. This is obvious from the London burials, which show a considerable increment. Riverius, who has written on the epidemic severs of this period in the south of France, observes that the mortality was great, until he began to bleed and purge, when it abated. He refers to the city of Montpelier, where almost half died who were seized. The disease was a species of pestilence.

This author concurs with the ancients in ascribing pestilence to comets. Speaking of the singular star of 1618, he says, "Hunc vero Cometam, morborum malignorum et pestilentium, necnon etiam bellorum, quibus universa penè hactenus Europa devastata est, præsagium ac prenuntium suisse, credere non alienum est."

De febre pest. 533. fol.

The author falls into the error, which has brought into contempt the opinions of the ancient fages, in regard to the influence of the stars on man, and the state of the elements. He ascribes moral as well as physical effects to that influence. Admitting the distant orbs to have some effect on the air or sire of our system, and through that medium to augment or diminish the stimulus which acts on the human body and of course on the passions, by the exciting powers; yet any moral effects derived from this source, must be so inconsiderable, or so blended with the effects of other causes, as interest, ambition, love, revenge and the like, that the degree of influence could not be ascertained, nor the effects of one cause distinguished from those of the

other. I reject therefore all moral effects ascribed to comets; but the physical effects are, beyond question, great and extensive.

The diseases of this period continued to multiply and grow more malignant in 1624, when the epidemic assumed the form of the spotted sever. In 1625 this sever turned to the plague, and in 1626 changed back to the spotted sever, says Lotichius, cited by Short. This is not an unusual sact.

The plague in 1625 fwept away 35,000 of the citizens of London. It raged at the same time in Italy, Denmark and Leyden, and how much more extensively, I am not informed.

In this year another comet was feen; feveral cities in Spain were overwhelmed by inundations; the winter was fevere; the fummer, hot and moist weather; and there was an eruption of a volcano in Iceland. It is remarkable also that, in this year, a volcano burst forth in Palma, one of the Canaries, with a violent earthquake.

The summer of 1626 was very hot, and the plague continued its ravages in many parts of Europe, as in Wittemburg and the vicinity; and in Lyons, which lost 60,000 of its inhabitants. This was the prelude to more general calamity in France; for in the following years the whole country felt the distressing effects of the malady.

In 1627 and 8 the same disease prevailed in various other countries, especially in Augsburg after a samin. In 1629 the pestilence raged in Amsterdam. In 1630 Cambridge in England was visited. It was a very sickly summer in London, so that the citizens were alarmed and many retired to the country; but sinding the country very sickly, they returned.

In 1629 Pola, a town in the Venetian territories, lost 7000 inhabitants by an earthquake.

Of the pestilence in this period, there was hardly a suspension. Particular countries enjoyed short intervals of health; but Europe and America were severely annoyed by pestilential diseases between 1632 and 1637.

In 1630 happened great explosions of subterranean fire. Appulia lost 17,000 people by an earthquake; and Lima, in South-

America, was laid in ruins by the like catastrophe. At this time the plague prevailed in Vienna.

In 1631 happened a memorable earthquake in Naples, with a tremendous eruption of Vesuvius, which continued or was repeated in 1632. In this eruption, Baglivus assures us, Vesuvius lost 240 seet of its altitude.

Cotemporary with these discharges of fire and lava, was an eryshpelous sever in Europe with inflammation in the jaws, and an increase of mortality, antecedent to a general plague. See the bills of mortality for London, Augsburg and Dresden, where the progress of the malignity in the epidemics, is distinctly marked, by an augmentation of the bills, till the plague in 1636.

In 1633 appeared a comet, which was followed by a fevere winter. The same winter in America was mild, says Winthrop, p. 61. Southerly winds prevailed till the close of winter, when there were great snows. It is very common that severe cold is progressive, happening in Europe one year before it does in America, as will hereafter appear.

In 1633 the year of the comet, commenced an eruption of Etna, which continued for four or five years, through this whole pestilential period. London was shaken by an earthquake, and at Halisax in Yorkshire raged a very malignant sever.

In this year also a "pestilent sever," invaded the little colony at Plymouth in Massachusetts, and carried off twenty of their number. This was a great mortality for that small settlement. It must have been occasioned by a sever of domestic origin, as the colony had, at that time, no intercourse with foreign countries, except with England. No suspicion has ever been entertained that the disease was of foreign origin.

At the same time, the Indians were invaded by the small-pox which swept them away in multitudes. It spread from Narragansett to Piscataqua, and westward to Connecticut river.

The fummer of this year was remarkable for innumerable large flies, of the fize of bees, which made the woods refound with a humming noise.

Hubbard's M. S. p. 131. Winthrop's Journal, 51—56—59—61.

We have then a remarkable evidence of the extent of a pef-

tilential principle in the elements. The same species of diseases appeared, at the fame time, in Augsburg, Dresden, London, and in America. Probably the same species prevailed over most of Europe; for we hear of them in every part of Holland in the following year. The difeafes predominant, previous to the plague, are of the eruptive kind: Such was the cafe in the pref-In America, the epidemic among the Indians ent instance. took the form of the fmall-pox; and altho it is the current opinion that the fmall-pox is communicated only by contagion, yet my investigations have satisfied me that this is a great error. The small-pox is one of the family of eruptive difeases, which belong to almost every pestilential period. Before its origin and progress had been affected by the art of innoculation, it used to be epidemic, in large cities, under that inflammatory condition of the atmosphere, which originated measles, influenza, anginas and plague, and rarely or never at any other time. This difeafe therefore, tho communicable at any time by infection, is generated in particular habits without any infecting cause ab extra; and is the offspring of that state of the atmosphere which generates other eruptive epidemics.

In 1634 the plague showed itself at Ratisbon. The summer in America was hotter than usual, and the following winter was very cold.

In 1635 the plague appeared in Leyden and 20,000 inhabitants perished. This year was distinguished for an eruption of Vesuvius, violent earthquakes, an inundation in Holstein which destroyed 600 people and 50,000 head of cattle, and a terrible tempest in America on the 15th of August O. S. which brot in a remarkable swell of the ocean. It will appear hereafter that most of the violent storms and hurricanes, which sweep the earth, happen during or near the time of the discharges of great quantities of sire from volcanoes. In this year, Etna and Vesuvius were both in a state of eruption. The plague appeared also in Mentz and other parts of Germany.

In 1636 there was an eruption of Heckla. The pestilence was general in proportion to this universal agitation of the central

fires. In London it prevailed in 1636 after a regular increase of previous malignity in diseases.

Of the progress of the pestilence in Holland, and especially in Nimeguen, we have an accurate account in the treatise of the able Diemerbroeck, which is by far the most learned and philosophic work on the plague, that I have seen. Not that I believe his opinion of the cause of the plague; but his view of the subject is otherwise correct and worthy of universal attention.

In 1635 when the plague appeared in Leyden, the malignant diseases, its precursors, appeared in various parts of Holland. In Nimeguen, these precursors were measles, small pox, dysenteries of the worst type, but especially the spotted fever. The malignity of this fever increased, until it changed into the real plague—" donec in apertissimam pestem transsiret," says Diemerbroeck.

The plague appeared, in a few cases, in November 1635, but made little progress, during the winter. In January appearances were more alarming; in March the malady spread rapidly and continued to increase till autumn. Scarcely a house escaped; more than half who were seized, died; and medical aid was baffled. The disease declined in the following winter, and was extinguished by a severe frost in February 1637.

The summers of 1636 and 7 were warm, the winds constantly from the south and west, " cum magnis aeris squaloribus," fays Diemerbroeck.

In 1635 a dysentery prevailed in most parts of Germany. In 1636 the eruption from Etna was augmented, and Rome was severely afflicted with the plague. In 1637 the same distemper raged in some parts of Holland, in Denmark, Constantinople and Natolia; after which year the disease declined or disappeared.

This period of disease was also experienced in Virginia, where, says Winthrop, died 1800 people in the year 1635.

The summer of 1638 was very hot and dry in England, as it was in America, after a very severe winter, and cold spring.

In this year was a most tremendous earthquake in Calabria, memorable for the destruction of whole towns and the loss of 30,000 lives.

On the first of June, between 3 and 4 o'clock in the afternoon, in a clear warm day, with a wofterly wind, happened a great earthquake in America, which extended from the Pifcataqua to the Connecticut, and perhaps over the whole northern region. The year was also distinguished for tempestuous weather; not for ordinary storms which occur many times every year, but violent hurricanes of vast extent. On the third of August a tempest raised the tide, on the Narragansett shore, fourteen feet above common spring tides. Autumn was very rainy and confiderable fnow fell in October, which our ancestors ascribed to the earthquake. On the 25th of September, another mighty tempest occurred and the highest swell of the sea that had then been observed in America. If I mistake not, the state of the atmosphere, during earthquakes and eruptions of volcanoes, is peculiarly disposed, not only to produce high winds, but to generate fnow and hail.

This year was very fickly in America. In December a general fast was observed, one reason for which was the prevalence of the "fmall-pox and fevers."

Winthrop, p. 165.

The spring of 1639 in America was very dry, there was no rain from April 26th, to June 4th, O. S. and from the southward came swarms of small slies, which covered the sea, but they did not invade the land.

Winthrop, p. 181-184.

The plague continued to infest London, without interruption, from 1636 to 1648; see the bills of mortality; but it was not epidemic, nor very fatal.

In 1640 a hard winter, and epidemic pleurifies were fatal in Europe. The following year, a malignant fever was epidemic, in England, and other countries.

In September 11th appeared, in the evening, a remarkable light in the heavens, about 30 or 40 feet in length; it moved rapidly and was visible about a minute. It was feen in Boston, in Plymouth and in New-Haven, and to the spectators every

where, appeared to be in the same part of the heavens—of course must have been of a great altitude.

Winthrop, p. 232.

I notice this fact as it confirms the tellimony of ancient writers, who, in describing the seasons and phenomena of pestilential periods, frequently mention similar appearances. This seems to have been of the sigure of a beam, called by the Latin writers, trabs, but it differed from those meteors discribed by ancient writers, in the rapidity of its motion.

In November following a feries of tempests took place, and the highest tide ever known at Boston.

This summer of 1641 was remarkably wet and cold, so that a great part of the corn did not come to maturity. Those who sed on it, the year following, were exceedingly troubled with worms, and some persons sound a remedy in leaving bread and living on sish.

Winthrop, p. 234.

The following winter was the most severe that had been known for 40 years. The bay at Boston was frozen so that teams and loads passed to the town from the neighboring islands. The snow was deep, and Chesapeek bay was nearly frozen. At Boston, the ice extended to sea, as far as the eye could reach. The following spring 1642 was early, but wet.

Winthrop, p. 240, 243.

The oldest Indians declared they could scarcely recollect such a winter.

This fevere winter was followed by a very fickly fummer on the Delaware river. Such was the mortality among the fettlers from New-Haven, who had not long been in that country, that it broke up their fettlement. The Swedes fettled there fuffered much by the fame difease.

Ibm. 254.

The very wet weather of the last year produced a dearth of corn in Boston, in the spring of 1643, and myriads of pigeons appeared also and did no small injury, the same season. It is an old observation, in America, that pigeons are uncommonly numerous in the spring of fickly years. The Massachusetts colony suffered also from the number of mice which devoured their grain, and the bark of the fruit-trees.

Several fingular meteors were feen this year in the neighbor-hood of Boston.*

One fact in the foregoing account deferves notice; the extreme winter in America was in 1641-2, one year later than in Europe. Several instances have occurred in other periods, which seem to indicate a kind of progressiveness in great cold from east to west. It often happens however that the winter is severe at the same time, in both hemispheres, as in 1607-8—1683-4—1762-3—1779-80.

In England, in 1643 a malignant fever was epidemic and few escaped. In autumn, it put on pestilential symptoms and petechiæ. The same year, an eruption of Vesuvius and of Etna.

In 1644 a malignant fever was epidemic in Denmark.

The summer of 1645 being excessively hot, there prevailed a contagious dysentery, which was fatal in England. For the great mortality in England, through a feries of years at this time, see the London bills.

In this year a great fickness prevailed among the Indians on Martha's Vineyard—few escaped.

Neal's Hist. New-England, vol. 1. 264

In 1646 inundations laid a part of Holland, Friesland and Zealand under water so suddenly, as to destroy more than one hundred thousand lives and three hundred villages. Gorges relates that two mock suns, with other singular celestial phenomena, were seen this year in America.

P. 41.

In 1647 May 13th, a most tremendous earthquake in Chili, South-America, sunk whole mountains into the earth and nearly ruined the large city of Santiago.

Uiloa, book 8. ch. 7.

This year appeared a comet. The plague in London also was more severe, and appeared after this year to subside.

In 1646 and 7 the Ukrain was ravaged by locusts.

* Here ends Winthrop's Journal—a circumstance to be regretted. Hubbard's Manuscript will in part supply materials for this work, for some years subsequent. But for the last 30 years of the last century, I can obtain very little information of the state of the seasons and health in America.

A. D. 1647. This year appeared an epidemic catarrh in America, and the first of which we have any account. It is not named either influenza or catarrh, but is clearly the same disease. It is thus described in Hubbard's Manuscript, p. 276. "In 1647 an epidemic sickness passed through the whole country, affecting the colonists and the natives, English, French and Dutch. It began with a cold and in many accompanied with a light sever. Such as bled or used cooling drinks died—such as made use of cordials and more strengthening things, recovered for the most part. It extended through the plantations in America, and in the West-Indies. There died in Barbadoes and St. Kitts, 5 or 6000 each. Whether it was a plague, or pestilential fever, in the islands, accompanied by great drouth, which cut short potatoes and fruits."

This epidemic was in the fame year with the earthquake in Chili, but the date of the difease is not recorded.

In Connecticut prevailed a malignant fever, occasioned by the excessive heat of the summer.+

The year 1648 appears to have been less fickly, in London; but in the south of Europe, malignant diseases were the harbingers of the plague, which in 1649 carried off 200,000 people in the southern provinces of Spain. In Ireland and Shropshire the plague prevailed in the same year, and a satal sever in France. The small-pox was epidemic in Boston.

Townsend's Travels, vol. 2. 219. Short, vol. 1. Douglas' Summary, vol. 2. 375.

In 1650 was an eruption of Etna, and an earthquake in the north and west of England. In this and the sollowing year the plague continued in Ireland.

In 1650 the influenza spread over Europe. In 1651 many desolating floods happened in Holland and France—in Italy, a quinfy or sore throat proved very fatal to children. These diseases were succeeded by malignant severs, and plague in most parts of Europe, except in England. The summer of 1651 was hot.

In 1652 appeared a comet. A dangerous fynochus prevailed in France and a tertian fever in Denmark.

[†] Of this fever died the Rev. Thomas Hooker, and many others in Hartford. See Neal's Hist. N. E. vol. 1. 289. Magnalia, b. 3. 67.

In 1653 a slight earthquake occurred in New-England, in Oct. The years 1652 and 3 were remarkably dry in England, and in 1654 public thanks were ordered for a supply of rain.

Mercurius Politicus.

In 1654 the plague made its appearance in Denmark. Some fevere epidemic had prevailed in New-England; for in the fpring of 1654 a general fast was appointed by the government of Connecticut, one reason assigned for which was, "the mortality which had been among the people of Massachusetts." What the discase was, I am not informed.

Trum. Hist. Con. 225.

In 1655 occurred the fecond epidemic catarrh, recorded in the Annals of America. The following is the account of it in Hubbard's Manuscript, p. 285.

"In 1655 there was another faint cough that passed through the whole country of New-England, occasioned by some strange distemper or infection of the air. It was so epidemical, that few persons escaped. It began about the end of June. Few were able to visit their friends or persorm the last testimony of respect to any of their relations at a distance. Of this died Mr. Nathaniel Rogers, minister of Ipswich."

See alfo Magnalia, b. 3. 108.

It will be observed that this epidemic commenced in the heat of summer, and that its invasion was sudden and universal. In November 1655 occurred an earthquake in South-America.

Of the feafons in America I have no account; but in Europe the winter of 1654-5 was extremely fevere. The rivers and harbors in Holland were all made fast with icc; a feries of snow stook place in April, and as late as the 19th there was a fevere frost at Brussels.

See Mercurius Politicus, a London paper for 1655.

In March 1655 was an eruption of Vesuvius; it was very sickly in the north of England; and there were great tempests of wind and hail in 1654 and 5.

In 1654 the plague appeared at Chester in England; but did not become epidemic; owing, it was supposed, to the precaution of confining the diseased to their houses.* At the same time

* This may possibly have been the case; but it is probable the opinion is not well founded. See this point considered in the 16th section.

the disease was raging in Turkey, in Presburg, Hungary and in the city of Moscow, it is alledged, perished 200,000 inhabitants. We have here precise and authentic evidence, that the plague appeared in Chester, in the north-west of England, in Denmark, in Russia, Hungary and Turkey, in the same season. To prove this to be the effect of a general principle, we have numberless authorities, in the Gazettes of that and the next year, that malignant diseases prevailed over Europe. See the paper above cited. Thus when a few cases of plague occurred in Chester, satal diseases prevailed over the north of England. And it is remarkable in this instance, that the epidemic plague appeared in the north of Europe before it did in Italy—an exception to the general course of that disease.

In 1655 the plague was more general in Europe. It prevailed in Sardinia, Malta, Leyden, Amsterdam, and in Riga, a Ruffian port at the mouth of the Divina. There died in Riga 9000—Amsterdam 13,200—Leyden 13,000.

In 1656 the same disease invaded Naples, Rome, Genoa, Candia, Benevento, and most parts of the Neapolitan territories. In the city of Naples, perished three fourths of the inhabitants, and in Benevento, a greater proportion. The numbers of deaths were estimated as follows—

In the city of Naples died 240,000-survived 50,000.

In the Neapolitan territories 400,000.

In Benevento died 9000-survived 500.

In Rome about 10,000.

In Genoa in 1656, 10,000, and in 1657, 70,000, and 14,000 only furvived.

In Riga 9000.

In Thorn 8200.

I have not materials for a complete view of the diseases of this pestilential period. But it is to be observed, that influenza prevailed over Europe in 1650, and diseases of the throat in Italy in 1651—diseases which seem to precede pestilential severs on most occasions.

The fummer of 1656 was hot, and an earthquake in the fouth of Italy accompanied the dreadful mortality.

See Univ. Hist. vol. 28. 318. Mercurius Politicus, 1656. Encyclopedia, art. Plague. The influenza in America was also succeeded by fatal epidetnic diseases, altho I have no means of determining what they were. The account recorded is that there "was a great sickness and mortality, throughout New-England in 1658. The season was intemperate and the crops light." Trumbull, p. 244. This year was also distinguished for what is called in our annals, the "Great Earthquake." This is an instance of a violent concustion of the earth, in the same year with violent rains; but unfortunately I can find no account which phenomenon preceded the other. The summer was so rainy, that the christianized Indians observed days of sasting, on that account, apprehending that their crops would fail and the world be drowned.

Neal, vol. 1. 259.

The introduction of the plague into Naples was ascribed to a transport of soldiers from Sardinia. How the disease came to be in Sardinia, we are not informed. But this report, like nine tenths of all the stories about infection, is demonstrably a mistake. The account given in the history of the disease, is, that it was at first called by physicians a "malignant sever." One of the faculty, a man probably of more observation and sirmness than the others, assimmed the distemper to be pestilential, and for his audacity, was imprisoned by the Viceroy, who apprehended the report might injure the business and reputation of the city.

We have then another instance of the uncertainty in the minds of medical gentlemen, about the nature of the disease, when it first appeared, because it was not characterized by the distinctive marks of the plague, the glandular tumors. This circumstance demonstrates that the disease was not imported, but an epidemic; appearing sirst, as all great plagues sirst appear, in the form of catarrh, inflammatory severs, affections of the throat, and typhus severs.

There cannot be a more clear and demonstrable truth, than that a disease of specific contagion, must communicate a disease of the same specific character. If the plague has this species of contagion, it cannot communicate another disease, a malignant sever, for instance, which has a different character or type, and

is destitute of the distinctive marks of the plague. A single instance might occur, in which the disease might not bear the character of its original; but it is absurd to suppose, that a plague with glandular tumors, can communicate and render epidemic a fever without glandular tumors.

Yet all fevere plagues first appear in the form of such sever, or other diseases without tumors. I challenge the sollowers of Mead to produce an exception. Hence the uncertainty that perplexes the physician and the magistrate at the commencement of the plague—an uncertainty that has originated in the errors respecting the specific nature of the disease and its propagation by infection—errors as satal to great cities, as to truth and philosophy.

Had the real origin of this difease been known, the certainty of the existence of it in Naples, Venice, Rome, Vienna, Amsterdam and London, would have induced the citizens to abandon the places, before the distemper had made much progress, and multitudes of lives would have been saved—an expedient practised in America, with the most salutary effects.

In Genoa, the difease manifested a more distinct progression; 10,000 died the first year, and about 70,000 the second.

When this distemper appeared in Malta, Candia and Sardinia, every possible precaution was taken to prevent its introduction into Genoa, by stopping intercourse with those places; but in vain.

When the report of a malignant infectious fever in Naples prevailed in May 1656, an alarm was excited in Rome; a committee of health watched over the fafety of that city; four of the gates were flut and barred; the others were guarded with vigilance to prevent any perfon from entering who could be fufpected of infection; but all efforts were ufelefs. The real truth was the difeafe was an epidemic, no more under the control of health laws, than the influenza and fore throat which had preceded it.

The fummer of 1657 in England was very hot, and succeeded by a long severe winter and deep snow.

In April 1658 commenced in Europe an epidemic eatarrh, which was fo fudden in its attack as to feize a whole village in ?

night. It was fevere and fatal to old people—its course was finished in about six weeks. The summer was hot and severs with vertigo and delirium, were epidemic.

See Short, vol. 1. and Morton's Treatife.

It will be remarked that the year 1647 when the influenza invaded America, was a fickly year in Europe. In 1655 when the plague was epidemic in Europe, the influenza again prevailed in America. In 1658 when the influenza invaded Europe, great fickness and mortality occurred in America. These alternations of epidemic diseases will be observed in the subsequent stages of this history.

In 1659 prevailed the Cynanche Trachealis in America—the first instance mentioned in our annals. Magnalia, b. 4. 156.—This disease was also succeeded by malignant diseases, for the Legislature of Connecticut in October 1662 appointed a day of thanksgiving, two reasons assigned for which were, the "abatement of the sickness in the country, and a supply of rain in time of drouth."

This was the commencement of a very fickly period in Europe. In 1660 occurred an eruption of Vesuvius, and of a volcano in Iceland. The year was very tempestuous, and earthquakes shook England, France and America. In 1661 appeared a comet.

In 1662 another confiderable earthquake happened in New-England; and in this year was the drouth above mentioned.— In 1663 Canada was convulfed for five months by a feries of fuccessive shocks—small rivers and springs were dried up—the waters of others were tinctured with the taste of sulphur—an immense ridge of mountains subsided to a plain. Such were the phenomena in America which marked this pestilential period.

Mem. Royal Society, vol. 6. 86. Neal's Hist. N. England. Mem. Amer. Acad. vol. 1. 263.

In 1663 a malignant difease seized the inhabitants of the Vernetian territories and 60,000 perished. The country, at the same time, was overrun by innumerable small worms.

In the same year, a memorable mortality occurred in England, among the cattle and sheep, by means of a disease in which the

liver was eaten by small worms, and in some cases, the sungs. These phenomena were the precursors of the plague in many parts of Europe. In England, all diseases affumed new violence, as early as in 1661, preparatory to the great plague. See Sydenham. In Holland, the plague appeared at Heusden, in 1663.

The winter of 1663-4 was mild. In the following summer, Prussia was afflicted by a malignant purple sever, attended with tumors or inflammation in the throat, very satal to the young. Bonnetus. Med. Septen. p. 206. A species of scarlatina.

In 1664 appeared a comet; another in 1665, and a third in 1666. In 1664 began an eruption of Etna, which lasted, with various degrees of violence, till the year 1669, when it ended with a most dreadful explosion. This period corresponds with the epidemics described by Sydenham.

In 1664 the summer in England was wet, and cattle died of diseases. In New-England commenced the mildew of wheat, which has rendered it impossible to cultivate that grain, on the Atlantic coast of the three Eastern States. The winter of 1664-5, was terribly severe in England; the Thames was a bridge of ice, and in January happened earthquakes, in Coventry and Buckinghamshire. During this winter inflammatory severs and quinsies, says Sydenham, were more frequent in London, than were before known. These gave way in May to a malignant sever, which could hardly be distinguished from the plague, which, in June, became the controling epidemic.

Such were the phenomena of the pestilential period under confideration; and at this time, the plague appeared in Holland, and in England. English authors all agree that the disease was imported into England from Holland in some bales of cotton! O satal bales of cotton! fays Short. This tale has been recorded and repeated by every writer on the subject, without a single document in evidence to prove that any cotton was imported, or that the first persons seized had ever seen such cotton. The whole tale rests on affertion. That the seeds of the distemper were not imported is evident from the acknowledged sacts relative to its origin; and is demonstrated by the history of the preceding diseases found in the works of Sydenham.

The origin of the pestilence, which arrived to its criss in 1665, is to be traced back to the year 1661, when malignant diseases began to appear in different and distant parts of the world. In London, the intermitting tertian sever, says Sydenham, became epidemic, and differed from the same disease in other years, by new and unusual symptoms, which in short, amounted to this, that they were "all more violent." In winter, the disease yielded, as usual, to cold, but continued severs prevailed every winter. These severs, with some variations, continued until the spring of 1665, and the bills show how much they augmented the mortality in London. This increased malignity in usual diseases, with an increase of the number and mortality of epidemics, is the constant precursor of the plague or other pestilential severs.

Notwithstanding the clear evidence of these facts, authors have conjured up a tale of importation which would difgrace a schoolboy by its inconsistency.* The account states, "That a violent plague had raged in Holland in 1663, on which account, the importation of merchandize from that country was prohibited by the British Legislature in 1664. Notwithstanding this prohibition, it seems the plague had actually been imported; for in the close of 1664, two or three persons died suddenly in Westminster, with marks of the plague on their bodies .- Some of their neighbors, terrified at the thoughts of their danger, removed into the city; but too late; for they foon died of the plague, and communicated the infection to others. It was confined however through a hard, frosty winter, till the middle of February, when it again appeared in the Parish of St. Giles, to which it had been originally brought; and after another long rest, till April, showed its malignant force afresh, as soon as the warmth of spring gave it opportunity. At first, it took off one here and there, without any certain proof of their having infected each other.

Encyclopedia, art. London. 21.

In the fubstance of the foregoing statement, all authors are agreed, and I want no other proof that the report of the importation of the disease is all a vulgar, childish tale, the propagation

^{*} If this language should be thought too severe, I can sincerely say, that in my opinion, no language can be too severe for the carelessness which has originated a system of error on this important subject.

of which is a difference to philosophy and to the faculty of that age.

In the first place we have no authentic evidence in any author, that any bales of cotton were brought from Holland to London, at that time. The whole affertion rests on vulgar report, and is wholly unsupported by proof—had the report been well founded, the fact might have been ascertained, and in an affair of such magnitude, probably would have been. The importation of goods from Holland was prohibited by act of parliament.

In the fecond place, the disease first appeared in Westminster, not in the commercial city of London, but in a place where bales of cotton would be the least likely to be deposited and opened; Westminster being the residence of the nobility and gentry, rather than a place of commerce.

In the third place, no proof is stated that the persons suff feized had any connection with bales of cotton.

In the fourth place, the death of two or three persons, with the plague-marks on their bodies, in December 1664, is no evidence of any imported infection at that time; for the bills of mortality show, and the reader is desired to turn to them, to be satisfied, that a smaller number died that year of the plague, than had died of it in any of the six preceding years. In the year 1659 died of that disease 36—in 1661 died 20, and every year more or less. In 1664 died but 6 of the plague, and yet this number, small as it was, must be proof of the importation of infection, that year, when greater numbers, in preceding years, are passed over in silence! In such accounts, there must be want of knowledge, or want of honesty. The plague imported from Holland! when the city of London had not been free from it, for 28 years preceding! See the bills of mortality!—

Besides, why in the name of common sense, should "two or three," infected persons in 1664, spread the plague over London, and desolate the city, when twelve, sourteen, twenty and thirty-six infected persons, who died in preceding years, produced no ill effects? To account for such effects on the principle of infection, is not possible; and men of science ought to be assumed of such absurdities.

In the fifth place, the suspension of the disease, during six weeks, is evidence, that infection had no agency in spreading the disease. It is a fact known and acknowledged, that infection cannot be preserved, for a tenth part of that time in the open air. Air dissolves the poison of any disease, in a very short time. Insection can only be preserved in consinement, as in close vessels or packages of goods. The walls of an insected house will be cleansed by the action of air, in a very sew days, so as to be persectly harmless. During the six weeks suspension of the plague in London, where was the insection concealed to preserve it from air and frost?

Was the fomes shut up by design for a few weeks and then set at liberty? Had the persons who were first seized in February, any access to the infected houses or clothes of those who died in December? Is this probable? There is no suggestion of this sort.

Then again another interval of feveral weeks elapfed from the death of those in February, before others were seized. It is not solely improbable; but I aver, that the somes or insecting principle of no disease whatever, can be suspended in a state of inaction, in the open air, and afterwards give rise to disease. Unless therefore it can be proved that the persons who died in April had access to insection, which had been closely confined from the air, they could never have received the disease from the virus generated in February or December. Now it appears from the statement, that the persons, seized in February, lived in a different part of the city, from those who died in December, and no suggestion that they had an intercourse with any insected object.

But the last sentence of the statement disproves sully all affertions and suspicions respecting infection. It seems that when the disease showed itself in spring, it seized one here, and another there, in scattered situations, "without any certain proof of their having infected each other." This is usually the case in the plague, and in the yellow sever, in the ulcerous fore throat, the dysentery and other contagious, epidemic diseases. The whole mystery is, that any disease will sirst seize the constitutions least

ceeds. One person will sustain a vitiated air, for one day only; another for two days, and a third for a week, before his constitution yields to the destructive principle. It is precisely with the access of the plague, in a city, as with a company of men going from a healthy situation, into a marshy place—one man will be seized very speedily with the ague and sever; another will sustain his health for a week or two, and some perhaps escape unaffected. This example explains the phenomena which attend the invasion of pestilence, as related by Evagrius, Diemerbroeck and others, and which will be more fully discussed in a subsequent section.

The account therefore of the origin of the plague in London in 1665, not only does not prove the difease to have proceeded from imported somes, but actually demonstrates the impossibility of the sact.

But we have better evidence than the popular accounts afford us, that the difease was generated in the city of London. Sydenham has left sacts on record, which place this point beyond controversy.

After describing the multiplied diseases of increased malignity, which prevailed in London, from 1661 to 1665, and which swelled greatly the bills of mortality in that city, he informs us that in May 1665 he was called to assist a woman of a fanguine habit, who was seized with violent sever and frequent vomitings. He was surprised at the singularity of the symptoms, and puzzled to know how to treat the disease. The woman died the tath day. He observed her sace, during the sever, to be red, and that a little before her death, a few drops of blood issued from her nose. These and other circumstances suggested to him the use of bleeding, and his next patient recovered.

This species of malignant sever soon spread and towards the close of May and beginning of June, became epidemic. Soon after appeared the true plague with its characteristic symptoms. After stating these sacts, Sydenham says, "Whether the sever under consideration deserves to be entitled a plague, I dare not positively affirm; but this I know by experience, that all who

were then feized with the true plague, attended with all its peaculiar concomitants, and for some time afterwards, in my neighborhood, had the same train of symptoms, both in the beginning and through the course of the disease."

He then observes that he attended some persons with the true plague, and afterwards, he saw several cases of a similar sever.

See chap. 2. sect. 2.

Had not the faculty been blinded to truth by their theory of fpecific contagion, it would not have been possible so long to overlook the progressiveness of the plague, which not only Sydenham, but many physicians of the 16th and 17th centuries observed and recorded.

The malignant diseases which prevailed from 1661 to 1664 marked a pestilential state of air in London. We now know what Sydenham could not know, that this unhealthy state of air extended not only over Europe, but over Persia and America. But the malignant sever which appeared in May, as described by Sydenham, was the first stage of the plague, or mild form of the disease, which always precedes that state of it which is characterized by buboes. This form of the disease appears before the season or state of the atmosphere is advanced sufficiently to give the destructive principle its sull force.

The fame species of sever preceded the terrible plague in Venice and in Naples, as before related; and this is always the cause of uncertainty and controversy respecting the nature of the disease, at its commencement. And it is remarkable that this milder form of the plague, often rages for many months, before the disease arrives to its criss. Thus in London, the pessilential principle produced a few cases of real plague, in the winter of 1664-5. The cases must have occurred in constitutions more irritable, or susceptible of the cause, than bodies in general; or the persons must have been exposed to the action of powerful local causes, or to extreme debility. The severe frost doubtless suspended the operation of the pessilential principle—but on the opening of spring, the operation began, and proceeded from the malignant epidemic of May to produce the most deadly effects.

I have one observation further to make on this subejet. It has been alledged and generally admitted that the plague was introduced into Amsterdam, in 1663 by a vessel from the Mediterranean. It is probable that if this question could be fully canvaffed, the popular belief would appear to have had no better foundation, than many opinions in America, in regard to the importation of the yellow fever, which are proved to rest merely on conjectures, suppositions, and vague reports. But in regard to the origin of the pestilence in Holland, in this instance, it is wholly immaterial, whether popular opinion was well founded or not; for we have the express authority of Diemerbroeck, that anterior to the arrival of the ship, with the supposed infection, the plague broke out in Heusden, a town on a branch of the Meuse, surrounded by a morass, not a maritime place. fides the fpotted fever, which precedes the plague and turns into it, had been prevailing in all parts of Holland in the preceding year. The pestilence therefore originated in Holland, before the infection arrived; and the tales of importation vanish in Imoke.

According to the bills of mortality, London lost upwards of 68,000 inhabitants by the plague in 1665, and more than 28,000 by other diseases. As the 28,000 deaths by common diseases must have occurred mostly in the fix first months of the year, before the plague raged, this circumstance shows what a great increase of mortality preceded the plague. With such evidence before their eyes, how can discerning men look abroad for the sources of the malady!

It should also be remarked that this calamity among the human race was preceded by a great mortality among cattle in 1664.

It must not pass unobserved that the summer of 1665 in England was very temperate, the weather sine and the fruits good. All the writers of that day agree, that no cause of pestilence could be observed in the visible qualities of the season.

This was the last plague that has appeared in London, or in Great Britain. The disappearance of the plague in that and other countries, is a most confoling sact, and one that has not a little engaged the minds of philosophic men, to discover the

cause. The causes usually assigned are, the destruction of the city by fire in 1666, the more airy, convenient construction of the modern city, the introduction of fresh water, with more cleanliness, and improved habits of living.

These reasons would have more weight in my mind, if the other large cities in England, in France, Spain, Holland and Germany, which have neither been burnt nor improved in their general structure, had not also escaped the ravages of pestilence. But as the plague has not visited Paris and Amsterdam, which retain their ancient construction, no more than London, which has been improved, we must refort to other circumstances for the causes of this exemption. The consideration of this subject will fall under another part of this work.

In 1666, appeared a comet, the summer was very hot, and a tremendous hurricane, tore up a thousand trees in Nottingham forest, and of 50 houses in one village, seven only were lest standing. In this tempest fell hail-stones, as large as hens eggs. An earthquake occurred in Oxfordshire. Persia did not escape the essects of this pestilential constitution. In 1667 prevailed famin and epidemic diseases, and an earthquake demolished great part of Tessis, the capital of Georgia, and sour villages, with the loss of 30,000 lives; and another city with the loss of 2,000 lives.

Chardin's travels, 86. 126.

In 1666 dysentery prevailed over England and many parts of Europe and in St. Domingo. This disease seems to be the successor of the plague, and other epidemics. During the inflammatory stage of an epidemic constitution, evidenced by measles, influenza, a mild small-pox, we rarely hear of destructive dysentery. But after those diseases have run their course, dysentery appears in many parts of a country, and sometimes becomes aimost universal. It would be a curious question, by what means the inflammatory diathesis, so to speak, of the epidemic period, acts upon the nerves, muscles and intestines, to give to the subsequent autumnal severs this particular direction.

During the foregoing series of epidemics in Europe, America did not escape. Slight shocks of earthquake were selt in 1660,

and in 1665. Great fickness prevailed at this period also, but I am not informed of the species of disorder, except the small-pox in Boston in 1666.

In 1668, appeared a comet with a stupendous coma. This was attended by an excessively hot summer, and malignant diseases in America. In New York the epidemic was so fatal, that a fast was appointed in September, on that account. This was undoubtedly the autumnal bilious sever in its infectious form. In this same year was an earthquake in America, and a meteor in the west, in form of a spear, pointing towards the sitting sur, which greadually sunk and disappeared.

Neal's Hist. vol. 1. 367. Magnal. b. 4. 184.

This year was marked also by violent carthquakes in Europe and Asia. The winter of 1668.9 was very severe, and ice was seen in the Bosphorus; that of 1670 covered the Danube with a bridge of ice.

In winter appeared in Hungary two mock-funs of resplendent brightness—the infallible forerunner of great discharges of electrical fire, or of violent tempests.—On the 11th of March 1669, the eruption of Etna which had commenced in 1664 redoubled its fury, and by immense discharges of lava laid waste the country below. Its violence subsided in July; but tremendous hurricanes marked the year. The summer of this year also was excessively hot.

In this year, the cats in Westphalia died with an eruption on the head, accompanied with drowsiness. In England prevailed a dangerous sever, with slimy tongue and fore mouth.

In Norway prevailed measles of a malignant kind, attacking old and young. Donetus, Med. Sept. 223.—In the two sollowing years measles was epidemic in London alternating with the small-pox.—See Sydenham.—In 1673 winter was cold; and catachs were frequent with spotted severs—A comet appeared in the preceding year.

In 1675 a wet and cool fummer, the influenza prevailed in Europe with the usual symptoms. In Italy was seen a meteor or sire ball, from the north-east; and the following winter in America was collection usual.

The fummer of 1676 in England was cold. Measles and small-pox prevailed in some places.

In 1677 was feen a comet in April and May; an earthquake was experienced in England; and in Charlestown, Massachusetts, raged the small-pox with the mortality of a plague.

Mag. b. 4. 139.

The summer of 1678 was very hot and dry. There was a comet and an earthquake in Lima. Fevers and assections of the throat were epidemic in the north of Europe. The plague raged with most desolating sury in Algiers and Morocco. Authors relate that sour millions of people perished, and that the waste of population has not since been repaired.

Cheniers Morocco, vol. 2. 180.

On the 12th of January occurred in England a most extraored in ary darkness, at noon.

Notwithstanding the barrenness of my materials, this pestilential period may be very clearly distinguished, by the measles from 1669 to 1672 with the small pox, the catarrh of 1675, the subsequent malignant severs and affections of the throat, and sinally the pestilence of 1678.

The same deleterious principle extended to America. Our annals relate that the seasons were unfavorable and the fruits blasted, while malignant diseases prevailed among the people. The sickness and bad seasons were attributed, by our pious ancestors, to the irreligion of the times, and to their disuse of fasting. On this occasion, a synod was convened to investigate the causes of God's judgments, and to propose a plan of reformation. The small-pox prevailed at Boston in 1678, and a singular epidemic in England, France and Holland.

See Neal's Hift. N. Eng. vol. 2. 32. Mag. b. 5. 85. Hutch. vol. 1. 324. Doug. vol. 1. 440. Short, vol. 1.

The comet of 1678 was followed by a very cold winter, after a rainy autumn, with an epidemic cough. A comet is mentioned in 1679, and the plague was in Vienna.

The year 1680 was distinguished also for a severe winter, and the noted comet that had appeared in Justinian's reign. In Dresden raged the plague. The summer was hot and sickly. A large meteor was feen in Germany, descending to the north and leaving behind it a long luminous stream.

The summer of 1681 was excessively dry. This was the forerunner of violent earthquakes, which, in 1682 shook all Germany, Italy and Switzerland. In some places, the shocks were preceded, for sour nights, by lights or slame, like ignes fatui, on the mountains. The convulsions were attended with a disagreeable sulphurous smell. In this year also was visible a comet, and an eruption took place, both of Etna and Vesuvius.

In this year 1682 a mortal disease spread among the cattle in Italy, Switzerland and Germany, that was called the angina maligna, and of which cattle died in 24 hours. Authors relate that a blue mist appeared on the herbage of pastures. The disease moved about two German miles in 24 hours, and spread over Germany and Poland. Cattle at rack and manger were affected equally with those that grazed.

At Halle in Saxony prevailed the plague; and at Dublin, a petechial in which the brain was feverely affected, and bleeding pernicious.

The discharges of fire already mentioned were productive, as usual, of violent winds. In Sicily, a tempest, preceded by great darkness, almost laid waste the island.

In 1683 was an earthquake in England, in September, preceded by meteors or lights and fetid exhalations. A comet appeared in this year, and another in the following.

The winter of 1683-4 was the coldest that could be recollected by the oldest men living. Trees of large size split with the frost. The same winter was excessively severe in America, and from a passage in a letter of the Rev. John Eliot, the season appears to have been sickly.

Hist. Col. vol. 3.

The year 1683 was also remarkable for general sickness in Connecticut, and in some places, unusual mortality. Some towns suffered by excessive rains.

Trumbull's Hist. p. 383.

These unusual seasons were accompanied with singular diseases. In Leyden in 1683 prevailed what was called the hungry sever, which came on with a chill, succeeded by ravenous hunger.

'To gratify this appetite was fatal. When the hot fit came on, the hunger subsided. In 1684 was a terrible earthquake in St. Domingo.

Description of St. Domingo, vol. 1. 142.

After the severe frost in 1684, a malignant dysentery raged over Europe. This and the two succeeding summers were hot and dry. In 1685 Languedoc in France was overrun by grasshoppers, and the petechial sever was prevalent.

In September 1686 was feen a comet. At Lille in France, fell a storm of hail, the stones of which were of a pound weight. There was an eruption of Etna, in this year also, and a meteor was feen at Leipsick on the 9th of July, which was stationary for 7 minutes, at the height of 30 miles. It is curious to remark the coincidence in time between the phenomena of the electrical stud, tempests, snow and hail.

The fummer of 1687 in Europe was very rainy. In October the city of Lima in Peru, was demolished by an earthquake.

The winter of 1688 was cold, and in the summer following epidemic catarrh spread over Europe. This was preceded by a disease of the same species among horses, attended with a defluxion of rheum from their noses. Swarms of insects in some countries announced a pestilential period. In the interior of Germany were some dysenteries. An earthquake was experienced at Naples, and Smyrna was laid in ruins.

In 1689 appeared a comet, and both Etna and Vesuvius discharged fire. The autumn was very rainy, and the spotted fever prevailed in some parts of Germany. In Boston the small-pox was epidemic.

In 1690 the summer was rainy, frogs were in unusual numbers in Italy, and corn was cut short by mildew. Rainy seasons generally succeed great eruptions of volcanoes and earthquakes.

The year 1691 commenced with fevere frost, followed by a hot dry summer. The spotted fever prevailed in Italy, in which bleeding was fatal. There was also great mortality among cattle and sheep.

The feafons in this year were peculiarly unfavorable in America, altho I am not able to describe them. It appears from the journals of the affembly of New-York, that upon an address of

the house to the governor and council, a monthly fail was appointed to be observed from September 1691 to June 1692; the special reasons assigned for which were, "a burthensome war, and a blast upon the corn." This is a remarkable fact, and not unsrequent, that at one and the same time, the powers of vegetation fail in the most distant parts of the earth. Perhaps we shall be able to account for this instance of a deranged state of the elements by the universal explosions of fire in the two sollowing years. St. Domingo experienced a severe earthquake in 1691, in the year of this blast on the corn.

Description of St. Domingo, by Moreau St. Mery, vol. 1. 142.

On the 7th of June 1692 after a feries of dry, hot, calm weather, a most dreadful earthquake suddenly sunk the town of Port-Royal in Jamaica, and demolished most of the buildings on the island, with the loss of 2000 lives. After the earthquake, the heat was still more intense, musquetoes were innumerable, and a malignant sever fell upon the inhabitants in all parts of the island, with which 3000 perished.

In the same year, a similar disease invaded Barbadoes, and afflicted the island for many years. Indeed the whole world was sickly.

On the 8th of September England, Holland, France and Germany were convulsed by an earthquake, and Switzerland felt a snock in October. In the same year was an eruption of Etna, and great snows followed.

The spotted sever continued its ravages; and it was remarked to be much more malignant and fatal in the wane of the moon. During an eclipse in 1693 the sick almost all died. The disease was more fatal in town than country.

I have no account of the diseases in Egypt or the Levants during this period; but it will be found on examination that great pestilence raged in those places, about this time, or between \$689 and 1693.

On the 10th of January 1693 happened a most terrible earthquake in Sicily and Naples. On the preceding evening, was observed a great slame or light, apparently at the distance of an Italian mile, and so bright as to be mistaken for a fire. The spectators attempted to approach it; but it appeared still at the

fame distance. As soon as the earth began to shake, the flame disappeared.

It is not within my limits to enumerate the miseries occasioned by this concussion of the earth. Suffice it say that many towns were laid in ruins and 60,000 people perished. During the convulsion a fountain discharged its waters as red as blood. This calamity was preceded by a serene sky, and followed by darkness or vapor of a reddish or yellow hue.

The effects of this earthquake were remarkable on the human body. Among these were malignant severs, small-pox satal among children; madness, dullness, sottishness and melancholy, with deliria and lethargy. Are not these effects produced by an excess of stimulus, occasioned by the superabundance of electricity?

The fummer following this convultion of the earth, was intemperately wet and cool, and corn was mildewed. Another account fays the fummer in Italy was very hot and dry. The spotted fever, and in some places dysentery were very mortal. Wounds degenerated into ulcers, and blisters were followed by mortification which proved fatal to many.

In this year also Etna in Sicily, and Heckla in Iceland discharged fire and lava; a new volcano was opened in Asia, and an island, called Sorea, near the Moluccas, was ruined by its volcano.

Most dreadful storms marked the same year; one in America, on the 19th of October, was memorable for its violence.

An epidemic catarrh began in Europe in October, being preceded by a fimilar difease among horses.

The preceding winter was probably very mild in America; for on the 13th of Tebruary, Gov. Fletcher, with a body of sroops, failed from New-York for Albany.

Smith's Hist. New-York, 82.

In 1693 the seamen and soldiers, under Sir Francis Wheeler, who was sent to conquer Martinico, were seized with the plague of America, and three sourths of them perished. Hutchinson, vol. 2. 72, relates that this sleet came to Boston and introduced the disease into that town, where it occasioned a deplorable more tality. Douglas relates the same sact.

This account feems to be contradicted by Mather, in his Magnalia, b. 1. 22. In a fermon delivered on lecture day, April 7, 1698, it is afferted in fo many words, that "An English squadron hath not brought among us the tremendous pestilence, under which a neighboring plantation hath undergone prodigious desolations. Boston, 'tis a marvellous thing a plague has not laid thee desolate.'

By comparing the date of this fermon, with other events related in it, I find there is no mistake in the date; and as the author lived in Boston, and was cotemporary with these events, and personally acquainted with Sir Francis Wheeler, I conclude it was not Boston, but some other sea port town, which suffered by the arrival of a sleet.

In the 2d book of Magnalia, p. 71, the same author mentions this expedition and the terrible mortality. He says the distemper was "the most like the plague, of any thing that had ever been seen in America, whereof there died before the fleet could reach to Boston, as I was told by Sir Francis himself, 1300 sailors out of 2100, and 1800 soldiers out of 2400."

In book 7. 116, the same author says, "there was an English sleet of our good friends with a diresul plague aboard intending hither. Had they come, as they intended, what an horrible desolation had cut us off, let the desolate places, that some of you have seen in the colonies of the south, declare unto us. And that they did not come was the signal hand of heaven." This passage is in a lessure preached on the 27th of September, 1698.

From this authentic history, written by a cotemporary clergyman, we infer that Hutchinson must have made a mistake. Sir Francis Wheeler's fleet arrived at Boston, most dreadfully infected, but no disease was propagated in Boston. Some other sleet, it seems, had introduced the disease into a "colony of the fouth," perhaps Newport or New-York, but I have no information on the subject.

The great discharges of sire and earthquakes of 1693, were sollowed, as usual, by an intensely cold winter. The succeeding summer of 1694 was not and excessively dry in Italy, till Ostober, when the earth was deluged with rain.

In May was a violent earthquake and volcano in Banda, an island in the Indian seas. Fire issued from the neighboring seas, the air was impregnated with the smell of sulphur, and sickness prevailed. An eruption of Vesuvius happened the same year, and violent earthquakes in Sicily and Calabria. In this year the agitations of sire seem to have subsided; and as usual, a series of rainy cool summers succeeded, in which corn perished or was blasted, crops failed, and universal dearth ensued.

One of the most remarkable effects of the late agitations of the elements, was the frequency of apoplexies in Italy. So common were they in 1695, as to be called epidemic, and occasion general consternation. This is not an infrequent consequence of the high excitement that takes place in pestilential times, ending in extreme debility in the brain. Something of this kind has been observed in America, within the last few years.

I have very few facts in regard to the feafons and difeases in America, during this period, from 1689 to 1695. It appears however that the disorders of the elements were experienced in America.

In 1695 prevailed a mortal fickness among the Indians in the eastern parts of this continent.

Hatch. vol. 2. 87.

A contagious fever prevailed in Bermuda, the same year.

In Europe many malignant fevers prevailed, but no epidemics, except measles and chin cough of a bad type. In Ireland appeared offensive fogs, a thick clammy dew on the herbage, of a yellow color, and consistence of butter. A similar substance was observed at Middletown, Connecticut, on the morning after the earthquake, May 17, 1791.

The year 1696 was cool and wet—summer in Britain, resembled winter, and winter was like summer. Corn was mildewed. Dysentery fatal among children.

In America the winter of 1696.7, according to Hutchinson, was very severe. Loaded sleds passed from Boston to Nantasket. Food was scarce and losses at sea very great. I am not without suspicions however, that the author has here described the sollowing winter, which was as severe as he has represented it.

In 1697 the weather in Europe was mostly cool. An earth-quake at Lima in Peru shook the country with terrible violence.

In a diary kept by Daniel Fairfield, of Braintree, in Massachusetts, an unlettered man of good understanding, I have a particular description of an influenza that prevailed in America in the severe winter of 1697-8.* This catarrh began in November and prevailed till February. Its violence was in January, when whole samilies were sick at once, and whole towns were seized nearly at the same time. It appears to have been an epidemic of the severe kind; and the epidemics which sollowed it in America were of correspondent severity.

In the same winter a mortal disease raged in the town of Fairfield in Connecticut, which was so general, that well persons could scarcely be found to tend the sick and bury the dead. Seventy persons were buried in three months, altho it may be doubted whether the town then contained 1000 inhabitants.

M. S. letter from Dr. Trumbull.

In the fame winter raged a deadly fever in the town of Dover, in New-Hampshire.

M. S. of the Rev. John Pike.

This difease was doubtless that species of inflammatory sever, attacking the brain and ending in typhus, which has often proved a terrible scourge to particular parts of America, during the rage of pestilence in the east, and of other epidemics in this country. We shall hear of it in the following century, and especially in 1761.

On the 20th of June 1698 the town of Latacunga, in the province of Quito, nearly under the equator, was laid in ruins by an earthquake, as were Riobamba, Hambato and other towns in the same district. In one place a chasm of sive feet broad and a league in length, was opened, and on a mountain happened a volcanic cruption, from which issued assessments.

Ulloa, vol. 2.

^{*} For this and many other articles of intelligence, I am indebted to the late Dr. Jeremy Belknap, whose value as a man and as a historian many years triendship and correspondence had taught me to appreciate, and whose loss to society and the republic of letters, I most deeply kament.

The malignant fever already mentioned, whatever might have been its precise symptoms, was soon followed by more general sickness. In 1699 raged in Charleston South-Carolina and in Philadelphia, the most deadly bilious plague that probably ever affected the people of this country.

Mr. Norris of Philadelphia has kindly favored me with a fight of a number of M. S. letters of his grand-father Isaac Norris, written during the sickness, to his correspondents. This worthy gentleman was then in trade, and well acquainted with the facts respecting the disease, as his own family suffered a loss of several of its members.

In a letter dated August 15, 1699, he mentions, that a malignant fever broke out about the beginning of August, which he describes as the "Barbadoes distemper," tho he gives no intimations of its being communicated from countries abroad by infection. He says the patients "vomited and voided blood."

On the 24th of August, arrived the Britannia from Liver-pool, which had been 13 weeks on her passage; she had 200 passengers on board—had lost sifty by death, and others were sickly.

September 1st, he writes that the distemper appeared to abate at one time, but afterwards revived. He mentions the summer to be the liottest he ever knew; men died at harvest in the field. All business in the city was suspended.

During the yearly meeting the disease abated, but the meeting was thinly attended. Afterwards the disease returned in all its violence.

October 9th, he writes that he had hoped the cool weather would have relieved the city, but it did not.

October 22d, the disease had abated. Of this epidemic, died two hundred and twenty, of whom eighty or ninety belonged to the society of friends.

The population of Philadelphia at this time, is not exactly afcertained; but as the city had been fettled but feventeen years, the number of people could not have been great. If we confider that the city was thinly inhabited, and that no confiderable artificial causes of disease had been accumulated; together

with the fact of the patient's vomiting and voiding blood, we must admit the disease to have been extremely virulent, beyond any thing that has marked its returns in subsequent periods.

In the fame letters, Mr. Norris, October 18th, mentions that he had information from Charleston of the great mortality by the same sever—150 had died in a sew days, and the survivors mostly sied into the country.

In a history of South-Carolina, lately published, there is a more particular account of the calamities that befel Charleston in this year 1699. A most dreadful tempest, a common event after excessive heat, threatened a total destruction of the town. The sea swelled and tushed violently into the town, compelling the people to fly to the tops of their houses for safety. A sire broke out and laid most of the town in ashes. The small-pox proved satal to many of the youth, and to fill the cup of calamity, the bilious plague broke out with such irresistible mortality, that the principal officers of government, one half of the members of assembly and multitudes of the citizens fell victims. These calamities came near to dissolve the settlement.

Hist. of S. Carolina, vol. 1. 142.

I find no fuggestion that any vessels had arrived from the West-Indies at these places, or that any suspicion existed of the importation of this terrible disease. At that time, there was very little intercourse directly between Philadelphia or Charleston and the West-Indies.

But it will be remarked, that the disease sirst appeared about the "beginning of August," as in modern times—that it once abated, as it did in New-York, both in 1795 and 6, so as to be extinguished in the latter year, and that for two or three weeks.—That in 1699 as in later returns of it, it yielded not to cool weather, until late in October. It will be further remarked, that a severe epidemic catarrh preceded this plague, about eighteen months, as it did in 1789-90.

During this period, other parts of the earth did not escape affliction. A comet appeared in 1698 and another small one in 1699; and in this latter year, Lima suffered considerable damage by an earthquake, as did some parts of Batavia in the East-Indies.

In October 1698 began a fatal spotted fever to prevail over all England. In the spring of 1699 a severe and satal catarrh was epidemic, which carried off the young and robust, together with hard drinkers. A cough was epidemic among horses in England and France. In this period the catarrh in America preceded that in Europe, one whole year.

The feven last years of this century, the period under confideration, were distinguished for a fevere and continued famin in Scotland. The general cause was, the wet and cold summers which prevented crops from arriving to maturity. Vast multitudes perished with hunger—the dead bodies lay scattered along the highways. See Sinclair's Statistical account of Scotland in a great number of passages, and especially vol. 6. 132, 189. It does not appear that, during this long period of distress and want, any pestilence prevailed in Scotland.

At the same time, samin asslicted Finland and carried off one tenth of the inhabitants, and a greater proportion in the less sertile provinces of Sweden.

Williams's Obf. on North Governments, vol. 1. 638.

The fame period was remarkable for failure of crops in America. In a fermon preached in Boston on Lecture Day, Sept. 27, 1698, we have the following account of this subject. "The harvest hath once and again grievously failed, in these years, and we have been struck through with terrible famin.—The very course of nature hath been altered among us; a lamentable cry for bread, bread, hath been heard in our streets."

Magnalia b. 7. 113.

In the preceding page, of this fermon, it is also remarked, that "Epidemical sicknesses have, in these years, been once and again upon us," and it is mentioned that Boston lost, in one year, six or seven hundred of its people, by one contagious disease. The year is not specified.

It will be observed that in the history of the last two centuries few instances of the plague in Egypt and the Levant are mentioned. The reason is, that I have no regular series of accounts of plague in Egypt or Constantinople, for the last two or three hundred years. One remark however I will hazard, on

the strength of sacts within the present century, that whenever malignant epidemics prevail generally in Europe or America, the plague rages in Egypt and Constantinople, or rather a little before; the commencement of the pestilential state of air in those unhealthy cities being a little anterior to its principal effects in the north of Europe.

At the time of the dreadful bilious plague in Philadelphia and Charleston just before described, the plague was raging in the Levant, and for a year or two after.

During this period, in 1700, the same pestilential constitution displayed itself in a most destructive fore throat in the island of Milo, in the Levant. It is thus described by Tournesort, vol. 1. let. 4. He fays it appeared in a "Carbuncle or plaguefore in the bottom of the throat, attended with a violent fever." It carried off children in two days, but spared adults. calls it the "child's plague." There appears to be some propricty in giving the disease this appellation. It has some refemblance to the true pestis, the ulcer being formed in the throat instead of the glands. The infidiousness of the distemper is another circumstance of resemblance-persons in both diseases often walking about, a few hours before they expire. is a most prominent fact, that the ulcerous fore throat, or malignant anginas are rarely or never epidemic, except in periods when the plague and yellow fever prevail in places where they usually appear. In no instance has the fore throat been epidemic in America, except when the plague has been raging in Egypt and Constantinople. At least I can find no exception to this remark; and what is more, the virulence of the one difease in one country, corresponds with the malignity of the other disease in the other countries. Thus, as the plague in Egypt in 1736, was far more destructive than the same disease, at other times, so was the angina maligna of that period in America.

When observation and philosophy shall prevail over the prejudices of men in regard to the origin of these diseases from infection, it will be found that the angina, in its various forms, is only a particular stage or modification of the pestilence, which spreads over the world at certain unequal periods. The milder

forms of the pestilence appear in catarri, measles and chin cough; which usually appear together, or nearly so, at the beginning of the more virulent general contagion; the later and more satal stages are marked by anginas, cynanche maligna, petechial sever, bilious and glandular plague in summer; and pestilential pleurisses in winter.

There are certain times, when the constitutions of men in all parts of the world, contract a poison, which nature makes an effort to expel; and the different epidemics that accompany or follow each other, in rapid succession, appear to be the different modes by which nature strives to rid the human body of the virus. These modes depend on the season of the year, the constitution or age of the patient and a multitude of subordinate circumstances.—Whether this poison is a positive substance inhaled by the lungs and pores, or is the effect of mere debility, which unfits the several parts of the body to perform their functions, is a question of a curious nature.

It is remarkable that in this year 1700, when this ulcerous fore throat was raging in the Levant Isles, small children in the north of Europe were seized with a suffocating catarrh or catarrhous severs. These were followed by mild epidemic measles.

Short vol. 1.418.

In the same year the small-pox was confluent and malignant. The winter of 1700 was very mild.

In this year fell a meteor in Jamaica, which entered the earth, making confiderable holes, fcorching the grafs, and leaving a smell of fulphur.

Bad. Mem. 6. 389.

SECTION VII.

Historical view of pestilential epidemics from the year 1701 to 1788.

THE year 1701 appears to have been excessively dry in America. Dr. Rush relates that during the dry summer of 1782, a rock in the Skuylkill appeared above the surface of the water, on which were engraven the figures 1701. How little do men suspect the value of this inscription! To this alone I am indebted for the fact of extreme drouth in that year—and the fact is among the proofs of an extraordinary evaporation, before discharges of fire and lava from volcanoes. In 1701 was an eruption of Vesuvius; in 1702 of Etna. It will hereafter appear that a similar dry season in 1782 preceded the great eruption of Heckla in 1783. Indeed it is a general sact, and as far as I can learn, such seasons seldom occur, except during the approach of comets, or antecedent to volcanic eruptions.

This was a pestilential period. In 1701 Toulon lost two thirds of its inhabitants by the plague, and the Levant was severely affected about the same time. See the bills of mortality for Augsburg, Dresden and Boston.

In 1702 appeared a comet; Etna discharged its fires, and in Boston raged a malignant small-pox, attended, in many cases, with a scarlet eruption, which was mistaken for the scarlet sever. It appears from Fairfield's diary that this disease appeared in June and was at first mild, not fatal to any of the patients. In August died one patient—in September it became very mortal, and in this month was attended with a "fort of sever called scarlet sever." In October, many died of the "fever and the small-pox, and it was a time of sore distress," on which account the general court sat at Cambridge. In December "the sever

abated;" but the small-pox continued to be mortal, till the month of February 1703, when it began to subside.

I have already remarked that eruptive diseases seem to belong to one family. Physicians will observe the alliance in their symptoms; but I would observe that the progressiveness in this disease of 1702 and the variations in its symptoms, prove it to have been an epidemic, and not the effect of mere infection, or specific contagion.

In this year also the drouth was extreme. In New-York raged the American plague, which was said to have been imported from St. Thomas's. By the accounts, this was more satal than any disease since that period. It was called the "Great Sickness" and hardly a patient survived. On account of it, the assembly was held at Jamaica on Long-Island.

Smith's Hist. N. York, p. 104. Journals of Assembly, vol. 1. 151,

Such were the epidemics in America which followed the influenza of 1698—malignant pleurifies in 1698—plague in 1699 and in 1702, with virulent small-pox—all of unusual severity. Let the reader compare these facts with the accounts from Europe and the bills of mortality.

The winter of 1702-3 was variable—fevere frost and great shows, with intervals of warm weather. In spring catarrh prevailed in England, followed by a sickly summer, with earthquakes.

In January and February 1703 were severe shocks of earthquake in Rome, Naples and other parts of Italy. In October a memorable tempest or hurricane, which did great damage at sea, and injured buildings on land.

In 1704 the summer was very dry, and a most malignant spotted sever raged in Augsburg and in Prussia. Flies were in great abundance, and there was an eruption of Vesuvius. The last eruption of the volcano in Tenerisse was in this year, since which it has discharged smoke, but no fire.

Note. A late arrival from Teneriffe brings an account of the bursting forth of a volcano, in June last, which continued, till the vessel left the island in August.

In December 1705 were many most violent tempests and inandations. The tide rose in the Loir in France 25 seet beyond its usual height. Half of Limerick in Ireland was laid under water. These storms indicated the approach of a comet, which appeared in the following year.

In 1706 coughs and coryzas prevailed, and dysentery fatal among children.

A small shock of earthquake was felt in America in 1705.

In 1707 appeared another comet and subterranean fire was uncommonly agitated. Vesuvius discharged fire, and a new island was thrown up in the Archipelago, with an earthquake and volcano. The seasons in this and the following year were variable.

Buffon's Nat. Hist.

In November 1708 began a most severe and universal catarrh in Europe, which was speedily followed by a series of pestilential diseases. Of this catarrh, of the seasons, and the plagues that followed we have from Europe very correct accounts; but, with the utmost industry, I cannot learn whether the catarrh extended to America.

The explosion of subterranean fire in various places in 1707 seems to have been the commencement of this period; altho there was a plague in the eastern parts of Europe, most of the preceding years from 1700. A meteor passed over England, near the mouth of the Thames, July 31, 1708, a few months before the catarrh.

The winter of 1708-9 was the feverest that had happened, after 1683-4. But it appears that the catarrh commenced two months before the severe cold began. At least this epidemic appeared in the north of Europe, as early as November; whereas the autumn was one of the mildest, till January, that was ever known. Then the weather changed suddenly to most severe cold and continued for a number of weeks.

Short, vol. 1. Lancifius, p. 194 and feq.

This catarrh is carefully described by Lancisius as it appeared in Italy. In Rome it commenced in January, but increased afterwards, as the cold abated. It began with coryza, rheumata and slight cough, and was attended with pains in the breast, angina, pleurisies and peripneumonies, which prevailed greatly in the spring, among those who neglected the cough, or used a full diet.

Symptoms of this catarrh were, lashitude, fever with chills, wandering pains in the breast, continued cough, hard pulse, slame-colored or turbid urine, spitting of blood and difficult respiration. The cheeks were red and the body suffused with a yellow color, like that of the jaundice.

Perfons that up in prison, escaped the disease.* Fewer women than men were afflicted, and persons in easy circumstances, who could take care of themselves, suffered less than the poor. Many recovered by means of sweats or hemorrhapy at the nose, or discharges from the bowels, or copious discharges of urine, or by all these evacuations, accompanied by spitting a thick phlegm. Venesection was beneficial, especially in robust constitutions. On dissection, the precordia appeared of a reddish color, extending to the diaphragm—and discolored by spots of blackish thick blood—polypusses were discovered in the great vessels of the heart.

This difease did not entirely disappear till June.

In the summer of 1708 preceding the severe winter and catarrh, graats appeared in prodigious swarms.

The winter of 1708-9 killed fruit-trees, vines and corn. After this excessive cold, multitudes of people died of apoplexies, and others were seized with vertigoes, arthritics, pleurisies, inflammatory severs of all kinds, and consumptions. This severity of cold extended over America as well as Europe, in the same winter.

A pestilence raged in the north of Europe from the years 1702 to 1711, of which we have an account in Philosophical Transactions, No. 337.

Baddam's Memoirs, vol. 6. p. 5.

It has been observed already that the plague raged in the Levant, in the first years of the present century. In 1702, the same year, it will be noted, in which the terrible small-pox raged

^{*} This has been observed in one or two instances in America, and has been alledged as an evidence that the influenza is an infectious disease, and that persons sequestered from contagion, may escape it. To my mind the sact is rather an evidence that the escape of prisoners is owing to a different, perhaps a less stimulant condition of the air they breathe. It is hardly possible they should escape exposure to insection, when every one around them is affected. The contagion of the disease however is not denied.

in Boston and bilious plague in New-York, the plague broke out in Poland, near Pickzow, soon after an unfortunate battle between the Swedes and Saxons. No suggestion appears that the disease was caught by infection from a distant country, nor that the fetor of dead carcases was supposed to generate the distemper. On these important points we are left in the dark. All that is recorded is, that it first began near Pickzow in Poland, soon after a battle. It spread in 1703, 4 and 5 over Poland, and into parts of Hungary and Russia, sweeping away vast numbers of inhabitants. In 1706 we hear nothing of it. In 1707 it broke out in Warsaw, with great mortality. In 1708 it appeared in Thorn, and parts of Polish Prussia.

This approach of the disease alarmed the people of Dantzick -public prayers were ordered in the churches-all commerce and communication with infected places were forbid-no merchandize from infected or suspected places was permitted to enter the city, and the magistrates neglected no measure that could guard the public fafety. All travellers and strangers were strictly examined, and none permitted to enter without fufficient proofs that they came from healthy and uninfected places. These and other strict regulations were enjoined in July 1708; but notwithstanding these precautions, " the distemper gradually infinuated itself, for in March 1709, there died out of one diftrict in the old town feven perfons, and another perfon, being ill, was fent to the hospital, where the disease soon spread." Dr. Gottwald, the author of this account, visited the hospital on the 16th of the fame month, and found many persons ill-" fome had buboes, others carbuncles, others gangrenous ulcers, which he could not determin to be pestilential, but which he judged to be fymptoms, if not of the plague already commenced, at least of something, but little inferior to it, and certain forerunners of that destructive distemper."

In the preceding account, we observe the utter insufficiency of laws and regulations to prevent the introduction of the plague into cities; and the uncertainty of physicians at first as to the nature of the disease. The facts stated prove the disease to have been generated on the spot, and to have been progressive from

malignant fevers to the real plague. I have no bills of the mortality in Dantzick for the preceding years, but if any such are on record, it will appear, that the approach of the plague was indicated in that city by malignant diseases and increased mortality, for some months or perhaps a year or two preceding.

The disease spread slowly at first, but in July and August became general—it was at its height in September, and gradually declined till the close of the year. The number of victims was nearly 25,000.

From the very accurate history of this pestilence by Dr. Gottwald, the following circumstances are to be collected.

- rst. That the distemper first made its appearance in a part of the old town, called Raumbaum. What its situation is, may be seen in Busching; a part of the city built on a stream which falls into the Vistula—low of course—a place of business, and its streets dirty.
- 2d. The disease, after its first appearance, lay lurking for a long time, in the suburbs of the city, and its progress was not perceivable, for two or three months. This corresponds with its phenomena in London and other places; and proves that cold or favorable weather suspends or checks the action of the pestilential principle.
- 3d. It was most fatal to the poor—people in good condition mostly escaped. The same was observed at Copenhagen in 1711.
 - 4th. Its decrease was gradual, as well as its increase.
- 5th. Many of the inhabitants, tho they took never so much care to avoid the distemper, kept at home, suffered no infected person to approach them, and used all manner of preservatives, "yet caught the infection."
- 6th. The disease was preceded, in 1708, by extraordinary numbers of spiders. The same presage has been observed on other occasions.
- 7th. While this diffemper was raging, on the 11th of August, an offensive mist was observed, like a thick cloud, but of short duration. It returned in the afternoon, from the northwest, so thick as to darken the air. Its color was that of the effluvia from the effervescence of the oil of vitriol with oil of tartar, a blackish yellow.

8th. In the beginning of October appeared over the city a blue fiery globe or meteor, which came from the north west, in the night, shot towards the town rapidly, illuminating the city, and sell to the south.

9th. Crows, sparrows and other birds did not make their appearance during the pestilence.

In 1708 and 9 the plague desolated Livonia. In 1710 the disease appeared in Sweden; 30,000 persons perished by it in Stockholm, and other parts of the kingdom did not escape. Historians relate, that in the latter part of the last century and beginning of the present, the sweating sickness and great plague in Sweden destroyed several hundred thousand lives, in consequence of which Sweden is less populous than formerly.

Williams's Obf. vol. 1. p. 638. Universal Hist. vol. 35. 458.

In 1710 also the territory of Lithuania was ravaged by peftilence.

In 1711 Copenhagen lost 25,000 citizens by the same malady.

It is proper to remark how extensively pestilence prevailed after the great catarrh and terribly severe winter of 1709.

Nor did America escape the operation of the general principle. A body of troops under Gen. Nicholson, destined to cooperate with a sleet from England, in the reduction of Canada, encamped near Wood Creek in the province of New-York, and in July and August were attacked with a distemper which made dreadful havoc and obliged them to decamp. Some of the men died as if they had been poisoned. This circumstance gave rise to a report which Charlevoix gravely relates, that the Indians had poisoned the water of the creek, by throwing into it all the skins of beasts they had taken in hunting. The disease was probably the lake sever or a malignant dysentery. This happened in 1709.

Hutch. Hist. Mass. vol. 2. 179.

England also felt the influence of the same general principle, as appears from the bill of mortality for 1710. In France, England and the Low Countries raged a catarrhous fever to

which was given the name of Dunkirk rant. In some places prevailed a spotted sever, as at Norwich.

Short on Air. Baddam's Mem. vol. 6. 70, 72.

In 1712 prevailed catarrh in Europe, with fore throats. Whether catarrh prevailed in America also, I can obtain no information. The seasons in England were excessively wet, and corn was rotten or mildewed. The winter was severe, there was an eruption of Vesuvius and an earthquake. From these circumstances, I suspect the approach of a comet, but have found no account of any.*

Short, vol. 2. 8.

In October 1712 commenced a mortal fickness in the town of Waterbury, in Connecticut, which raged for eleven months. It was so general that nurses could scarcely be found to tend the sick. What the disease was, I am not informed; but not improbably it was that species of putrid pleurisy, which has so often made dreadful havoc in America.

Trumbull's Hist. of Connecticut, 386.

In the same year, prevailed a fore throat in London, accompanied with dizziness and pain in the limbs.

In 1713 prevailed the measles in America, cotemporary with epidemic pestilence in Europe.

In 1712 and 13, the plague was epidemic in Vienna, Hungary, Stiria and other eastern countries. This disease was preceded by the spotted sever, which gradually changed to plague. At the same time, whole countries were overrun with insects.

Short, vol. 2. 10.

In England prevailed a fever which Mead has pronounced to have been of the same kind, as the sweating sickness in the sixteenth century.—He says it was imported from Dunkirk, but how it came to be in Dunkirk, he does not inform us.

During these calamities among men, the beasts of the field did not escape. A fatal distemper among cattle broke out in 1711 and raged with such violence, in Italy, as almost to destroy the species. It spread for three or sour years, and horses perished by a similar pestilence. The writers who describe the disease,

^{*} Since the text was prepared for the press, I have found an account of a comet in 1712. My suspicions therefore were well founded.

represent it as a kind of plague; and all agree that it sprung from a single infected cow from Dalmatia. How this cow became infected, they do not inform us. The truth is the disease was an epidemic, tho very infectious; and that it did not necessarily originate in infection, is proved by its appearing in many other parts of Europe.

The disease began with rigors, which were followed by violent fever, with eruptions like those of the small-pox, and terminated in five, six or seven days.

Baddam's Mem. vol. 6. 72. Lancisius p. 154.

In 1714 began in Europe a series of dry summers. This year was rather sickly in England, and cattle also perished by an infectious distemper.

In 1715 the small-pox and measles were epidemic in England. In the same year, Plymouth in Massachusetts lost 40 of its inhabitants by a malignant disease, but no particulars are known.

Hist. Col. vol. 4. 129.

In 1716 the winter was excessively severe, and a fair was held on the Thames. The rivers in Europe, even in Italy, were covered with ice.

Short, vol. 2. 17.

In America, the 21st of October O. S. was so dark that people used lighted candles. Lima, the same year, was shaken by an earthquake.

Mem. Am. Acad. vol. 1. 244. Ulloa. Lima.

In 1717 appeared a comet, and there was an explosion of Vesuvius. Holland and Germany suffered severely the same year by inundations. In America the winter was terribly severe, and remarkable for "prodigious storms of snow," says Mr. Winthrop of New-London in a letter to Dr. Mather, Hist. Col. vol. 2. 12. One hundred sheep belonging to that gentleman were buried in the snow on Fisher's Island, and 28 days after, were dug out, when two of them were found alive; and they both lived and thrived. The snow saccumulated over them to the height of sixteen seet.—This snow storm is distinguished in the Annals of America, as by far the greatest ever known.

This year was remarkable also in America for the death of many old people, says

Hutchinson's Hist. vol. 2. 223.

In Europe catarrh was prevalent, and malignant small-pox among children. At Underwald in Switzerland prevailed a tertain, so violent as to destroy life at the second attack. The plague made its appearance in some part of the Turkish dominions.

See Short, vol. 2. 20, and Lady Montague's Letters.

In 1718 the winter was cold in Europe, the season in England hot, and a comet was seen. The plague advanced.

See Short, vol. 2. and Russel's Hist. Aleppo.

In 1719 malignant fevers were prevalent in many parts of Europe, marking a pestilential principle of great extent. The winter of 1719-20 in America was very cold.

Douglas.

In these last years raged malignant pleurify in Hartford, in Connecticut, with great mortality.

In March 1719 an immense meteor passed the heavens, illuminating the earth and bursting with a tremendous report. Its diameter was calculated by Dr. Halley at a mile and a half.

At this time the plague appeared in Aleppo, and carried off by report 80,000 people. Ruffel agrees that this difease came from the north, altho he has given us few particulars. It raged, as usual, for two or three years.

Hist of Aleppo-passim.

In 1718, 19, 20 and 21, fays Dr. Rogers, the greater number of those who lived near the slaughter-houses at Cork, died.

In 1720 happened the last great plague in Marseilles, on which occasion has been published "Traité de la peste," a treatise in quarto, by Chicoyneau, under the fanction of the French king, in which great efforts are made to prove the disease to have been imported from the Levant.

The proofs of importation stand thus. "Capt. Chataud left Said in Syria in January 1720, with a clean patent. The plague was not then in Said, tho it broke out foon after. On the passage, several persons died, and the physicians at Leghorn, where the ship stopped, pronounced their disease to be "a malignant pestilential sever."

The ship arrived at Marseilles, and some persons who had concern with the goods, died in May. The suspected goods were subjected to sisteen days retreat and purisication—they were forbid to be introduced into the city—the porters were shut up; but all regulations were fruitless. In June, deaths appeared in the city with distinctive marks of the plague."

On such slimsey evidence do the sticklers for the sole propagation of the plague by infection, ground all their affertions respecting the disease at Marseilles!

But it happens in this case, as in most similar instances, that the pretended proofs of insection carry resultation in the very sace of them.

In the first place, it is an acknowledged fact, that at the time the ship left Said, the plague had not appeared in that port, or town. It was at Aleppo and in other places far distant in 1719, but had not broke out in Said. How, in the name of reason, could men or goods be insected, when the disease did not exist in the place?

To overcome or rather to evade the force of this objection, the writers on the subject are compelled to refort to supposition. They say it is possible, the plague might have been in the place, tho not known or generally admitted. And here rests their whole argument!

It is true, that some of the seamen or passengers died on the passage, with a malignant pestilential sever. But in this case, the malady originated on board the ship—and the insection is not traced to the Levant ports. There is an end of the chain—the disease began without insection, on board the ship, as malignant severs have done in thousands of other ships.

Again, it is admitted by Dr. Mead himself, p. 255, that from the time of the sailors' death, after the ship arrived, it was sufficiently sufficiently a circumstance that renders it nearly impossible that there could have been any propagation of the distemper by insection. To remove this objection, the advocates of insection again resort to supposition. They suppose it possible some latent seeds of the disease had been concealed in goods, or clothes—and such ridiculous suggestions are made the grounds of affertion.

But what completely refutes all these idle suppositions, is, that we have sull evidence, that the plague in Marseilles was generated in the city, and gradually arose from milder diseases. In the beginning of the "Traitè de la peste," it is stated from Mon. Didier and not denied, that "the preceding year 1719 was a barren year—the corn, the wine and the oil, were desective. The heat of spring was excessive and followed by great rains, with westerly winds—the fruits were bad. In this year a pestilential sever appeared in Marseilles, of which many died, and in some, appeared buboes, carbuncles and paroitides."

Here we observe sacts that always exist, before the plague, and which demonstrate the uniform operations of the laws of nature. The year 1718 began to exhibit malignant diseases in greater numbers than usual. In 1719 the plague broke out at Aleppo, and in the north and west of Europe, malignant severs became in many places, epidemic and pestilential. In 1720, the pestilential state of the air, arrived at its criss in Marseilles. The pestilence in Europe exhibited a regular progress, from ordinary typhus sever to the plague. A state small-pox and spotted sever prevailed in Piemont.

To demonstrate this fact, the reader will only turn to the bills of mortality in London, Amsterdam, Vienna, Dresden, &c. for the years under consideration, and observe every where the effects of a general unhealthy state of air, in the increase of the number of deaths.—The bills of mortality in Boston and Philadelphia also prove this state of air to have extended to this country; and the malignancy of it seems to have abated in America after 1721, in which year the small-pox was very mortal in Boston.

The accounts of diseases in America, at this period, are sew and imperfect. Tradition has preserved the memory of desolating sickness, at various times and in various places, some of which, I suspect, refer to this period, but I am not able to ascertain the dates, with any certainty.* By accident however,

^{*} My father mentions an instance, which he believes to have been not long before his birth, which was in 1722. An aged lady of 96, who was born in 1702, informs me that a malignant pleurify raged when she was 17 years old; this fixes the period in 1719.

I amable to determin positively the pestilential state of air in America in 1720. A genuine letter is extant, from Thomas Hacket of Duck Creek, now in the state of Delaware, dated April 10th 1720, in which he states that a mortality prevailed in that place, which exceeded that in London in 1665, and almost depopulated the village. I have seen the letter in possession of Dr. Rush.

In 1721 there was an eruption of a volcano in Iceland. A dreadful dysentery raged in Upper Saxony.

In 1720 there was a great earthquake in China, and in 1721 shocks were felt in the Mediterranean, by Dr. Shaw who was then on his travels to the east.—In October 1720, fire arose out of the sea near Tercera, one of the Azores, and a small island arose.

Buffon's Nat. Hift.

In 1722, the feafons were cold, wet and rainy. In August happened a most violent storm in Jamaica and S. Carolina. In May an earthquake in Chili.

The winter of 1722-3 was cold and dry in England. In 1723 appeared a comet, and on the 24th of February, O. S. a mighty tempest which is recorded among the memorabilia of America. The wind blew violently from the southward, then veered suddenly to the eastward and northward, bringing in a tide which rese two or three seet above the Long Wharf in Boston, and slowed over all the lower part of the town, filling cellars and destroying property to a great amount. Immense damage was sustained in all the maritime towns.

See Mather's letter. Hist. Col. vol. 2. 11.

The confluent small-pox raged in England See the London bill of mortality for 1723. Dysenteries, pleurisies and other inflammatory complaints prevailed in the different seasons.

The bilious plague prevailed in Barbadoes, faid to be imported from Martinico. We are not informed from whence it came into Martinico. In these accounts of insections, we are not led to the end of the chain.

In the same year 1723 prevailed in many parts of the colony of Rhode-Island, a fatal disease called the "burning ague." It was particularly satal, near Providence, between Pautucket

and Pautuxet. In proportion to its patients, no disease in Ametica, was ever more mortal. It did not prevail in a large town, but in villages, and perhaps the clearing of some neighboring swamps might have been one cause of the disease. The year however was less healthy than usual. A disease of the same name is noted once or twice in ancient history. See the year 1001.

The year 1724 in England was mostly wet and cold; the whooping cough prevailed; but the year was generally healthy.

The summer of 1725 was also wet and cold in England. In January a severe frost produced many inflammatory complaints. In this year happened violent earthquakes in South-America, and eruptions from two volcanic mountains in Iceland. I have no account of the weather and diseases in America. I only learn from an old gentleman, that one of the winters between 1722 and 1725 was called, "the hard winter."

The winter of 1726-7 was changeable in England, but mostly cold with great snows. Remitting severs prevailed in summer and inflammatory, in winter, which swelled the bills of mortality to an unusual degree. At the same time the plague raged in Egypt.

The fame winter in America was milder than usual—the summer of 1727 was very hot and dry. See Dudley's account of the great earthquake.

Philos. Trans. and Museum, vol. 5. 363.

In 1727 appeared a comet—an explosion of fire took place from Vesuvius and a volcano in Iceland. The interior counties of England were shaken by an earthquake; and on the 29th of October of the same year happened one of the most extensive and violent earthquakes ever known in America. A malignant dysentery was epidemic in Bern. In America, the summer was very hot.

Short, vol. 2. Van Troil on Iceland. Williams on Earthquakes. Memoirs of American Academy. Pennant's Arctic Zoology. Zimmerman on dyfentery. Phil. Trans. 437. Baddam's Mem. vol. 10. 110.

This was a fickly year; fee the bills of mortality for London and Amsterdam, Boston, Philadelphia Christ's Church and Dublin. The prevalent diseases in London were severs of a malig-

mant type. What the disease was in Philadelphia, I know not; but the greatest mortality was in February, March and April.

In 1728 putrid fevers were frequent—the summer was cold in England and the following winter severe. The year 1727 was unproductive; corn in England was scarce and the scarcity continued into this year. An eruption of a volcano in Iceland and the plague in Egypt marked this year, 1728. The eruption in Iceland continued till 1730.

This year, 1728, the summer weather in South-Carolina was unusually hot and dry. The earth was parched and the springs exhausted. In August a violent hurricane occasioned an inundation, which spread over the low grounds and did incredible damage to the wharves, houses and corn fields. The streets of Charlestown were covered with boats; the inhabitants were driven to the upper stories of their houses; twenty-three ships were driven ashore and thousands of trees were levelled. The same season, the bilious plague raged in Charleston with greatmortality. Hist. of S. Carolina, vol. 1. 316.

In 1729 appeared a comet, and in autumn a universal catarrh in Europe, and perhaps over the globe. This was preceded by measles. It seized with a slight chill, a slow sever, weariness, continual hoarseness, pain of the head, and difficulty of breathing. The suddenness of the attack was assonishing, and it proved satal to many aged and phlegmatic people. Many pleurisies and peripneumonies followed. Its first appearance was in Poland, Austria and Silesia, and it marched over Europe in five months. At the close of this epidemic in 1730, Vesuvius discharged its contents of sire.

In this year 1729 the plague was in Aleppo, and it will be feen that the bills of mortality in the north of Europe exhibit a fickly state, through a period of many years at this time. The measses prevailed in America, and in Farmington, Connecticut, a malignant pleurify.

The summer of 1729 was in most parts of England, very wet, in other parts, dry; but this made no difference in the prevalence of the catarrh. The small-pox was very frequent in England.

This year also is remarkable for the nirst appearance of the yellow sever or black vomit at Carthagena, in South-America, where it made dreadful havoc among the crews of the sleet under Don Domingo Justiniani. The same sate attended the crews of the galleons under Lopez Pintado in 1730.

Ulloa, vol. 1. p. 44.-Lond. 1772.

The winter of 1729-30 was very mild in Europe. There was a small eruption of Vesuvius in 1730 and in Iceland, and an earthquake in South-America, on the 8th of July totally demolished the towns of Conception and Santiago, in Chili. This dreadful calamity was soon followed by an epidemic disease which swept away greater numbers than the earthquake.

Ulloa, vol. 2. 235, 257.

The plague was in Cyprus about this time, and was preceded by an earthquake.

In January 1729, the rivers and canals in Holland were covered with ice, from 12 to 20 inches thick. Measles and angians prevailed, and in autumn the small-pox made great havoc.

Bad. Mem. vol. 9. 314 and fequel.

It will be observed that these eruptive diseases in Holland were cotemporary with the measses in America, and the malignant pleurify in winter, which was the predominant symptom of a pestilential constitution of air, in America, until the year 1761.

The winter of 1730-31 was very severe in Europe.

It appears from the bills of mortality in Boston and Philadelphia, that the years 1730 and 31 were sickly. What the malady was which swelled the mortality in Christ Church to double
the usual number in 1731, I am not informed; but the greatest
mortality happened in March and April. The small-pox was
the disease which augmented the bill in Boston in 1730.

In 1731 the small-pox spread in New-York, and occasioned an adjournment of the legislature in September.

Journals, vol. 1. p. 633.

In 1732 appeared a comet, and in America the following winter was very severe, continuing from the middle of November to the end of March. In Europe, the winter was mild.

Douglas Sum. Short on Air.

Lima in South-America was shaken, this year, by an earth-

quake; a shock was experienced also in England; and in November the same was experienced in Canada and New-England. On the 9th of August happened a remarkably dark day.

See Douglas, and Profesior Williams Mem. Am. Acad.

In this year, the plague prevailed at Tripoli, Sidon and Damascus; and the American plague at Charleston, S. Carolina.

Lining's letter. Edin. Effays, vol. 2.

Towards the close of the year, in October, commenced in America a severe universal catarrh, which appeared in Europe also in December. It spread over all Europe, in the beginning of 1733, and probably over the earth, as it was experienced at the isle of Bourbon, in the Indian Ocean.

Mem. of Dr. Hunt of Northampton, and the Medical publications in Edinburgh.

This epidemic feems to have been the precursor of the most pestilential period of this century. The summer of 1733, in England, was dry and pleasant. The winter following was very mild. The plague raged at Aleppo.

The fcarlatina appeared in Edinburgh; and the chin cough also began in England in 1734, continuing to prevail in 1735.

This period also was noted for nieteors. In June 1734, a ball of fire passed through two opposite windows of a steeple at Air, in Scotland, broke one end of the bell joist, and descended to the earth, without doing further harm. A boy in the neighborhood was killed by another ball of sire.

Sinclair's Stat. Ac. of Scotland, vol. 1. 96.

On the 2d of February 1735, Popayan in S. America, was nearly ruined by an earthquake.

The summer of 1735, was very wet and cold. In Europe in 1734 commenced a slow putrid sever. An anginous sever became epidemic among children, and quinsies or swellings of the throat, with contagion, and great mortality. Small-pox of a malignant kind prevailed at the close of the year. The pestilential state of the air is said to have affected birds, which died in the cages. Canine madness prevailed.

Short, vol. 2. Van Swieten, vol. 16. p. 56.

In 1735, prevailed a spotted fever of a fatal kind, and other

malignant disorders, with hydrophobia. In Scotland, the meafles became epidemic, and fevers of a bad kind.

Essays and Obs. Edin. Phil. Transac. vol. 4, H xh m, vol. 1.

Earthquakes were felt in England in 1734 and 1736.

In 1736 and 7 a fatal ulcerous fore throat and malignant peripneumonies, prevailed in France.

In 1735 or 6, three or four thousand people, in the Orkney Islands, perished with famin. The scarcity there in 1782 and 3 was also deplorable, but none perished.

Sinclair's Scotland, vol. 7 497.

While these epidemics were prevailing in Europe, America selt the pestilential state of air. In May 1735, in a wet cold season, appeared at Kingston, an inland town in New-Hampshire, situated in a low plain, a disease among children, commonly called the "throat distemper," of a most malignant kind, and by far the most satal ever known in this country. Its symptoms generally were, a swelled throat, with white or ash colored specks, an efflorescence on the skin, great debility of the whole system, and a tendency to putridity.

It first seized a child, who died in three days. In about a week afterwards, three children, in another family, at a distance of four miles, were successively seized and all died on the third day. It continued to spread, and of the first forty patients, not one recovered.

In August, it appeared at Exeter, a town fix miles distant. In September, it broke out in Boston, fifty miles distant; althor it did not appear in Chester fix miles west of Kingston, till October.—It continued its ravages, through that year into the next, and gradually travelled southward, almost stripping the country of children. Very sew children escaped, for althor the disease was very infectious, yet its propagation depended very little on that eircumstance. It attacked the young in the most sequestered situations, and without a possible communication with the sick. It was literally the plague among children. Many samilies lost three and four children—many lost all.

In some places, this distemper was more fatal than in others-

country towns suffered more than populous cities. And it should be here remarked, that the virulence of this species of disease seems at times to be greatly augmented by cold and wet weather—it is most mild in cities where the air is, in a degree, corrected of its rigor and moisture.—To this observation however there are exceptions.

Scorbutic people and those who lived on pork, and of course the poor, suffered most. In some samilies, it was comparatively mild—in others it was malignant like a plague. This disease gradually travelled westward and was two years in reaching the river Hudson, distant from Kingston, where it first appeared, about 200 miles in a strait line. It continued its progress westward, with some interruptions, until it spread over the colonies. Few adults were affected; its principal ravages were among persons under age, or rather under puberty. For many years after it was epidemic, it frequently broke out in different places without any apparent cause, but did not spread—a striking proof that such diseases will not become epidemic by the sole power of infection, but that some general cause must aid its propagation, or it will perish in its cradle. This is probably true of every species of pestilential disease.

From an elderly lady of great observation in New-Haven, I have learnt that persons who, recovered of this distemper, were subject, all their lives, to sore throat and quinsies, and what is perhaps more remarkable, that sew or none of them have lived to be old. It is at least apparent, in the sphere of her observation, that those persons have died at an earlier age than others. These saces are striking proofs how much the whole system, and especially the seat of the disease, was impaired in strength and sirmness, by that distressing malady. A gentleman still living, who was affected with the same disease in 1742, informs me that his constitution has never recovered from the shock it received from that malady.

The invasion of this distemper was gradual, and for some time before its attack, children appeared to languish. It was not always attended with great prostration of strength, for perfons were often walking, an hour or two before their death. The same happened in the angina of 1794.

See further particulars in Colden's account. Medical Olsfer. and Enq. London, vol. 1. 211, and in Belknap's History New-Hampshire, vol. 2. 118.

Diseases among cattle in New Hampshire marked this period. In 1736, and during the rage of the ulcerous fore throat in America and in England, the plague made terrible havoc in Egypt—authors relate that Cairo lost 10,000 persons in a day.—In Nimeguen raged a malignant dysentery.

In 1737 while the angina maligna was spreading over the northern parts of America, the bilious plague prevailed in Virginia. In England and Scotland, the measles broke out and prevailed in 1735 and 6, cotemporary with the angina in America. Dr. Short relates that the first person seized was a woman in her child-bed illness.

At the same time prevailed miliary severs in Cornwall, accompanied with glandular swellings Coughs, defluxions and catarrhs were frequent. A pestilential disease in Devonshire swept away cattle and swine.

In 1737 a very fevere influenza invaded both hemispheres. It commenced in November.

In 1737 also appeared a comet; Constantinople was shaken and Smyrna half destroyed by an earthquake. A small shock was selt in Boston. In October of this year, a storm or hurricane in the East-Indies, destroyed 20,000 vessels of different sizes, and 300,000 people. There was a great eruption of Vesuvius in the same year. In Iceland also was an eruption between 1730 and 1740, but the year is not specified.

See Gent. Mag. and Tablet of Memory, art. Storms.

A most singular meteor in the same year, followed by a very severe winter.

This pestilential constitution did not produce the same diseases in England, as in France and America. The satal ulcerous sore throat was cotemporary in America and in France in 1737; but that disease did not appear, in its formidable array, in England until 1742. In 1734-5 appeared its sister-malady, the scarlet sever in Edinburg; but it subsided; and the epidemic

took the form of measles of a bad type, with hoarseness, dessuring and catarrh. The catarrh prevailed also in Barbadoes in the close of this year and beginning of the next, and in New-England was a great death of fish and water fowl.

In 1738 fudden deaths, vertigoes and apoplexies followed the preceding epidemics in England. The plague raged at Ockzakow, at Barbadoes, and in New-Spain the pestilence was so general and mortal, as to threaten the country with depopulation.

In 1739 the finall-pox prevailed in New-York, and fome dyfenteries, but I hear of no remarkable occurrences in this year; except that angina maligna appeared in England in a few sporadic cases, but did not spread at that time; and an infestious sever prevailed at Charleston.

Journals N. York Assembly, vol. 1, 756. Fothergi T. ac. Sore Throat.

A comet was feen in 1739, and the winter following in Europe was the feverest known since 1716 or perhaps since 1709. The cold continued till June and was succeeded by a dry season; then a wet, cold autumn. A dearth succeeded in Scotland, and meastes spread over America.

In England spread the whooping cough in December 1740. The small-pox prevailed and in 1741 that disease, with the spotted sever were very mortal.

See the London bills of mortality.

In Bristol and Galway, in Ireland, the severs fell little short of the plague.

Huxham, vol. 2. Short, vol. 2.

It was computed that in 1740 and 41, Ireland lost 80,000 people by famin, dysentery and spotted sever.

Rogers on Epid.

Amsterdam experienced the same pestilential constitution.

See the bills.

Not less remarkable were the seasons in America. In 1740-41, a year later than in Europe, the winter was of the severest kind. Many cartle perished for want of food.

Journals of N. York Affembly vol. 1. 799, 804.

During this winter measles prevailed in Connecticut. The American plague appeared in Philadelphia and Virginia. In Scotland many perished by famin.

Sinclair's Scot. vol. 6. 433.

Don Ulloa relates an opinion among the Spaniards in South-America, that in 1740, the black vomit was first introduced into Guayaquil by the galleons from the south seas. They aver the disease not to have been known there, anterior to that year. It was most satal to seamen and foreigners, but the natives did not escape. Here we have a new source of yellow sever!

In 1742 the ulcerous fore throat of a malignant kind appeared in England, and continued to prevail more or less for many years, and in 1745 became very infectious.

See Short, vol. 2. and Fothergill's Works.

The fummer of 1742 in England was dry.

In America, the same angina prevailed in 1742. From 1740 to 1744 pestilential diseases prevailed in all parts of the known world.

In Syria, the winter of 1741-2 was very fevere. In March began an acute fever in Aleppo, attended with a fevere pain in the right hypochondrium. The plague had previously shown itself on the sea coast. In April, says Alex. Russel, some reapers brought the infection into the neighbourhood of Aleppo. In the city, no notice was given of the plague, till the 18th of May; but on strict enquiry, it was sound that cases had occurred before that time. Whether the "reapers" introduced the somites into the city, the author does not inform us.

The distemper made no great havoc in this season. It abated in July, and nothing is said about insection, till November, when a few more cases occurred. In February 1743 a few cases appeared and in March an alarm was given. It was more general in this year, but disappeared in 1744.

When the disease subsided in Aleppo, it was followed by diarrhæas and dysenteries with petechiæ; and some obstinate intermittents.

In December 1742 and January 1743 were earthquakes with great fnows, violent rains and frost.

In 1742 a mortal fever prevailed at Holliston in Massachufetts, in which died Mr. Stone, the minister and sourteen of his congregation. In this year was seen a comet.

In the spring of 1743; a smart shock of earthquake convul-

fed Sicily, Naples and Malta. A catarrh prevailed at the same time. These were the precursors of the dreadful plague which raged, in the following summer, at Calabria, Reggio, and especially at Messina in Sicily, where perished 46,000 inhabitants out of 72,000. The summer was violently hot, and dysentery prevailed in other parts of Italy.

At the same time, New-York was severely afflicted by the bilious plague, where died, in one season, 217 of the inhabitants—a*considerable number for the population of that day.*

I know not what diseases prevailed in Boston, but the bill for that year shows it to have been sickly.

The year 1743 was distinguished for a tremendous eruption of fire at Cotopaxi, a mountain in the province of Quito, five leagues north of Latacunga; all the neighboring villages were ruined by sloods from the melted snows of the mountain. The eruption was repeated in 1744.

Ulloa, vol. 1.

Venice suffered by an inundation in 1743, and the year was remarkable for violent storms, at Boston, Jamaica, and in many countries.

In December 1743 appeared a comet of distinguished magnitude, which was visible till February of the following year.. This was probably the same which appeared in 1401, and in both instances attended with pestilence.

In 1744 fevere catarrh spread over Europe. It was at Rome in February; at London in March; and in a few weeks pervaded England.

* " New-York, Oct. 24, 1743. An account of perfons buried	in the city of New-York,
From July 25th to Sept. 25, 1743.	From Sept. 25 10 Oct. 22d.
Children, 51	Children, 16
Grown persons, 114	Grown perfons, 36
the state of the s	
165	52
	165
	217

And I do find by the best information I have of the doctors, &c. of this city that the late distemper is now over.

JOHN CRUGER, Mayor." New-York at that time contained about 7 or 8000 inhabitants.

In June of this year, was an earthquake of confiderable violence in New-England.

In 1745 Lima was shaken by an earthquake. An infectious fever broke out among the troops employed in the expedition to Louisbourg. A similar fever prevailed at Boston; and how far the health of the town was affected by the returning troops, I am not informed. This was a time of general sickness.

In Charleston prevailed the infectious yellow fever, while Egypt and Smyrna were suffering the ravages of the plague. The bilious plague prevailed, at the same time, in New-York.

In this year, the town of Stamford in Connecticut was feverely distressed by a malignant dysentery, which swept away seventy inhabitants out of a few hundreds. The disease was confined to one street.

The year 1746 was probably still more unhealthy. An earth-quake laid Lima and Calao in ruins. The concussion began on the 28th of October, about six hours before the sull of the moon; and at intervals, the shocks were repeated for four months, in which time they amounted to four hundred and sifty. During these convulsions, sire burst forth in several places of the distant mountains. Many days before the shocks began, hollow rumbling noises were heard in the earth, at times resembling the discharge of artillery. Similar sounds continued for some time after the earthquake.

See the melancholy tale in Ulloa, vol. 2. 83.

Albany was, in this year, visited by a malignant disease called by Colden, a nervous sever; and by Douglas, the yellow sever. From an old citizen, who was living in 1797, my friend Dr. Mitchell obtained the following particulars relative to that disease. The bodies of some of the patients were yellow—the criss of the disease was the ninth day; if the patient survived that day, he had a good chance for recovery. The disease lest many in a state of imbecility of mind, approaching to childishness or idiocy; others were afterwards troubled with swelled legs.

The difease began in August, ended with frost, and carried off forty-five inhabitants mostly men of robust bodies. It was said to be imported.

As this was an unufual difease in Albany, ingenuity was occupied to find out its origin. It was reported that a like disease prevailed in New-York, and that it had been imported in a vessel from Ireland. Nervous, yellow sever imported from Ireland! Such are the vulgar tales that disgrace this age of science and philosophy. From what fairy land were imported the malignant diseases, which every where swelled the bills of mortality in the same year?—Not that I would infinuate that diseases of a certain kind are not infectious. A pestilential sever originated in the Chebucto sleet, under the Duke D'Anville, which landed an army on our shores in this same year, and one third of the Indians who visited the cantonments, died. There the disease subsided, without becoming epidemic.

But what I feverely reprobate is, the disposition of men to trace all the evils of life to a foreign source; when the sources are in their own country, their own houses, and their own bosonis.

A fimilar difease raged, the same year, among the Mohegan Indians.

See the postfcript at the end of the volume.

At Zurich in Switzerland and in Saxony prevailed a very malignant dysentery. Indeed for a number of years, at this period, dysentery was epidemic in many parts of Europe and America.

In 1747 prevailed epidemic catarrh in America and Europe. In the same year the bilious plague prevailed in Philadelphia.—In 1748, in Charleston. The same years were fickly in Boston.

In 1747 appeared a comet, and Etna, which had been quiet more than forty years, commenced her discharges of fire and lava. In the West-Indies, a tremendous hurricane laid waste the Islands.

Two comets appeared in 1748; the winter was fevere, and two or three excessively hot and dry summers succeeded. In England the summer of 1747 was very dry. In 1748 a fast was appointed in Massachusetts on account of the drouth.

In England the angina maligna continued its ravages with increased mortality. The same malady prevailed in France in 1749, and there was an earthquake at London. The 18th of

June was a noted hot day, and Mars was as near to the earth as her orbit will permit.

Almanack for 1749.

In 1749 the dysentery and nervous long fever visited many towns in Connecticut with distressing mortality. Waterbury sustained a loss of about 130 of her inhabitants principally by dysentery. Cornwall, then a new settled village, on high mountains, lost twenty of her citizens. Hartford was severely visited with intermittents, for the last time. The summer was very dry, and locusts or grass-hoppers overrun the fields and devouted the herbage.

Douglas, vol. 2. 208.

I am authorized to fay that the terrible dysentery in Woodbury did not appear to be very contagious—it excited great alarm; every one avoided the sick, if possible; but many who lived remote and never came near the sick, were seized, and suddenly died.†

In 1749 and 50 the dysentery, according to Zimmerman, made great havoc in the Canton of Berne. It is remarkable that this formidable disease should be thus prevalent in both hemispheres at the same time, and for a series of years. About this time measses prevailed in America.

In 1750 appeared a comet, and the summer was excessively hot. In Philadelphia, the heat raised the mercury to 100 deg. by Farenheit. The plague carried off 30,000 people in Fez, and one third of the inhabitants of Tangiers.

Violent tempests marked this year, in America, and an unusual swell of the Severu in England. Earthquakes happened in England, Jamaica, Peru, Leghorn, Rome, Sicily and Lapland.

At Beauvais, 50 miles from Paris, broke out a pestilential discase, called la Suete, resembling the sweating sickness, terminating fatally in three days.

See Gent. Magazine.

At Bethlem in Connecticut raged a mortal fever, which swept away between thirty and forty of the inhabitants. The exciting cause was supposed to be the exhalations from a swamp which

[†] M. S. letter from Z. Beers.

had been drained. It is not improbable that this might have aided the general principles of difease.

Mcd. Repof. vol. 1. p. 523.

The winter of 1750-51 is mentioned as extremely severe in America. Vesuvius discharged fire and lava, in 1751, and on the 7th of March, a most dreadful tempest at Nantz in France, destroyed 66 ships, with 800 lives. On the same day, a tempest at Jamaica did damage to the amount of a million of dollars. A storm at Cadiz on the 8th of December destroyed 100 sail of shipping. On the Adriatic coast was an earthquake.

In this year Constantinople lost 200,000 inhabitants by the plague.—The preceding winter was cold in Turkey, and the old people predicted a severe plague from the quantity of snow that sell in Constantinople. This prediction was sounded on long observation; and I am able to constim the justness of it, by discovering that those years which produce the most violent action or discharges of electrical site, generate most snow, hail and cold.

Chenier's Morocco vol. 2. 275.

In America the spring flights of pigeons were unusually large. The dysentery was epidemic and mortal, in the same year, at Hartford and New-Haven; probably in many other places.—With this satal dysentery prevailed a mortal angina for several years. The same concurrence of these diseases will be mentioned under the year 1775.

In England, the summer of 1751 was cold and wet; and a mortal distemper prevailed among horses and cattle, in most parts of the country. In Cheshire died 30,000 cows. In Glasgow the seasons were very fickly.

Gent. Magazine.

Great and uncommon inundations occurred in the same year, in France, England and Scotland. In Cork the water was three feet deep in the midst of the city.

The dysentery and ulcerous fore throat were very fatal, this year in Guilford.

In 1752 the summer in South-Carolina, and probably in all parts of America, was distinguished for intense heat. The thermometer, for nearly twenty days successively, varied between

90 and 101.—The effects of this heat were visible in a number of sudden deaths by apoplexies. There were some cases of bad fever, but no epidemic. In September a violent tempest laid the city under water. The dysentery was still prevalent in the northern parts of America.

Museum, vol. 3. 316 and sequel. Dr. Chalmers.

In Ireland prevailed angina of fuch a malignant type, as to kill the patient fometimes in eight or ten hours. See Rutty on weather. The plague taged in the East.

An. Reg. 1766. 100.

In this year Adrianople was nearly destroyed by an earthquake. In Hinsdale, on Connecticut river, in the state of New-Hampshire, was an eruption of sire from a volcanic mountain, called west river mountain.

Mem. Am. Acad. vol. 1. 316.

In America the winter of 1752-3 was long and fevere.

I have no account of any general epidemic in 1753; but particular places were visited with distressing sickness. A singular instance of a local pestilence occasioned by vapor deserves to be related.

In autumn 1753 after a dry scason, arose in Rouen, the chief city of Normandy, a thick sog, with the smell of sulphur, which increased to that degree, that in the evening, lights could not be distinguished at any considerable distance. It did not wholly disappear, till the next day. It was more dense in some streets than in others.

In three or four days after, began an epidemic fickness which seized both sexes, with chills, lassitude, loss of appetite, slight pains in the arms and legs. These symptoms were followed by bilious looseness, nausea and vomitings. Most patients bled at the nose, frequently in small quantity. The head-ache then became violent, with a small, hard pulse—a high sever followed. The region of the stomach and hypochondria was tumesied; this symptom was succeeded by a tension of the belly—and a slight delirium sollowed. The tongue was brown or black, but moist; sometimes with green ulcers or apthæ. The patient died the 5th, 7th, or 11th day; but not in every case. Some were

thirty, or forty days in recovery; many were left with a puffiness of the face, hands and legs.

In some other parts of France appeared peripneumony and inflammation of the pericordium, which was called a new disease.

Phil. Trans. vol. 49.

In December 1753 and January succeeding, the small town of Holliston, in Massachusetts, lost forty-three of its citizens, by a fever. The disease began with a violent pain in the breast, or side, not often in the head; then succeeded a high sever, but without delirium. The critical days were the 3d, 4th, 5th, or 6th. Some of the patients appeared to be strangled to death. The town contained no more than 80 samilies.

Hist Collections, vol. 3. 19.

The winter of 1753-4 in Europe was very cold. In 1754 was a great cruption of Vesuvius which lasted several weeks, and violent earthquakes in England, Constantinople, and Amboyna, in the Eastern Ocean. The heavens appeared to be in a stame, and Egypt, which rarely feels earthquakes, was severely shaken, and 40,000 of the inhabitants of Cairo, perished in the ruins of two thirds of the city.

The gangrenous fore throat was very mortal in Ireland, and prevalent in England. See Rutty on weather. The same species of angina was, at the same time, very satal in America.

See Belknap's Hist. N. Hampshire, vol. 2. 121.

In Maryland, the earth was deluged with excessive rains, and intermittents were unufually obstinate.

Gent. Mag. 1755.

At this time there were two or three very mild winters in America. In 1754-5 and 1755-6 floops failed from New-York for Albany in January and February. Smith's Hist. N. York, 82. In this instance, America is an exception to the general rule, that severe winters extend over both hemispheres, about the time of great volcanic eruptions. The severity was limited to the other continent.

The year 1755 was remarkable for violent earthquakes, and volcanic eruptions from Etna and the mountains in Iceland. In April, Quito in South-America was demolished.

Portugal had fuffered for three or four years, most excessive

drouth, by which all springs were exhausted. But the year 1755 was rainy. On the first of November, a tremendous convulsion laid Lisbon in ruins, with the destruction of 50,000 lives. This shock was felt on the whole Spanish coast, and 10,000 people perished on one of the Azores. In Mitelene, an island in the Archipelago, 2000 houses were destroyed. The day preceding this concussion was remarkable for a haze or vapor that obscured the sun.

On the 18th of November, America fustained a violent and extensive shock; but its effects were not very calamitous. The sish in the ocean did not escape without injury. Two or three whales, and multitudes of cod were seen, a few days after, sloating on the surface of the water.

In the remarkable year 1755, the most prevalent epidemics seem to have been angina maligna, and catarrh, which spread over France and England. The angina maligna was very mortal in some parts of America. In one town on Long-Island, two children only, under twelve years of age, survived.

M. S. of Mr. Reeve.

In this year also prevailed a petechial fever in Ireland, and according to Baron de Tott, Constantinople lost 150,000 inhabitants by the plague.

See his Memoirs, Fothergill on fore throat and Rutty on weather.

The winter of 1756-7 in Syria was excessively severe; the fruits were destroyed, olive-trees, which had withstood the weather for sifty years, were killed, and thousands of poor people perished with cold.

Lon. Mag. 1764.

In the following summer, crops failed, a dearth ensued, and so severe a famin that parents devoured their own children; the poor from the mountains offered their wives for sale in market, to procure food.

Ibim.

This winter was also very severe in Europe. In 1756 appeared a comet and there was an eruption in Iceland. A meteor was seen in France, and earthquakes were experienced in various places.

In 1756-57 the catarrh was very prevalent in America, followed by an earthquake in July. This catarrh preceded the same eipidemic in Europe by one year.

In 1758 catarth spread over Europe, and the plague began to show itself in Egypt and Smyrna. In November, a large meteor was seen in Great Britain, and is described by Sir John Pringle in the Philosophical Transactions.* In this year also, the petechial sever, the precursor of the plague, began to show itself, in Aleppo.—The summer in America was extremely hot.

Letter of Gov. Eilis, Museum, vol. 5. 151.

In 1759 appeared two or three comets; and in November a most tremendous eruption of Vesuvius. In August was an earthquake at Bourdeaux—and one at Brussels. The winter following 1759 was excessively cold in both hemispheres. In Leipsic, centinels froze to death; and in South Carolina, the snow covered the earth to the depth of nearly two feet. In England, the cold was less severe.

The year 1759 was memorable for violent earthquakes, in Syria. Buildings were demolished and Damascus was buried in ruins. The shocks were repeated for many weeks. In November, Truxillo in Peru was swallowed up by means of an earthquake. It will be observed that this happened in the month, when Vesuvius was in cruption. These great phenomena announced a general and severe pestilence, and the effects of the general principles of disease were soon felt over Europe, Asia and America. Annual Register, 1761. 96 and passim. The earthquakes in Syria were preceded by drouth and sollowed by excessive rains.

See Russel on the plague at Aleppo and Velney's Travels.

In 1759 the plague began to appear in Cyprus, and at Acre and Latakia on the Syrian coast. In Copenhagen raged small-pox with great mortality.

In New-England were shocks of earthquake in February, at Boston and Portsmouth. An. Regis. 1759. 88. In Autumn an unusual tempest and tide at Nova Scotia.

Seen from Dublin, it moved from fouth to north. Annual register, 2759. 58.

In America, cotemporary with the commencement of the plague in Egypt, appeared the measles, in 1758, and the year 1759 appears, by the American bills of mortality, to have been very unhealthy. The predominant diseases were the measles and dysentery. M. S. letter from Dr. Betts of Norwalk. The measles appeared in 1758, but was most extensive in 1759. This is an instance of the prevalence of dysentery and measles in the same year.

In this year also the scurvy, an endemical disease in Canada, was unusually mortal.

Lind, p. 26.

At Bombay, a meteor of extraordinary brightness was seen on the 4th of April, 1759.

After the fevere winter of 1759-60, happened in America, a fnow florm on the 3d of May, when the apple-trees were in bloffom. The disposition of the elements to generate snow and hail, during pestilential periods, has already been remarked. M. S. of Mr. Whitman. The spring of 1760 in America was very dry.

In 1760 earthquakes were repeated in Syria, and the plague appeared at Aleppo, Jerusalem and Damaseus. It continued to extend and increase, until the summer of 1762; after which it declined. In Holland and Belgium were small shocks of earthquake—preceded by slashes of light. Annual Register 1760. 70. Russel on the plague at Aleppo. Indeed earthquakes were felt in most parts of Europe.

Cyprus, which had been free from pestilence for 30 years preceding, lost 20,000 inhabitants by the malady. On the first appearance of the plague in Egypt, the magistracy published an ordinance to prevent the introduction of the disease by infection; but it was of no use. The disease was preceded, as usual, by 2 petechial sever.

Mariti's Travels.

In England, the fummer of 1760 was dry and autumn wet. In this year occurred another discharge from Vesuvius.—A comet was seen in January, and a distemper made great havoc among horses in and about London. Annual Register 1760, 67. Immense damage was sustained by tempests. Ibm. 73.

The principles of disease in 1760 began to exhibit themselves in the West-Indies, and the ordinary sever of the climate assumed new and malignant symptoms, with contagion.

Lind, p. 126.

In this year also the northern parts of the American continent, which had been overrun by measles, began to feel more severely the violence of the epidemic constitution.

In November, the town of Bethlem was affailed by an inflammatory fever, with symptoms of typhus, which in the course of the following winter, carried off about 40 of the inhabitants. The disease was extremely violent, terminating on the 3d or 4th day; in some cases, the patient died within 24 hours of the attack. It seems to have been that species of winter sever, which occurs in pestilential periods, mentioned under the year 1698. During this epidemic, a slock of quails slew over the chimney of a house, in which were several diseased persons, and sive of them sell dead on the spot. This was thought ominous; but was a natural event, which may rationally be ascribed to deleterious gas emitted from the chambers of the sick.

Med. Repos. vol. 1. 524.

This disease was ascribed to the draining of the pond or swamp, mentioned under the year 1750. But to this explanation, there are strong, if not insuperable objections.

First. The fever began in November; but this is the month when the marsh fevers of our climate disappear. I doubt whether the effluvia from marshes ever act upon the human body, so as to produce disease, without a greater degree of heat than Connecticut ever experiences in the month of November. Cold puts an end to all marsh fevers, but this disease continued to increase in December, and did not cease till late in the winter.

Secondly. This difease was called a malignant pleurify; but marsh essuaire not known to produce severs of that description. They are common on high, as well as on low grounds, as I can prove by facts in America.

Thirdly. There is no necessity of resorting to marsh exhalations for the source of this malady. The same species of sever prevailed in that winter and the spring following, in many other parts of Connecticut, where no marsh existed. In Hartford it

carried off a number of robust men, in two or three days from the attack.* In North-Haven it attacked few persons, but every one of them died. In East-Haven died about forty-five men in the prime of life, mostly heads of families. The same disease prevailed in New-Haven among the inhabitants, and students in college.

It is obvious then that this was an epidemic, very well known in fickly periods, and not dependent on local causes. From Dr. Trumbull of North-Haven I have the following remarks on the difeafe.

The blood was very thick and nzv; often isluing from the nose and sometimes from the eyes. The inflammation was violent, and foon produced delirium. The most robust bodies were most liable to the disease. A free use of the lancet, in the early stages of the disorder, was the only effectual remedy; where the physicians were afraid to bleed, the patients all died. This malady prevailed from November 1760 to March 1761.

I cannot learn that this species of inflammatory fever, has ever been epidemic in the northern parts of America, fince this period. But it is a common winter fever, in the Carolinas, after fickly fummers; and in the northern states, sporadic cases of it occur with all its formidable symptoms. Inflances will be hereafter mentioned. It is the pestilence of winter, and rarely, if ever appears, except when pestilential epidemics are current in fummer. And I am not without suspicions that the debility occasioned by marsh effluria in summer may predispose the system to that fever in winter, tho not necessary to produce it.

In March 1761 was a small shock of earthquake in New-England, and the same occurred in Iceland, Hamburg, Syria, England and South-America.

^{*} One of them was my paternal uncle.

† Dr Hugh Williamson, in the second volume of the Medical Repository, has described this species of disease, which, he says, prevails often in Carolina in winter, especially among those who have been asfeeled by bilious fevers in the preceding autumn. He observes that bleeding is usually pernicious in that disease. Perhaps a difference of climates may make different remedies necessary. But in different periods, the same disease may require different treatment. In New-English, the same disease may require different treatment. land, that fever has usually demanded an early use of the lancet.

In the winter and spring of 1761 a severe influenza attacked the northern parts of America. In Bethlem it was cotemporary with the sever just mentioned. In Philadelphia it prevailed in the winter, and in Massachusetts, in April. From Dr. Tusts, a respectable practitioner of medicin in Weymouth, I have the following description of the disease.

The distemper began in April, and in May ran into a malignant fever, which proved satal to aged people. It spread over the whole country and the West-India islands. It began with a severe pain in the head and limbs, a sensation of coldness, shiverings succeeded by great heat, running at the nose, and a troublesome cough. It continued for eight or ten days, and generally terminated by sweating.

In May, the aged who had before escaped, were seized with an affection like a slight cold; this, in a day or two was sollowed by great prostration of strength, a cough, labor of breathing, pains about the breast, præcordia, and in the limbs, but not acute. The countenance betrayed no great marks of sebrile heat. The matter expectorated was thin, but slimy. As the disease advanced, the difficulty of breathing encreased; the expectoration was more difficult; the matter thrown off more viscid; at length the lungs appeared to be so loaded with tenacious matter, that no efforts could dislodge it, and the patient sunk under it.

This diforder carried with it bilious appearances—the countenances of some patients were of a yellowish hue. In some, there was an appearance of indifference or insensibility; and at night, a slight delirium."

M. S. letter from Dr. Tufts.

In the spring of 1761 earthquakes were selt in many parts of Europe. See an account of them in An. Register, 1761. 92. Shocks also were selt in the Azores and West-Indies. These agitations were precisely cotemporary with the epidemic catarrh in America. Scarcely any country escaped the convulsions of nature. During the pestilence in Thessalonica, shocks were selt almost every day. Ibm.

In the summer of 1761, I am informed, the infectious bilious sever prevailed in Charleston, but I am not possessed of the details.

In May happened a most extraordinary typhon or whirlwind, which swept Ashly river to its bottom. Five vessels were sunk and eleven dismasted. Annual Register, 1761. 93. In Italy a woman was killed by a sudden eruption of vapor under her seet. Ibm. 95. The summer in America was very dry.

In the spring of 1762 the influenza was epidemic in Europe. It appeared at Edinburgh in April in a few cases; at Dublin in May; and in June was general and severe. It was therefore a year later than in America.

Effays and Obs. Edinburgh. Rutty on weather. An. Reg. 1762.

In March was an earthquake in Ireland, and in autumn a confiderable shock in Spain. On the 11th of June was seen a meteor, passing from north to south, which met a dark cloud and exploded. Another as large as the moon, and bright as the sun descended slowly on the 4th of December, and dissipated.

Annual Register, 1762.

In 1762 appeared a comet, and in America the heat and drouth exceeded what was ever before known From June to September 22d, there was fearcely a drop of rain, almost all springs were exhausted, and the distress occasioned by the want of water was extreme. The forest trees appeared as if scorched.

The winter following was equally remarkable for feverity, both in Europe and America. The Thames was a common highway for carriages, and the poor perished in the streets of London.

Lond. Mag. 1763. Annual Register, 1762.

In America the snow fell on the 8th of November and continued till about the 20th of March. These extraordinary phenomena were followed by an eruption of Etna in 1763, of three months continuance.

In the extremely hot summer of 1762, the bilious plague prevailed in Philadelphia. The same disease swept away most of the troops in the expedition to Havanna. The plague raged in Constantinople and in Syria; while the yellow sever spread mortality in Bengal.

In this year the plague in Aleppo came to its criss. In 1760, died about 500 persons; in 1761, 7000, and in 1762, 11000; after which year it subsided.

See Patrick Russel, Hist, of that plague,

The bills of mortality will best show how severely the principles of disease were selt in London, Amsterdam and Dublin in 1762 and 3.

No part of the earth feems to have escaped a share of unusual mortality in the period between 1759 and 1763. In the latter year, the bilious plague in Bengal carried off 800 Europeans and 30,000 natives. Lind, p. 82. In the year preceding, a violent earthquake occurred at Chitacong in the territories of Bengal.

An. Reg. 1763, 6c.

On the 19th of October 1762, happened a remarkably dark day at Detroit, and the vicinity. While at dinner, the inhabitants found it necessary to use candles. The darkness continued, with little interruption, during the whole day.

Phil. Trant. vol. 53. p. 63. Mem. Amer. Acad. vol. 1. 244. During this pestilential period, fatal diseases carried off the cattle on the continent of Europe, and Toulon lost one third of its inhabitants by an epidemic.

An. Regist. 1761. 161.

The fuminer of 1763 was a moist and unkindly season. In August the Indians on Nantucket were attacked by the bilious plague, and between that time and February following, their number was reduced from 358 to 136. Of 258 who were affected, 36 only recovered. The disease began with high sever and ended in typhus, in about sive days. It appeared to be infectious among the Indians only; for no whites were attacked, altho they associated freely with the diseased. Persons of a mixed blood were attacked, but recovered. Not one died, except of sull Indian blood. Some Indians who lived in the samilies of the whites, escaped the disease; as did a sew that lived by themselves on a distant part of the island. I am informed, by respectable authority, that a similar sever attacked Indians on board of ships, at a distance of hundreds of leagues, without any connection with Nantucket.

In December of the fame year, the Indians on Martha's Vineyard, diffant eight leagues from Nantucket, were invaded by a like fever; not a family escaped, and of 52 patients, 39 died.

In this instance, disease discriminated as nicely between the Whites and Indians, as in 1797, it did between men and cats,

and as exactly as the plague in Egypt, between the Ifraelites and Egyptians.

Some suspicions were suggested that the disease at Nantucket might have been received from a ship which put in there, with sick passengers, from Ireland bound to New-York; but there is no soundation for this opinion, as the disorder broke out before the arrival of the ship.

See Phil. Trans. and Lond. Mag. 1764. Hift. Collections, vol. 3. 158. M. S. of Mofes Brown.

In 1764, just after this fatal pestilence among the Indians, a large species of sish, called blue fish, thirty of which would sill a barrel, and which were before caught in great numbers, on every side of Nantucket, suddenly disappeared, to the great loss of the Inhabitants.—Whether they perished or migrated, is not known.

Hist. Col. 3. 158.

In Europe, the year 1763 was remarkable for diseases among various species of animals. In Denmark, an epidemic catarrhal disorder affected horses. In Madrid, a pestilence among dogs swept away multitudes—900 died in one day. In Genoa, the poultry perished in a similar manner. In Italy, horses and swine sell victims to the pestilential principle. In France, horses and mules; in Sweden, sheep, horses and horned cattle perished under the instuence of the general cause.

Rutty on Weather.

The summer was remarkable for hail storms, one of which totally ruined 36 villages in Maconnois in France. See the account of these and of the earthquakes in that year in An. Regis. Chronicle. Hail stones fell of sizes from three to ten inches in circumference. These storms were numerous and many fire balls fell in various parts of England and a globe of sire was seen in Sweden.

These hail storms occurred during or near the time of the eruption of Etna. In 1764 was another eruption of Etna. In most parts of Europe and America, this period of pestilence appears to have closed with the years 1762 and 3. But in Naples spread a malignant sever in 1764, preceded by samin, by which disease it was supposed 200,000 people perished. The disease was marked by petechiæ and glandular tumors and was a mild species of plague. The season was excessively hot, and the bilious plague prevailed in Cadiz. Lind, 189. 122. An earthquake occured in Portugal and Siberia. In the February sollowing occured a degree of cold, rarely known in England. The mercury in Farenheit sell to 7 deg. and in one place, within the ball. An. Reg. 1765-66. A remarkable high tide in China in May swept away a whole city. The cause is not mentioned.

Ibim. 92.

To the epidemics above mentioned, succeeded a scries of dysenteries, in the hot summers of 1765 and 6. In 1765, the malignant dysentery raged in Berne and other parts of Switzerland, in Suabia and Austria. The invasion was, in many cases sudden, says Zimmerman, without any preceding symptom; but more generally its approach was indicated by chills, lassitude and other premonitory signs. In its progress, it exhibited most of the symptoms of the yellow sever of America. It was preceded by a putrid sever, which yielded to the dysentery in June.

See Zimmerman on Dysentery.

This epidemic was followed by violent and malignant pleurifies; a circumftance that marks its alliance with the pestilential fever of America, and probably of all temperate climates, which is also succeeded by pleurify or peripneumony in winter.

In 1765 were many carthquakes in Italy, and Sweden, and a volcanic eruption at Truxillo in Spanish America. Dysentery prevailed in Scotland, and intermittents in Pennsylvania and Georgia, were universal.

In 1766 the summer was every where hot and in Europe excessively dry. In Germany, the Rhine was lower than in the terrible drouth of 1476, and in many places, was forded. In Scotland, the people were compelled to kill their cattle for want of fodder. The heat and drouth produced great hail storms, and in autumn, were followed by inundations, one of which at Montauban, in France, swept away 1200 houses. Terrible tempests marked the year, and in the West-Indies, those hurricanes which lay the islands waste, and are recorded among the memorabilia of the climate. In August, the planet Mars was nearer

to the earth, by two millions of miles, than it had been for many ages, and in the spring appeared a comet.

The winter preceding this remarkable fummer, was extremely cold in Europe. At Ratisbon, Reaumur's thermometer was two degrees lower, than in the noted year 1709, and birds perished with cold. At Naples, the snow lay in the streets, to the depth of 18 inches, and Vesuvius began to discharge smoke, the harbinger of an explosion. At Lisbon, Reaumur's thermometer was 3¹ degrees below the freezing point, and at Madrid, people skated on the ice.

These remarkable phenomena preceded and attended a general discharge of fire and lava, from the three well known volcanoes, Etna, Vesuvius and Heckla, which took place in 1766. This is one of the sew instances on record, in which these volcanoes have been in eruption, nearly at the same time. The eruption of Heckla continued from April to September. These phenomena account for the excessive drouth in Europe.

See Sinclair's Scotland. Annual Register, 1766.

In this year 1766 was an earthquake in New-England, and a violent shock at Constantinople. Vegetation failed in some parts of Europe and America, and grain was very scarce in Italy, Great-Britain and the Carolinas. In 1767 a million sterling was paid in England for imported grain.

An. Reg. 1768. p. 101.*

The winter of 1765-6 was not severe in America and there was little snow; but in this remarkable period, as in many others, the severity of the seasons commenced in Europe one year before it did in America. The winter of 1766-7 was terribly severe in both hemispheres. The cold was as intense as in 1740; the Rhine at Cologne became a bridge of ice, and supported laboring artisticers, as in 1670. In Italy, the poor crouded to the cities for aid, and perished with cold. In Russia, both rich and poor perished. The wolves became ravenous, entered towns and destroyed people. In England, the larks took resuge in hay-carts and the market; the snow fell to the depth of many seet and buried thousands of sheep. In America, the cold was

^{*} I am struck with surprise to observe how universally crops fail, about the time of great volcanic eruptions.

very severe, and at Brandywine, the mercury sell in Farenheit to 20 deg. below cypher—an unexampled degree of cold in that latitude. In January happened a thaw, which broke up the rivers in Connecticut, and lest scarcely a bridge over the rivers. The cold in France in 1767-8 was more severe than in 1740 and within a degree of that in 1709. In Constantinople snow and hail sell as late as March 16.

See An. Regif. 1767. p. 52, 53, 54, 76. 1768. p. 58, 101.

Every thing indicated uncommon agitations in the elements. Pages would be necessary to enumerate the tempels and hail storms of these years. In January 1769 sell two sire balls in England; one of them on Tower hill. At Amiens, a man his wise and his horses were killed by a discharge of subterraneous vapor. A violent storm in Virginia on the 11th of September tore up trees, stranded ships and demolished houses; Bagdadt was almost ruined by an carthquake, and Cuba was desolated by a hurricane in 1768. An. Register, 1769. 67. 146. These last years in England were rainy.

In 1767 epidemic catarrh prevailed in Europe, and diseases among horses in New-England and New-Jersey. The summer was remarkable for hail storms; Cephalonia was ruined by an earthquake, and Vesuvius, from this year to 1777 never ceased to discharge smoke, and frequently scoriæ, stones and cinders.

An. Reg. 1767. 142, 151. Encyclop. art. Vesuvius.

In 1768 vast multitudes of caterpillars devoured the grass in the fields at Northampton, in Massachusetts.

The fummer of 1768 was hot, but I have no account of the diseases in America in this and the preceding year, except of a disorder in the head and throat among horses.

Mem. Am. Acad. vol. 1. 529.

In 1769 the fummer was very hot, and in autumn appeared a comet with a vast coma. Venus passed over the Sun's disk on the 3d of June; there was a small earthquake in New-England and a great tempest. Among the diseases in America is mentioned a fatal angina in Boston, and other towns, but I am not furnished with its history. The same distemper prevailed in 1770, and in Jamaica occasioned considerable mortality.

In Holland 32,000 cattle perished by a pestilential distemper. An. Reg. 1769. 166. Great sickness prevailed at Rome. Ibm. In America some cases of canine madness were observed. The measles prevailed in America, but I have no details of its origin and progress. The dysentery was epidemic and satal in 1769.

In July 1770 appeared also a comet. There was an eruption of Vesuvius in 1770, and another in 1771. Flames issued from Heckla in 1771 and 72, but no lava. An earthquake was felt in New-England in 1771, and Italy was repeatedly shaken. On the 17th of July was seen a meteor or fire ball.

These two years were distinguished by the most terrible earthquakes, storms, rains and inundations, accounts of which sill the gazettes of those years. In 1770 the sloods in England, Holland and France exceeded any that could be recollected. In France the vintage was greatly injured. In 1771 the territory of Honduras was wasted by locusts and famin.

An. Reg. p. 163.

In 1771 great rains continued to occasion floods. In Virginia, a flood in the Rappahannock filled the warehouses and ruined the tobacco, which occasioned public prayers to be ordered. Similar inundations happened in Germany.

There were earthquakes in Hispaniola, St. Maure, England, and in Ternate, a Molucca island, where was an eruption of fire.

Gent. Magazine. An. Regis. 1770, passim 1771. 120.

In 1771 a mortal distemper swept away great numbers of soxes in America.

Mem. Am. Acad. vol. 1. 529.

In Italy the harvest failed, and in Sardinia, Holland, Flanders, and some parts of England, the cattle were swept away by an infectious disease. The number of cattle that perished in Holland, was stated, in Sept. 1771, to amount to 171,780.

An. Regif. 1771. 147.

In Constantinople raged the plague in 1770; and one thousand bodies were, for some time, buried daily. In 1771 this malady prevailed in Poland and Russia, and 200,000 people perished. The number that died in the Russian dominions was 62,000.

An. Regis. 1772. 155.

In the East-Indies the disorders in the elements at this period produced still more deplorable effects. The excessive heat and want of rain, which usually precede or attend the approximation of comets and volcanic eruptions, occasion a failure of crops in countries, where the grain which is the principal food of the inhabitants, depends on water from inundation. Such is the fact in India and in Egypt, where rice is the great article of food.

The heat and drouth of 1769 cut short the rice crops in the territories of the Ganges. The consequence was a famin, which, in 1770, destroyed incredible numbers of the natives. The streets were filled with dead carcases, and such numbers were thrown into the river, as to render the water and the sish unsit for use.

In 1771 disease was added to the calamities of the miserable inhabitants, a million of whom were supposed to perish by the bilious plague.

See Encyclopedia, Art. Bengal.

In 1770 the atmosphere at Calcutta was filled and clouded with flies of a large kind, which never descended to the earth, but came so near that they could be distinguished with It is remarkable that the appearance of these animals was cotemporary with the millions of worms which overran the northern districts of America. Encyclop. Article Bengal. The Bramins mentioned that a fimilar phenomenon occurred about 150 years before, which must have been during the pestilence among the Indians in America from 1618 to 1622. At this time also began a difease among the potatoes in Scotland, which has been gradually extending itself to this time. The leaves contract and shrivel; and just below the surface of the earth, there appears on the stalk a scar of some length, or groove corroded through the rind, of the color of ocher. The fruit on the roots is finall and of an unpleasant tafte.

Sinclair's, Scot. 2. 187.

In 1771 anginas, in some parts of America, occasioned a considerable mortality.

Register of deaths in New-Haven.

Catarrh prevailed in 1771, but was epidemic in America in 1772. The winter of 1771-2 was very severe in Europe. In

America the month of March 1772 was distinguished for great falls of snow, beyond what was ever before known. In Bohemia, it was computed that 168,000 persons perished in that year by epidemic diseases. An. Reg. 152. A tempest in China destroyed 150,000 lives in Canton River.

An. Reg. 1773, p. 102.

In 1770, cotemporary with the clouds of flies in India and a most statal postilence among men and cattle in Europe, appeared in America a black worm about one inch and a half in length, which devoured the grass and corn. Never was a more singular phenomenon. These animals were generated suddenly in the northern states of America, and almost covered two or three hundred miles of country. They all moved nearly in one direction, and when they were intercepted by surrows, in plowed land, they sell into them in such numbers as to form heaps. They sought shelter in the grass, a hot sun being satal to them. They disappeared suddenly about the close of June and beginning of July.

New-England Farmer, Art. Infect.

This species of worm has been seen at other times, and in 1791, in great multitudes. No account can be given of their origin and they seem not to have regular periods of return. In July 1791, the late governor Huntington, a gentleman of careful observation, informed me, he had exposed some of these animals to a hot sun on a dry board, and in a few hours, found them dissolved into mere water. They seem to be generated by some elementary process, and to be the harbingers of pestilence; at least they have preceded diseases in America.

In February 1772 prevailed in America epidemic catarrh.

M: S. letter from Dr. Tufts.

In this year, the measses appeared in all parts of America, with unusual mortality. In Charleston, S. Carolina, died 8 or 900 children.

Public prints, Oct. 1772.

A mortal fever prevailed also in Wellsleet on Cape-Cod, which proved fatal to forty of its inhabitants. Hist. Col. vol. 3. 118. The mortality in Bohemia has been mentioned, and the sickness in London appears by the bill of mortality.

This year, 1772, was distinguished for a great hurricane in the West-Indies, like those of 1766 and 1780.

An. Reg. 1772. 140.

The anginas of the preceding year continued to prevail in 1772.

The winter of 1772-3 was moderate in England, but on the continent more severe. In February, occurred in America, a remarkable day, still known by the name of the cold Sunday.

This year, 1773, was in general fickly. In America, the meafles finished its course and was followed by disorders in the throat. After the measles left the patient, came on a secondary sever, which, in some cases, proved satal. Those who survived, lay ill a long time, troubled with an excessive expectoration. It seemed as if the patient discharged the amount of his weight.

But the most mortal disease, was, the cynanche trachealis or bladder in the throat. In general, there was little canker, but an extreme difficulty of breathing; the patient being nearly suffocated with a tough mucus or slime, which no medicin could attenuate of discharge, and which finally proved stall. All medical aid was fruitless, and scarcely a child that was attacked in some towns, survived.

This difease was speedily followed, in some places by the dysentery of a peculiarly malignant type, occasioning mortification on the third day. This disease was prevalent and very fatal in New-Haven and East-Haven, in Connecticut, and in Salem, Massachusetts.

M. S. letters from Dr. Trumbull and Dr. Holycke.

In Philadelphia, the measles appeared in March, attended with efflorescence about the neck; at the same time, catarrh which could hardly be distingushed from the measles.

Rush's Works, vol. 2. 238.

Cotemporary with these diseases in America, were the small-pox and a satal sever in some parts of Scotland, and a plague which carried off 80,000 people in Bassora, a town in Persia, mear the Euphrates.

In this year, an earthquake funk the town of Guatimala in New-Spain.

The year 1774 was more healthy than the preceding; but the scalatina anginosa began to show itself in Edinburgh, and in fome parts of America, especially at Philadelphia. On the 4th of May was a fall of snow.

Rush, vol. 1. 94, and the British Med. Publications in that year.

The winter of 1774-5 began on the continent of Europe with unufual feverity. The rivers in Germany were frozen, early in December, and there was deep fnow at Bologna in Italy in October. But in England, the winter was not fevere—an instance which is sometimes observed in both hemispheres, that cold and falls of snow run in veins.**

An. Register, 1775. 87. and 1774. 173.

In 1775 happened a great cruption of fire from a volcano in Guatimala. An. Reg. 136. The fummer was remarkable for thunder and lightning.

A halo and mock funs were observed in England, and a meteor in America. In Sweden and England, the summer was dry. In Holland happened a great tempest and high tide, Nov. 14th.

An. Register, 172.

In 1775 prevailed in England epidemic catarrh, preceded by mild ferene weather.

In America prevailed cynanche maligna, with confiderable mortality. It feems to have invaded all the northern parts of America, and in many places it continued to be current with dysentery for three years. This was the case in Middletown on Connecticut river. In other places, it disappeared in the winter following.

M. S. letter from Dr. Betts. Registers of the first society in Middletown.

This pestilential period seems to have commenced with the great agitations of the elements in 1769 and 70, and to have been first displayed in the drouth and famin in India, the plague in Turkey, and the insects and distempers among cattle in Europe and America; to which may be added anginas. The process was marked by a comet, volcanic eruptions, earthquakes and tempests, with measles, influenza and angina, and a series of most fatal dysentery closed the period.

^{*} A remarkable inftance has happened, the last winter, 1798-9—the weather being very cold, with immense quantities of snow from the Atlantic to the mountains, but very mild in Canada and the western country, until the close of winter.

In 1775 an eruption of water took place from mount Etna, and Lipari, a neighboring island, discharged fire.

Encyclopedia, art. Volcano and Lipari.

In this year began or very much increased the mildew of oats in Montquitter in Scotland. About the beginning or middle of August, the plant assumes a siery red color; then black spots burst forth near the roots, and ascend to the sibers that support the ear; circulation then ceases, and the grain advances no surther in maturity. Sometimes it yields a little fruit; at other times none. This disease of the oats still continues to be very injurious to the parish; but in 1789, a year of unusual commotion in the elements in the north of Europe, as will hereaster be related, it spread to a greater extent than was ever before known. This phenomenon has been a subject of great research among sarmers and philosophic men; but no satisfactory cause has yet been discovered.

Sinclair's Stat. Acc. of Scotland, vol. 6. 131.

It is remarkable that the prim in America began to decay and perish about this period; and near the same time, the wheat insect first appeared on Long-Island.

I would just observe that the disease among the oats, and the death of the prim, with the wheat infect, may be new phenomena in the natural world; or certain revolutions which unusual causes may have induced in animal and vegetable life.

About this time, for the year is not recollected, there was an eruption of fire at Derby, in Connecticut, a few rods from Naugatuck river; the only instance ever known in that place. It happened on a steep bank where it made a large excavation in the earth, throwing trees and stones to some distance. A light was seen on the spot in the evening before the explosion. It was accompanied with a loud report, and some fossil substances were ejected, which were analized by Dr. Monson of New-Haven, and sound to contain assence and sulphur.

In 1775 also perished a bed of excellent oyslers in the harbor of Wellsleet, on Cape-Ced, twenty leagues south of Boston. These oyslers had been in great plenty, and furnished the inhabitants with no small portion of food; but in this year from some unknown cause, they sickened and perished, and have never since grown in that harbor.

Historical Collections, vol. 3. 119.

During this fickly period also, the oysters on the shores of Connecticut were in an unhealthy state, and sometimes excited vomiting in those who are of them.

It is remarkable also that in 1776 the lobsters in the vicinity of York-Island, all disappeared. This event has generally been ascribed to the firing of cannon in the summer of that year. But the place where they lived being many miles from the British shipping, this explanation is not satisfactory. It is more probable that they perished, or abandoned the ground, on account of the bad state of their element.

The winter in 1776 was fevere in Europe. The cold exceeded that of 1740. In Denmark the found was frozen and croffed on fledges. The Thames was also frozen.

An. Register, 1776. 114.

The fummer of 1776 in America was hot and in the northern states rainy. The dysentery was prevalent in all parts of the country, and was terribly satal to the American troops in New-York and at 'Ticonderoga. I was at Mount Independence in October, and witness to the ravages of the disease. Of thirteen thousand troops, it was said that one half were unsit for duty.

It has been customary to ascribe the prevalence of this mortal disease to infection spread by the soldiers who returned home from the armies. It is certain that the disease was thus introduced into particular samilies; but infection was the smallest among the causes of the epidemic. In most places, it originated without any communication from the army; and I was a witness of such instances. The disease was the effect of a particular state of the atmosphere, aided by the seasons.

To prove how unfounded is the opinion that the difease originated in the army alone, and spread from that as from a socus, it will be sufficient to mention two sacts. The sirst is, that this epidemic commenced in 1773, two years before the war, in which year it was more malignant and satal, in some places, than in any subsequent year. Witness New-Hayen, East-Hayen and Salem in Massachusetts.

In 1775 a remarkable fact occurred. About one hundred men belonging to Danbury, in Connecticut, went to join the army on Lake Champlain; they performed their duty and all returned in good health. While they were absent, the dysentery invaded the town and carried off more than one hundred of the inhabitants. In this instance, not a soldier returned from the army, until the disease had subsided.

The fecond fact is, that the same disease has before raged generally in this country, with all its horrors, in time of peace. Witness the epidemic at Georgetown in Maryland in 1793, at Derby in 1794 and at New-Haven in 1795. In an especial manner, I ought to mention the distressing dysentery, between 1749 and 1753, a time of prosound peace, when not a soldier was seen in the country; a period when the disease was as mortal and as general, as between 1773 and 1777. A like epidemic prevailed in many countries in Europe at the same time.

I have also taken pairs to enquire of physicians in the country, as to the propagation of this disease from the army, and am informed that the disease was as fatal in villages where no intercourse was had with the troops, as where there was intercourse.

The acquiescence of all descriptions of men, learned and unlearned, in the opinion that epidemic diseases are to be ascribed solely to infection or specific contagion, has proved extremely injurious to philosophy and to medicin.* The disease is infectious, but it originates in any place, in particular seasons, whether in peace or war; and ends at the command of the elements and seasons. It ceased at the close of 1777 in the army as well as country, and without any effort which had not been made in preceding years. It may be observed further that the dysentery was and always is, most prevalent among old people and children who have least intercourse with the fick, especially in the country, where no artificial causes of disease exist.

^{*} A man in my father's neighborhood, was drafted to perform a tour of military duty at New-York, during the revolution-war. He was fo much terrified by the apprehension of catching the dysentery in the army, that he hired another man as a substitute. The latter went to New-York, performed the duty and returned in health. The drafted man remained at home, was seized with the distemper in a few weeks after, and died.

In 1777 there was a small earthquake in the interior of England, and the London bill of mortality was higher than usual. A volcano in Ferro discharged discolered water, but no lava. The measses appeared in some parts of America, the same year.

The summer of 1778 was excessively hot in America, and fevers of a typhus kind were frequent. In Philadelphia an infectious bilious fever marked the summer and autumn after the British army left the city. Rush, vol. 3. 162. In general however the year was more healthy than the preceding summers.

In 1778 the plague was fevere in Constantinople. It was preceded by a great earthquake at Smyrna. An. Reg. 1778. In the same year an epidemic angina was mortal at Manchester in England.

In the beginning of the winter fucceeding 1778, there occurred fome cold weather; but the latter part was the mildest ever known. In February 1779, many people along the river Connecticut plowed their fields; and in Pennsylvania the peach bloffomed. The summer succeeding was one of the healthiest ever known in America.

In August 1779 happened a most tremendous eruption of Vefuvius; and about the same time, the ships of Capt. Cook, then in a high northern latitude between Kamschatka and America, were covered with ashes which were supposed to be discharged from a volcano on the neighboring continent. In the succeeding winter, Tauris, the capital of Persia, was laid in ruins by an earthquake.

See Encyclopedia, art. Vesuvius, Cook's voyage, 1779.

The winter following these eruptions and commotions was, in America, the severest that had been known since 1741. From Nov. 25th to the middle of March, the cold was severe and almost uninterrupted. The following was the state of the mercury in January by Farenheit's scale—at Hartford in Connecticut, lat. 41. 44.

AT SUNRISE.

January, 1- 2 deg.	1913 below o
2 7 below 0	20 5
314	21 6 below 0
416	22 — 5
5 6	23 — 9 below o
610	24 6
7 9	25——16 below 0
8—— I below o	26 6 below 0
9 5	27 2 below 0
10-19	28 8 below 0
11-26	29 20 below 0
1211	3015
138	31 4 below 0
14 9	February, 1 2
1515	2 3
1610	3 0
17-17	415
1812	5 8 below o

Mean temperature in January at funrise 4 deg.—almost 20 degrees below the temperature of the same month in ordinary winters.

See Connecticut Courant, January 1780.

Not only all the rivers, but the harbors and bays in the United States, as far fouthward as Virginia, were fast bound with ice. Loaded sleds passed from Staten-Island to New-York; the found between Long-Island and the main land was frozen into a solid highway, where it is several miles in breadth. Chesapeek bay at Annapolis, where the breadth is 5 and an half miles, sustained also loaded carriages.—The birds that winter in this climate, as robbins and quails almost all perished; and in the succeeding spring, a few solitary warblers only were heard in our groves.

The fnow was nearly four feet deep, in Atlantic America, for at least three months. The winter was severe in Europe also; and on the 14th of January, the mercury at Glasgow fell to 46 deg. below 0.

On the 19th of May 1780 occurred a day of fingular darknefs, in New-England, and it was perceived, in a smaller degree,
as far fouth as New-Jersey. The heavens were obscured with
a vapor or cloud of a yellow color or faint red. The cloud
which occasioned the principal darkness, passed over Connecticut
about the hours of 9 and 10, and continued till after twelveIn the greatest obscuration, a candle was necessary to enable
persons to read. For some days before, the atmosphere was silled with vapor.

Mem. Amer. Acad. vol. 1. 234.

On the same day that this lurid vapor overspread several hundred miles of country in America, Etna began to discharge lava from a new mouth, between two and three miles from its crater. The lava divided into three streams of a quarter of a mile in breadth, and in a few days ran fourteen miles. Violent earthquakes accompanied and followed the eruption. The coincidence of these events, in point of time, well deserves notice. The great discharges from Vesuvius and a volcano in the Arctic regions in 1779, the terrible earthquakes, severe cold and eruptions of fire that followed, may perhaps lead us to a rational solution of the phenomenon of the dark day—which has not hitherto been explained.

Courant, Oct. 24, 1780.

The plague broke out in Smyrna in the spring of 1780 but I have no account of its progress.

The fpring was cool and dry, and catarrhous complaints were prevalent among children, fays Dr. Rush, vol. 1. 123. The summer following was hot,* and a bilious remittent was epidemic in Philadelphia, accompanied with such acute pains in the back, hips and neck, as to obtain the name of the break-bone-fever.

In the midst of summer, but I do not recollect the precise time, appeared the most singular halo about the sun which I ever beheld. I wrote a particular description of it, at the time, which is missaid, and therefore I shall not attempt to describe it

^{*} At Hartford, July 8th, the Thermometer at half after 11 A.M. was at 102, at 2 P. M. 99 and an half, two degrees higher than it had been fince 1772.

from recollection.—Haloes are among the most certain forerunners of tempestuous weather.

On the 2d of October the leeward West-India islands experienced a most dreadful hurricane; and on the 11th the windward islands were almost laid waste by a similar calamity. Barbadoes which is least subject to these tempests, was laid desolate; and it was estimated that 6000 souls perished. Houses, plantation-buildings, wharves, piers, shipping were all overwhelmed in one general ruin. It is faid that, during the tempest, some of the islands experienced an earthquake. Courant, Dec. 12, 1780. Jan. 9, 1781 and Jan. 23, 1781. As hurricanes are occafioned by discharges of electricity, some trembling of the earth almost always attends those which are violent, and flashes of fire Indeed the atmosphere appears to be a sheet of sire. Similar discharges of electricity attended the tempestuous earthquake that destroyed Nicomedia in 358-that which defeated Julian's attempt to rebuild Jerusalem in 362-the hail-storm in Egypt, in the time of Moses—and that which happened at Mantua in 1785, to be hereafter related.

The canker-worm made extensive ravages in this period; but I cannot state their rise and decline in different parts of the country. The winter of 1780-81 exhibited nothing worthy of particular notice.

In the spring of 1781 prevailed the influenza, or epidemic catarrh. It began with a severe pain in the head, prostration of strength, coldness and chills, the pulse not quick nor tense. The pain in the head lasted about twenty-sour hours, and was succeeded by a pain in the side, not pointed nor acute, extending to the hips, accompanied with a foreness, and resembling a rheumatic pain. The cough was troublesome, sull, and the matter discharged of the glandular kind, not well concosted. Respiration was dissicult, and a considerable dessuxion on the lungs. In a few cases, the disorder terminated in 7 or 8 days; but usually not till the 13th or 14th; althouch patient was seldom confined to his bed. The disease lest a soreness and weakness in the side, which continued after the strength was recovered. Vene-section had little effect on the pain in the side. Epispastrics applied to the part gave relies. The disorder was seldom fatal, but

its effect were very visible in the multiplied cases of pulmonary confumption, in the following year.

M. S. letter from Dr. Tufts.

In the summer following no particular phenomena occurred; the elements were in their usual state, so far as my information extends; and in general the country enjoyed good health. A malignant sever prevailed, in some degree, in New-York, but excited no great alarm.

One year after this influenza in America, the same disease pervaded the eastern hemisphere. Its progress was from Siberia and Tartary westward; and it reached Europe in April and May 1782: I have no account of its course in America, but it seems to be probable, that it took its direction from America westward, and passing the Pacific in high northern latitudes, invaded Asia and Europe from the east. This must have been the case, if the epidemic in Europe was a continuation of that in America. For an account of this epidemic, see the publications of that year.

In 1782 happened confiderable earthquakes in Calabria, during which the mercury in the barometer in Scotland funk within the tenth of an inch of the bottom of the scale, and the waters in many locks in the highlands were greatly agitated.

Sinclair's Statistical account of Scotland, vol. 6. 622.

In Britain the fummer was univerfally wet and cold, and crops failed, in consequence of which a distressing dearth afflicted Scotland in the following year.

In America also the summer was cool. Two or three tornadoes happened in Vermont and New-Hampshire, with deluging rains, and in one place hail of enormous fize—the gazette accounts say, pieces of ice were found of 6 inches in length.

The latter part of fummer was excessively dry. In New-Jerfey, a cedar swamp of 20 miles in length and 8 in breadth, taking sire by accident, was totally consumed. The fire penetrated among the roots to the depth of 6 feet.—Corn, grass, and the very forests withered. The air was loaded with a thick vapor, for some days in September.*

Mem. Am. Acad. vol. 1. 356. Ccurant, Oct. 8, 1782.

^{*} The reader will judge how far this extreme evaporation and drynefs, indicate the action of the internal fires or electricity which produced the tremendous discharges from Heckla in the following year.

In autumn happened the violent tempest which dispersed the English sleet from the West-Indies, and in which two or three of the French ships, taken by Admiral Rodney, foundered.

The winter of 1782 3 was more variable than usual; and extreme drouth cut short the crops in the West-Indies.

Courant, May 20, 1783. Mem. Amer. Acad. vol. 1. 360.

On the morning of the 5th of February 1783, a thick vapor or fog was observed over the island of Sicily, indicating the agitation of the element of fire or electricity; and about 12 o'clock, a violent shock of earthquake laid many houses in ruins. This was but a prelude to more terrible calamities; for about seven o'clock P. M. a tremendous shock laid in ruins the greatest part of Messina, Calabria and many towns and villages. From 30 to 40,000 persons perished in the ruins. On subsequent days, many shocks were felt, but of less violence. During the convulsions on the 5th, slames were seen to issue from the neighboring sea.

Courant, June 3, 1783, &c.

On the evening of the 10th, a dense fog or vapor spread over fome parts of New-England, having the smell of burnt leaves. The ground, at the same time, was covered with snow.

Mem. Amer. Acad. vol. 1. 361.

About this time, for the gazette accounts are not particular as to the month, commenced a most distressing famin in the Carnatic, which afterwards extended to most of the European settlements in the East-Indies. At Madras hundreds of the natives perished daily, and the streets were filled with dead bodies. The cause was a sour years drouth; for during the approach of comets, and the action of subterranean fire in other parts of the world, that country is subject to excessive drouth, as happened in 1769 and 70.

Courant, June 24, 1783, and July 1, Dec. 5, 1785.

In the evening of the 29th of March the heavens were illuminated with a most splendid lumen boreale.

The fummer of 1783 was variable in the northern parts of America; in England, it was hot.

In June commenced a most formidable discharge of lava from Mount Heckla in Iceland, which continued till the middle of

August. The country around the mountain was covered with burning sluid, to the extent of 40 miles, and in some places, to the depth of 40 feet. The lava spread over 3600 square miles.

Previous to this eruption, all the springs and streams of water in the neighborhood had been dried up; a sure forerunner of the discharge of sire; and for some months before the eruption, the atmosphere over the island was filled with a dark, bluish, sulphurous vapor or cloud, which was stationary in calm weather, but which was sometimes dispersed by winds, and spread over Europe. See Encyclopedia, article Iceland. During this eruption, a new island was thrown up, at some distance from Iceland. On the 18th of August, soon after the eruption of Heckla ceased, an immense meteor or globe of fire shot through the heavens, from north to south, passing the Orkneys and the island of Great-Britain, and bursting with a loud report.

Encyclop. art. Iceland. Sinclair's Scot. vol. 6. 623.

A part of the summer was excessively hot in America. No less than thirty persons in Philadelphia, killed themselves by drinking cold water. Many putrid severs were the consequence of the heat in various parts of the country; as also tornadoes and thunder gusts of unusual violence, with hail of uncommon size, in all parts of America. Rarely indeed has so much injury been done by hail in the same space of time.

On the 31st of May a large meteor or siery globe was seen at Richmond in Virginia, shooting from north to south. It burst with a heavy report. It will be remarked that this meteor occurred about two weeks before the eruption of fire from Heckla, but while the fires or electrical causes were in agitation, as appears from the cloud of vapor, that was suspended over the island.

Courant, Sept. 2, and June 24, 1783, and Aug. 5, and 12.

During the immense discharges of fire and lava from Heckla, all parts of Europe, Great-Britain, Italy, Sicily, France and even the Alps were overspread with a haziness in the atmosphere. This caused universal consternation, as a similar appearance had preceded the earthquake in Sicily on the 5th of February. The churches were crouded with supplicants. The French astronomer La Lande attempted to quiet the popular sears, by ascribing the phenomenon to a superabundance of watery particles in the

earth, from the moisture of the preceding year, which were then exhaled by the summer heats. But this solution is not satisfactory. It was more probably the smoke from Heckla, wasted by northerly winds and dispersed over Europe, in an attenuated form.

Courant, Oct. 28, 1783, and Nov. 11th, and 25th. Franklin's Meteorol. Observ. Museum, vol. 1. 473.

It is still more probable that this vapor was the effect of infensible discharges of electricity, combined with aerial substances; as in Sicily on the 5th and in America on the 10th of February.

In October occurred tremendous gales of wind and high tides which did no small damage in the seaports of the United States. The first, on the 15th and 16th, occasioned the highest water at New-Haven, which had been known in 40 years. Many other tempests occurred in September and October; and from Vermont to Georgia, the gazettes were filled with accounts of disasters from the violence of the winds and rains.

Courant, October 21, 1783.

On the 29th of November, a confiderable flock of earthquake was felt in all the northern states; and New-York experienced two or three shocks in the morning of the next day.

Some of the West-India islands were severely shaken, about the same time, and especially on the 4th of December.

Courant, Dec. 16, 1783. March 9, 1784.

In autumn 1783 some parts of Europe were deluged with continual rains, and at Rome 5 or 6000 children died of the small-pox. About Grenoble raged an epidemic sever.

A distemper among the cattle in Derby in England, occasioned no small alarm, and a royal proclamation was issued enjoining certain precautions to prevent the propagation of the disease.

Cotemporary with these convulsions of nature, was a most desolating plague in Egypt, the Grecian Isles, Dalmatia, Constantinople, Smyrna and in the Crimea. It is not possible, with the general accounts given of such an epidemic, in the public prints, to state, with any precision, its origin and progress in the east. It is mentioned to have appeared in Smyrna, in the spring of 1783, and it certainly raged in Constantinople, and many

other parts of Turkey in the following fummer, as well as on the north of the Euxine.

Courant, Jan. 17, 1784. July 6. Sept. 21, and 28, 1784.

In Egypt the same disease committed most terrible ravages in 1783-4 and 5. It began in November 1783. To this calamity was added a severe famin; the inundation of the Nile, in the summer of that year, having proved insufficient. So severe was the plague, that in the winter after 1783, sisteen hundred dead bodies were carried out of Cairo in a day; and the plague and samin of that and the succeeding year, was supposed to carry off one sixth of the inhabitants of Egypt. See Volney's Travels, vol. 1. 192 and 3, and Courant, Oct. 28, 1783, and Oct. 17, 1785, in which it is said that in Cairo 3000 perished in a day in April, 1785.

We have then an exact general view of the phenomena which introduce and accompany peffilence in Europe, Africa and Asia—terrible earthquakes and eruptions of volcanoes; excessive drouth in America, India and Egypt, failure of crops and famin—meteors, great heat and deluges of rain, in other countries. Let us now see what followed these abovementioned agitations of the elements, in our country.

See Courant, April 27, 1784, and Jan. 27, 1784, and June 8.

In August 1783, the scarlatina appeared in Philadelphia and in September it became epidemic. It appeared about the same time in Salem, in Massachusetts. It was in Charleston, South-Carolina in 1784, in which year, it appeared in the interior of the northern states, as in Vermont and New-Hampshire, and in Middletown, on Connecticut river. It continued to prevail about five years; but was not severe in general and many towns wholly escaped its attacks.

Rush, vol. 1. 141. Museum, vol. 2. 562. Mem. Amer. Acad. vol. 1. 369. Belknap's Hist. New-Hampshire, vol. 2. 121. Register of deaths at Middletown.

In 1787 the cynanche maligna was epidemic at Northampton, in Massachusetts.

M. S. letter from the Rev. Mr. Williams.

The measles appeared in America in 1783; at Salem as early

as May. I find it in all parts of America, in that year, but cannot trace the progress of the epidemic.

During this period neither dysentery nor pestilential autumnal fevers made any considerable ravages in America, as far as I can learn; except at Fell's-Point in Baltimore, where the bilious pestilential sever occasioned a mortality in 1783. Many sporadic cases of a similar sever appeared in various parts of the country, and almost a whole samily in New-Jersey perished by it in the autumn of that year. Fortunately however the constitution of the elements was corrected, without producing its most satal effects. Even the scarlet sever, with the exception of a sew places, was less malignant than it has been in the last period.

This pestilential constitution was felt also in the north of Europe. The scarlatina broke out in Edinburgh in the winter of 1782-3, a few months before it did in America; but of its progress I have no account. It appears to have been epidemic in London in 1786; so that its period was of about the same duration as in America. The cotemporaneousness of this species of disease in Great-Britain and America, deserves particular notice.

In December happened a fog in Amsterdam of such density as to occasion complete obscurity for three hours in the middle of the day. It was not possible for persons to find their way in the streets, and many passengers and some carriages fell into the canals.

Courant, March 9, 1784.

The feverity of the winter fucceeding these phenomena, both in Europe and America, corresponded with their extraordinary number and violence. The weather was less uniformly cold than in 1780, but the frost, in some parts of the winter was most intense. The following was the state of Farenheit's thermometer, at Hartford.

February	10th,	1	784	9			19 deg.	below 0.
	II				3		12	do.
	12					•	13	do.
	13						19	do.
	14	v				٤	20	do.

February 15	•	•	12	deg. below o.
16			16	do.
17			16	do.

On the 20th of January was discovered a comet in Pisces, which was involved in a luminous atmosphere. It was visible about four weeks.

The severe cold commenced early; the Delaware at Philadelphia was closed at the beginning of December, and continued bound with ice till the middle of March; notwithstanding a relaxation of cold and a heavy rain in January. The gazettes state that such intense cold had not been known in that city, since 1750-51.—The Missisppi was reported to be covered with ice, as far south as New-Orleans. At the breaking up of winter, the thaw was sudden, and immense bodies of ice, sloating down the rivers, which were greatly swelled, spread ruin along the low lands on their banks. Great damage was sustained on the banks of the Schuylkill, Susquehanna, Potomack and James rivers.

Courant, May 11, 1784. Feb. 24. March 30. April 11.

In Europe, the winter was no less severe—an instance in which a severely cold winter in Europe coincided in time, with the same in America. It may be remarked also that this winter was just one century after the coincidence of like events; the winter of 1683-4 being equally severe in both hemispheres.

In 1783-4 the river Liffcy in Ireland, the Thames in England, and all the rivers in the interior of Holland, were covered with folid ice. In Holland, the ice gave way about the first of March, and the rivers being greatly swelled, the adjacent country was inundated, with immense loss of lives and property. The river Waal, near Nimeguen, broke through its dikes and overwhelmed 34 villages. The Rhine from Cologne and Manheim, exhibited similar scenes of devastation.

Courant, April 27, 1784, and May 18.

In January a terrible tempest spread desolation along the coast of France from Rochelle to Bourdeaux; vessels at sea shipwrecked, and houses on land blown down. This happened on the night of the 17th. Its violence extended along the coast of Spain and Portugal. An earthquake accompanied this hurri-

cane. The coast of Italy did not escape, and so high was the swell of the ocean, that sish were lodged on the houses in Syracuse.

Courant, May 18, 1784, and June r.

This remarkable tempest happened just before the appearance of the comet.

The spring was wet and cold; and repeated snows fell in April.

The heat of some part of the succeeding summer in America was extreme. The following observations were made at Hartford.

See Courant, June 29,

June 24th at 2 P. M. 97 deg. by Farenheit. 2 P. M. 96 26 at funrise, 80 at 10 A. M. 96 2 P. M. 100 3 P. M. IOI at 4 P. M. 100 at funfet, 91

> at 10 p. m. 80 27 at funrife, 82

> > at 7 A. M. QI

This extreme heat, as usual, produced most violent hurricanes or thunder gusts, with hail of unusual fize. In May, pieces of ice fell in South-Carolina of nine inches in circumference. On the 17th of August the southern part of Connecticut was swept by a tornado, which levelled trees and buildings and did great injury. The beginning of summer was very dry; but frequent showers afterwards refreshed the earth, and good crops succeeded.

Courant, August 10, 1784. August 24 and 31. See also Appendix to a Sermon preached at Hartford on the death of Israel Seymour, who was killed by lightning.

A great eruption of Vesuvius happened on the 10th of May. Sickness prevailed in Leghorn and other parts of Europe. The plague raged this year also at Smyrna, Constantinople and in Dalmatia. Spolatro was nearly dispeopled. The heat in Europe was great and Hungary was overrun by locusts, which devoured the fields of grass and corn. A severe earthquake at the

Same time, shook the country of Armenia, and its vicinity, and a town was demolished with the loss of 6000 inhabitants, on the 21st of July. The plague raged also in the regency of Tunis on the African coast.

Courant, Aug. 31. Supplement to do. Nov. 9.

On the 30th of July a tremendous hurricane laid waste a considerable part of Jamaica, sweeping away buildings, canes, fruit-trees and overwhelming all the shipping in the harbors.

Courant, Sept. 28, 1784, and Oct. 26.

In October, according to the public prints, Barbadoes was severely shaken by an earthquake.

On the 25th of November was a very violent tempest from the N. E. and S. E. by which means, a most extraordinary tide was brot into our harbors from the St. Lawrence to New-York, and probably further to the south. Great injury was sustained by loss of shipping, and of property stored near the wharves.

Courant, Dec. 7, 1784.

The great rains fwelled Connecticut river to the height of ufual spring floods.

A meteor was feen in New-England on the evening of December 13, 1784, passing rapidly from south-east to north-west, and bursting with a loud report.

The winter following exhibited nothing very worthy of remark. In Europe it was colder than usual, and in America, it produced great snows, the melting of which in the spring swelled Connecticut river to an unusual height.

On the 13th of March 1785, there was an cruption of fire in the river Majuro, in the province of Palermo, in Sicily, which occasioned a large chasm in the earth.

Courant, July 4, 1785.

In America canine madness began to rage and spread in all parts of the northern states. The gazettes of 1785 abound with accounts of the dreadful effects of this singular disease. It will be remarked that epidemic madness of dogs is one of that series of diseases which belong to every pestilential period. Whenever the human race are generally afflicted with epidemics, the canine species rarely escape the effects of the general principle; and not unfrequently foxes, wolves and other wild animals, ex-

perience its malignant effects, and run mad. In 1785, the scarlatina anginosa was prevalent in the northern states. This was in the midst of the period, and almost every gazette announced some new case of hydrophobia.

See Courant, Aug. 1, 1785. Aug. 8 and 29.

The wheat infect, which has been ignorantly and improperly named the Hessian Fly, committed uncommon ravages in this The precise time when this insect originated, is not ascertained, probably about the year 1776, or a year or two earlier. Little notice was taken of it, for two or three years. In 1780, Mr. Underhill of Long Island lost his wheat crops by the infect; and in subsequent years, it penetrated into New-Jersey, travelling, according to common opinion, about 15 or 20 miles in a year. In 1785, it occasioned unusual destruction of wheat -and fuch was the alarm in England, for fear it should prove infectious, and be introduced into that country, that the King iffued a proclamation dated June 25, 1788, prohibiting the importation of American wheat .- This event excited no small uneasiness in America, especially in the states, whose staple is wheat. Whereupon the Supreme Executive Council of Pennsylvania requested the opinion of the Agricultural Society, as to the manner by which that infect is propagated. To this request, the Society returned for answer, their decided opinion that it is the plant alone which is injured by the infect; that the grain is found and good, and that the infect is not propagated by fowing wheat which grew on fields infected with it.

See Museum, vol. 4. 244. Am. Magazine.

The prohibition by the King and Council of Great-Britain was deemed a judicious precaution; but was the fruit of an error that pervades the world, respecting the powers of infection and contagion. The opinion of the Agricultural Society is well founded, but it remains for time and the force of truth to convince the people of Philadelphia, that the yellow fever can no more be transplanted and rendered epidemic by insection, than the wheat-insect. Both are diseases, originating where they have a suitable aliment, and ceasing to exist, when that aliment fails.

The prohibition of the British government was repealed the next year; under the apprehension of a dearth.

The summer of 1785 was excessively dry in France and England and severs very prevalent in France. In Holland such a drouth could not be recollected by the oldest man living. The canals, rivers and wells were almost totally exhausted. In the first part of summer, there was not a drop of rain for three or sour months, and cattle were sed upon the leaves of the trees. The drouth was nearly as severe in the West-Indies.

Courant, August 8, 1785, and 29th—also Sept. 12 and 19. In North-Carolina, the fields were overrun with bugs, which threatened a destruction of the grain.

Courant, August 29, 1785.

The fummer contained some excessively hot days in America, as well as in Europe.

Courant, Sept. 5.

On the 25th of August happened in the West-Indies one of the most dreadful hurricanes ever known, and equal to that of 1772 or that of 1780. This tempest was preceded by very sultry heat, and the phenomenon called looming, by which distant objects at sea appear to be raised higher or brot nearer than at other times. I have often noticed this singular effect of the powers of refraction in the air, previous to storms, of which it is the usual forerunner. Guadaloupe, St. Croix and the other windward islands were laid desolate by this tempest. On the 27th of August, the leeward islands suffered a similar calamity. On the 24th of September, an easterly storm brought into the rivers in the southern states, as high a tide as ever was known.—Norfolk was inundated, with great loss.

Sickness was very general in many parts of the United States. The scarlatina was prevalent, and the gazettes mention a precinct in Ulster in which died almost every child under six years of age. Many adults also fell victims to this or other maladies.

See Courant, Oct. 3, 1785, and Oct. 10.

On the 9th of August happened a memorable tempest at Mantua, in Italy, and the neighboring country. The wind was a hurricane, and accompanied with rain and hail-stones of the weight of 18 ounces. The accounts state that visible stames issued from the earth, and scorched people's legs and clothes; other accounts mention that the sire ran along on the

furface of the earth. The reader will call to mind the relation of the like fact, in the terrible hail-storm which constituted one of the ten plagues of Egypt in the reign of Pharach.

Courant, Nov. 28, 1785.

The autumn was uncommonly fickly in Jamaica. Kingston was a general hospital.

Courant, Jan. 30, 1786.

On the 9th of October there was an uncommon darkness in Canada; while the atmosphere was of a siery luminous appearance. This was followed by squalls of wind and rain, with severe thunder.

On the 15th occurred a still greater obscurity, succeeded also by lightning, thunder and rain.

On the 16th the morning was calm and foggy. At 10 o'clock arose a wind from the east, which partly expelled the fog; and soon after, commenced the darkness of midnight. The people dined by candle-light. Soon after the darkness fell a meteor or fire-ball.

See Mem. Am. Acad. vol. 2, and the Gazettes of that month. Courant, Dec. 12, 1785.

A flighter degree of obscurity on the 15th extended over New-England: but the 16th was a fair day.

The year 1786 exhibits fewer of the great phenomena of nature, than the preceding year; but it commenced with a degree of cold rarely known in this country. State of the thermometer at Hartford,

The frost of the whole winter was however far less severe than in 1784. The summer following was cool.

One or two violent tempelts occurred during the fummer, particularly one on the 23d of August, which passed over Woodstock, in Connecticut, with fatal violence.

The scarlet sever and hydrophobia continued to prevail in this year.

The plague prevailed on the Barbary coast; and several thoufand people in Carthagena and Malaga, in Spain, perished with yellow sever.

Town's Travels, vol. 3.

In June 1786 was a smart shock of earthquake in the north of England. In August a second shock of considerable extent. In January 1787 a shock was felt in Scotland, on the night preceding which, a piece of ground, near Alloa, on which was a mill, suddenly sunk a foot and a half. The waters of rivers receded and left their channels dry, before the concussion.

Sinclair, vol. 6.

The winter of 1785-7 began early and with great severity.—On the 28th of November, the temperature at Hartford was at 10 deg. by Farenheit, through the day. At sunrise on the 29th, it was at cypher; and the cold continued to be extreme for two weeks. It did not rise above the freezing point till the 13th of December. The cold then abated, but the winter, on the whole, was more severe than usual. Courant, Dec. 4, 11 and 18. The winter was also severe in Europe.

The fore throat was fatal in some parts of the eastern states. One man in Newton, Mass. lost three children after 30 hours illness.

Caurant. Feb. 20, 1786.

The plague continued to prevail on the Barbary coast, and in this winter and the spring following seventeen thousand inhabitants of Algiers perished. It made great havoc also in the dominions of Morocco, as it did in Aleppo.

M. S. of Mr. O'Brien. Courant, April 16, 1787 and July 23. The wheat-infect continued its ravages in the United States.

Two or three violent tornadoes are recorded to have occurred in the fummer of 1786—one at Wethersfield, which overfet a house and killed several persons; and another at Northborough in Massachusetts.

About the close of August a celestial phenomenon of a fingular kind appeared at Portsmouth, New-Hampshire. A small light cloud was feen, from which issued repeated reports, like the bursting of crackers, or an irregular discharge of musquetry—supposed to be the explosion of a meteor or succession of meteors. The wind was high at north-west, with slying clouds.

Courant, Sept. 10, 1787.

A dreadful hurricane almost destroyed the settlements at the bay of Honduras on the 2d of September. The hurricane was followed by fatal diseases.

About the close of 1787 Vesuvius discharged a large quantity of lava. In the same year was an eruption of Etna, in the month of July.

A most extraordinary tempest and inundation desolated the Coromandal coast on the 20th of May. Whole towns were overwhelmed, and more than 10,000 people perished.

Courant, May 26, 1788, and Aug. 4.

This year was in general healthy in America and in the north of Europe. In some towns in New-England prevailed angina, but it was not general,

SECTION VIII.

Historical view of pestilential epedemics, from the year 1788 to 1798 inclusive, comprehending the last epidemic period in America.

HE winter of 1787-8 was colder than usual in America, but not of great feverity.

In Europe prevailed epidemic catarrh in 1788. It appeared at Vienna in April—was in Poland and Rusha in May—at London in June—and at Paris in August. In St. Luke's Hospital, it began on the 16th of July, and a few cases occurred till Nov. 10th; but only twenty-five persons out of 190 were affected; a proof that it has little contagion. Gent. Mag. 1789. 346. The invasion of this epidemic was less sudden than usual.

On the 22d of July was a violent tempest from the N. E. which occasioned a very high tide in the Chesapeek, and no small damage. This is a singular occurrence. A north-east gale in June or July on the American coast, must be attributed to some extraordinary cause; and perhaps this may be ascribed to the approach of a comet, which appeared in October and November following. This comet was predicted by Mr. Herschel, who made previous preparations for examining it.

Courant, August 11, and 25, and April 28, 1788.

The fummer was remarkably tempestuous. On the 20th of August, a severe gale of wind did great damage in many of our ports. Of 30 sail of vessels, in certain rivers and bays of North-Carolina, 26 were destroyed. A tempest in the beginning of the month had been terribly destructive. No one event is more certain, than a vast increase of tempestuous weather during the approach of comets. The tempest of the 19th extended over the whole sace of the country, penetrating to Vermont, levelling buildings, trees and corn. Many cattle and one child

was killed by falling timber and trees. To enumerate the particulars, would fill many pages.

Courant, Sept. 1, 1788, and 8.

It is remarkable that this tempest in the United States was but two or three days after a tremendous hurricane among the windward islands, which was supposed to do more injury than the great tempest of 1766. At the leeward also the same calamity besel the islands. In Martinico the barometer sell nearly to 27 inches.

Courant, O.St. 27, 1783.

About the same time similar disasters besel France and England. A tornado of great violence occurred about Paris, in which, the gazettes declare, sell hail stones of 8lb. weight. During a tempest in London, a fire ball entered a house and struck down two persons.

Courant, Oct. 27, 1788.

In the West-Indies hurricanes were repeated in September with destructive rage.

On the evening of the 17th of October 1788 was feen, at various places, in Connecticut and New-York, a meteor or fire ball, whose apparent diameter was equal to that of the sun in the meridian. It passed from the eastward to the westward with amazing rapidity, illuminating the earth, and approaching near the western horizon, it burst with a heavy report.*

Courant, Oct. 27, 1788.

The comet already mentioned first appeared about this time. It rose about 3 o'clock in the morning in the north-east. A violent north-east gale occurred on the 11th of November.

Courant, Nov. 3 and 17.

This summer in America was very rainy; earthquakes happened in Italy and Mexico; and a shock was felt in July in the isse of Man.

Sinclair's Scot. vol. 6. 625.

The thermometer on one day in July rose to 103 in Columbia College, in New-York; but the general heat of the summer was not excessive.

Museum, vol. 7. 36.

^{*} This meteor was feen at Poughkeepsie, on the Hudson, nearly in the zenith. In Sussex county, west of Cape Henlopen, it appeared to be about ten degrees above the horizon. Courant, Dec. 8, 1788.

In November 1788 appeared the measles in New-York. On its first invasion, it appeared with great malignity. The same distemper appeared in the northern liberties of Philadelphia, in December; and spread till it became epidemic in February and March.

Courant, Nev. 24, 1788, and Rush, vol. 2. 234.

The eastern parts of Europe were fickly during the summer of 1788. The immense armies on foot, in the war between the Austrians, Rushans and Turks, contributed to increase the mortality. It was estimated that 80,000 Austrians perished, mostly by disease. The year however was generally healthy.

The winter of 1788-9 was colder than usual in the United States. On the morning of the 2d of February, the mercury in Farenheit fell to 28 deg. below cypher; 4 degrees lower than had before been observed in Hartford. The season however was on the whole less severe than in 1780 and 1784.

Courant, Feb. 2, 1789, and 9th.

In Europe, the winter appears to have been unufually fevere. The frost penetrated to the southern parts of Spain and Portugal; and the rivers in Estremadura and Alantejo were covered with ice. The Pyrences were involved in deep snow in March.

Courant, Aug. 3, 1789. Univ. Mag. 1789.

It should have been related under the year 1788, that almost all the cod-fish taken on the banks of Newsoundland, in that year, were thin and fickly; when dried, they were of a dark or bluish color, little better than skeletons, and not well received in foreign markets. This condition of that fish was confined to those banks; as the cod taken at other places were in their usual state.

M. S. letter from Dr. Holyoke.

On the 28th of May 1789, appeared in Connecticut a most singular halo, of which the public prints contain a particular defeription. This phenomenon seems to indicate the approach of tempestuous weather, and was in this instance, followed by a heavy wind and rain. But when this appearance is of singular brightness or extent, it indicates a state of the atmosphere highly electrified perhaps and certainly tempestuous, and storms are numerous and violent. Thus the remarkable hurricanes of

1780 were preceded by as remarkable haloes. The halo of May 28th was preceded by a most splendid lumen bereale.

The instance under consideration was surprising and to gloomy minds, awful. A clergyman, since dead, wrote a moral essay on the occasion in which he predicted great calamities to happen; and he mentioned other events, of that period, as unusual numbers of slies, caterpillars, locusts, and dearth of corn, in consumation of his opinion that the arm of the Lord was extended in wrath over our land.

Courant, June 8, 1789, and June 15.

It is true that our crops had been thin, in the preceding year, and the northern flates, in the spring of 1789, experienced a dearth, approaching to famin. In Vermont, people were reduced to the necessity of feeding on tad-poles boiled with peasitraw. In one instance sour potatoes sold for nine pence. None of the human race were actually slarved to death, but a few died of a flux in consequence of bad diet.* Cattle however perished in considerable numbers. Such were the gazette accounts of the day. It is certain that a similar scarcity had not been experienced in America for many years. Whether the sailure of crops and the sickly state of the cod-sish marked a derangement of the elements, let the philosopher determin.

Courant, June 15, 1789, and June 22.

The fpring of 1789 was cold and vegetation tardy, beyond what could be recollected by the oldest persons living. Part of the summer succeeding was excessively hot. For nine or ten days successively, in August, the heat was above 90 deg. and in the midst of the day, it rose nearly to 100 deg. The mean temperature of the summer was however not much above what is usual. Rush, vol. 2. 234. Courant, Aug. 24 and 31. On the 4th of June ice at Wioming was as thick as window glass.

Courant, June 22.

The failure of crops in the Carnatic in 1788 occasioned a severe famin, by which thousands perished in the succeeding year.

Courant, April 27, and Sept. 28, 1789.

The hydrophobia showed itself in America early in 1789.

[•] In old fettlements, there was food enough for man, but the failure of a furplus in this country, is a rare event.

A man in Coeyman's precinct, state of New-York, died in July of that dreadful malady, taken as was supposed, by skinning a cow that died of the disorder in the April preceding.

Courant, Aug. 3, 1789.

In Maryland, the autumn was distinguished by an unexampled mortality among horses.

Courant, Dec. 31, 1789.

In Europe also crops had failed, and England, Holland and France apprehended the most calamitous effects. In Paris the cry of *bread*, *bread* was every where heard, and many riots and mobs marked the distress of the inhabitants.

Courant, Oct. 12, 1789.

The empire of China experienced the fame calamity, and the people suffered indescribable distress from famin and disease. In Madras died 30,000 people by famin in 1788. Courant, April 27, 1789. In this instance, crops failed over the whole earth, in the same year.

On the 10th of July a most tremendous earthquake convulsed Iceland. Large chasms were opened in the earth, and some mountains were rent asunder. Several shocks happened on subsequent days, and a violent shock in September is mentioned in the 6th volume of Sinclair's Statistical works, 625.

Courant, January 21, 1790.

On the 30th of September occurred a violent earthquake in Tuscany, by which some villages were destroyed and several thousand lives. On the same day, but not at the same hour, a small shock was felt at Edinburgh. On the 5th of November, a shock was felt at Crieff, 50 miles from Edinburgh; and on the 10th and 1 tth, severe shocks were felt at other places.

Courant, Dec. 7, 1789. Sinclair, vol. 6. 625.

On the 4th of December arrived at Lieth, Capt. Stewart of the ship Brothers, from Archangel in Russia; who informed that on the coast of Lapland and Norway, he failed many leagues among multitudes of dead haddock floating on the water. He spoke several ships which also passed among them.

Sinclair, vol. 6. 627.

Whether these fish were killed by an earthquake or a discharge of subterranean vapor or heat, or died by sickness, is not known.

If they were killed, it would feem probable that other fish in the same seas, would have shared the same sate; which does not appear to have been the case; for the accounts make no mention of the death of other kinds. And what renders it probable that they died of disease, and a disease peculiar to that kind of fish, is, that for some years after, no haddock came to the markets in Scotland, as before that mortality. That species appeared to be almost extinct; whereas there is no mention made of a failure of other kinds of sish. Careful observations and precise dates would assist our researches into the causes of these wonderful phenomena.

In October, Vesuvius was in a state of eruption for several weeks, and discharged small streams of Lava. The plague prevailed at Constantinople and Smyrna.

Gent. Mag. 1789.

On the 29th of October from 2 o'clock P. M. to half after 4, Kentucky was enveloped in thick darkness, so that people were obliged to use candles.

Courant, January 14, 1790.

It will be observed that this durkness, and the beginning of the influenza in America coincide nearly in time with the eruption of Vesuvius, and many earthquakes.

Such universal disorders in the elements never fail to produce epidemic diseases; and those here related were the heralds of the most severe period of sickness that has occurred in the United States for 30 years.

The first appearance of that series of epidemics to be hereafter described, seems to have been in the measles at New-York in November 1788, and at Philadelphia in December following. This disease became epidemic over the northern states in 1789, but I have not the means of describing its progress. I find, in bills of mortality, from various places, deaths by measles are mentioned in 1789 and 90.

In autumn 1789 appeared the influenza or epidemic catarrh. The precise time and place of its appearance, are not ascertained. Some accounts say, it originated in Canada. But I shall confine my observations to its progress in Atlantic America. It was first observed about the close of September 1789, in New-York

and Philadelphia. Dr. Rush informs me, that it was brought to Philadelphia by the members of Congress, who returned from New-York, about the first of October. Another account, written by one of the faculty in Philadelphia, and published in the 7th volume of the Museum, mentions its first appearance there, about the time of the Friends Yearly Meeting, in September. The precise time is probably not ascertainable; the opinion of its propagation by infection is very fallacious, as I know by repeated observations. It probably appeared in detached cases, some days before it became a subject of observation.

Mufeum, vol. 7. 231.

From the middle states, it moved rapidly over the whole country. It appeared in Hartford, where I then refided, about the middle of October. On the 19th of that month, I left Hartford for Boston and arrived the next day in good health. I was feized with the influenza on the 23d, and by the aid of a diluting regimen, recovered in four days. No person who attended me was feized with the distemper, sooner than the other inhabitants of that town. I mention this to disprove the common opinion of its infection; not that I deny it to be in a degree, infectious; altho my own observations do not warrant that concesfion; but I aver that its propagation depends almost entirely on the infensible qualities of the atmosphere. Two ladies who left Boston with me on the second of November, before the disease had appeared in their family, and before it was a subject of conversation, were seized with it in Hartford, at the same time, that it became epidemic in Boston, one on the 8th and the other on the 12th.—The disease had then passed Hartford, and there is no evidence of their being exposed to any person insected. fact shows a regular progress in the state of air producing the difease-as persons leaving Boston and travelling one hundred and twenty miles distance, were effected precisely at the time the disease became epidemic in that town.

This disease pervaded the wilderness and seized the Indians it spread over the ocean and attacked seamen a hundred leagues from land, and as to insection, entirely insulated—it appeared in the West-Indies nearly at the time it did in the northern states. It overspread America, from the 15th to the 45th degree of latitude in about 6 or 8 weeks; and how much further it extended, I am not informed

It should have been mentioned that, in September, anterior to the invasion of the catarrh, the scarlatina anginosa appeared in Philadelphia; but in October it yielded to the influenza, the controlling epidemic. The scarlet sever re-appeared in December, and became epidemic; often blending itself with the influenza. It exhibited one predominant seature of the whole series of succeeding epidemics, a prevalence of bilious matter, which was often discharged by purging and vomiting. This discase continued to prevail in Philadelphia, and if my information is correct, in some parts of New-Jersey, till the spring of 1790. The measles occurred in some cases, but was not epidemic.

Museum, vol. 7. 120, 175.

It is remarkable that the fearlatina anginofa was cotemporary in Edinburgh with the epidemic measles in America in 1789, and nearly so, with the death of the haddock on the coast of Norway.

It will be observed that the scarlet sever, tho epidemic in Philadelphia, did not spread over the country in 1790. It was little known in the northern states, till two years after—this is among the proofs that this disease does not depend on insection for its propagation. If insection was its only or principal means of propagation, the somites existed in great abundance, in particular places in 1790, and sufficient to have spread it over the United States. But a disease however insectious, will not spread far in an atmosphere that will not generate it. Indeed scarcely a year passes in which sporadic cases of scarlatina, or anginas of other kinds do not appear in particular places; but they never spread without some uncommon concurrence of causes.

The winter of 1789-90 was one of the mildest that is ever known in this country; there being little frost, except for a few days in February. There fell frequent snows and in great abundance; but they were immediately followed by warm southerly winds, and dissolved.

Early in the fpring of 1790 we had a fecond epidemic catarrh. I was attentive to its origin and progress. I found it at

Albany in the last week in March, and heard of it in Vermont about the same time. I returned to Hartford, but altho exposed repeatedly to its infection on my journey, I was not seized earlier than others in Hartford, where the disease appeared about the middle of April. It spread to the southward, arrived at Philadelphia near the close of that month, and disappeared in that city about the middle of June. In the northern states, as far as my knowledge extends, the disease was more violent, than in the preceding autumn. Many plethoric persons of sirm habit almost sunder it; while consumptive people and hard drinkers fell its victims.

Museum, vol. 8. 65.

The fpring and fummer of 1790 were mostly rainy; but otherwise seasonable weather. No remarkable epidemics prevailed, except those already described, but an increase of mortality, in some places, is visible in the registers of deaths. Severe earthquakes occurred on the African coast.

Let it be observed that the measles appeared in autumn 1788, just after great volcanic eruptions, and a most tempestuous summer, when the element of fire appeared to be in universal commotion; just after the meteor, and during the appearance of the comet.* Let it be observed also that the harvest failed, at this time, in China, India, Europe and America, and let any man deny the all-controlling influence of the elements in producing these events.

The winter of 1790-91 commenced early and with fevere weather. The last week in November was cold; Connecticut river at Hartford was closed with ice on the 9th of December, and not open till the 12th of March. On the whole, the season was not of unusual severity. The spring and early part of summer were, in most parts of the country, very dry, until the middle of June.

On the 15th of January, a confiderable shock of earthquake was experienced at Richmond in Virginia. At the same time catarrhs were so prevalent in that state and in Pennsylvania, as to excite an apprehension of another visit of the influenza.

^{*} In 1732 a dark day occurred in August preceding the influenza. In 1789 a darkness at Kentucky occurred, during the epidemic catarrh.

Inflammatory diseases were very frequent during the winter. In Philadelphia the scarlatina anginosa appeared late in January and was very prevalent in February. In the interior of Carolina it was sickly, but I have no particulars. The whooping cough prevailed in many parts of the country.

Courant, Jan. 21, 1790. See Museum, vol. 9, 65.

In the month of April, some fishermen at the Narrows, near New-York, caught sourteen thousand shad at a single draft; to secure which, it was necessary to add several seines, one upon the other. This circumstance is mentioned, because several medical authors have related that an extraordinary abundance of sish is among the precursors of pessilence. It will be noted that the pessilential sever, which has prevailed for many years past, first appeared in New-York, in the autumn succeeding this singular draft of sish.

Courant, April 25, 1790.*

On the 16th of May, at half past 10 o'clock P. M. in a screne, moon-light night, an extensive earthquake was selt in the northern states. It was preceded, a few seconds, by a rattling sound; its duration was short; its course as usual in America, from N. W. to S. E. No injury was sustained.

Courant, May 23.

On the morning after the earthquake, was observed at Middletown in Connecticut, a substance like honey or butter, covering the grass and earth for a considerable extent. See an account of a similar phenomenon in Ireland under the year 1695.

To these phenomena succeeded in Connect cut the generation of millions of that species of black worm, described under the year 1770. I believe they were far less numerous than in 1770; they however appeared in Hartford and in Norwich, and disappeared at the same time. They were very destructive to the grass and corn, but their existence was short; all dying in a few weeks.

It may excite furprise that there should be supposed a connection between an uncommon abundance of fish, and possilence. But the theory that resolves this into the unusual powers of excitement, is rational. The state of the elements that causes pessilence, always produces unusual numbers of infects; and often the human race is more prolific than at other times. See the London Registers of births and deaths. Mais. Hist. London

A paragraph in a Maryland paper dated June 1, 1791, mentions animals, there called *caterpillars*, but evidently the fame species of worm. They are represented as marching in legions from place to place, and devouring the grass.

About the fame time appeared at Lanfingburg on the Hudson, a species of worm that greatly injured the fruit-trees.

Courant, June 25, 1792.

But the most extraordinary phenomenon was the existence of the canker-worm, in numbers before unexampled. Whether these animals had made their appearance in the preceding year or not, I do not recollect. But in 1791 they devoured the orchards over the New-England states; and their ravages were repeated in the two following years. Orchards, standing on stiff clay and in low grounds which are wet in spring, escaped; but on every species of light and dry soil, the trees were as dry on the first of June, as on the first of January. Many trees have never recovered from the effects of their ravages.

Another worm of a distinct species, and called at the time, palmer-worm, overspread our forests in this or the next year, devouring the leaves of oak and other species of wood.

It is a prevalent opinion that uncommon flights of wild pigeons in America, indicate the approach of a fickly feafon. I am not inclined to credit any popular opinion, without good grounds; but this feems to have been formed on a long feries of observations. Certain it is that pigeons in the summer of 1791 were unusually numerous. In Maine, there were tracts of forest of miles in extent, the trees of which were covered with their nests.

Courant, July 11.

The fummer of 1791 was excessively hot. At Salem the thermometer was at and above 80 deg. no less than 55 days, and above 90, twelve days—an instance that had not happened in many years, in that cool place; altho it often happens in the middle states.

Mem. Am. Acad. vol. 2. 91.

On the 27th of November Lifbon fustained severe shocks of earthquake.

In autumn, bilious remittents affumed, in Philadelphia, the inflammatory diathefis, so predominant in the last pestilential constitution. Dr. Rush, in his public lectures, mentioned this fact at the time, altho he little suspected what effects that constitution was to produce in subsequent years. It was found necessary to bleed from one to three times. In most cases, the liver was affected with all the symptoms of Hepatitis.

M. S. letter from Dr. Rufh.

At this period the pestilential or epidemic constitution of the atmosphere began to show itself in the infectious yellow sever. It appeared in New-York, in autumn, along the east river, and carried off about 200 persons. This gave some alarm, which soon subsided.

It must be noted that the measles in 1788, the disease which marched in the van of this series of epidemics, appeared first in New-York—this was probably the sast also in regard to the influenza of the succeeding year—and the scarlatina anginosa at the close of 1792. The scarlatina of 1789 and 91 in Philadelphia was local, or if it appeared in a sew other places, it did not spread over the country. All the last great epidemics have originated nearly in the same longitude between Connecticut and Pennsylvania. It is not to be concluded from this sast that they have been propagated by infection from one spot, as from a center; we know this is not the sast; the same diseases originating in remote places.* But it serves to show that the cause or principle of disease in the elements is of various force, and will first show its effects in places where it has the most strength.

In the same summer of 1791, the pestilential principle began to exhibit its essects in the increased malignancy of the tropical severs. The "unusual epidemic sever" in Grenada, described by Dr. Chisholm, in the Edinburgh Medical Commentaries for 1793, and which was the occasion of no small surprise, was the commencement of that series of satal diseases, which, in subsequent years, made dreadful havoc in the Islands. This sever became so violent and insectious, contrary to the common sever

^{*} The mild fearlatina, the herald of the epidemic, appeared at New-York and at Bethlem in Connecticut, in 1792, in the fame month.

of the tropics, that a labored attempt was made to trace it to fomites from the coast of Africa. The truth is, the fever was nothing more than the common fever of the climate, with the superadded malignancy derived from the existing constitution of the elements. The same fact took place on the African coast; that is, the usual severs of the climate became more malignant.

This idea is suggested by a series of similar events in other climates; all the diseases of America, at the same time, assuming a similar augmented violence, and sporadic cases of malignant sever appearing in all parts of our country. Such has been the fact in all other epidemic periods.

To confirm this idea, let it be observed that in the same year, when this malignant sever appeared in the African Seas on board of ships, in Grenada, and in New-York, as well as in sporadic cases in other parts of America, the plague carried off two or three hundred thousand people,* in Egypt, and raged in Constantinople with great mortality. In all these distant countries, the same or similar effects were nearly cotemporary. The plague in Egypt continued into the next year; but I have no details of its progress and termination. The same general principle was experienced in Great-Britain, and the bills of mortality in London continued to swell, till the year 1793.

The winter of 1791-2 was somewhat colder than usual. The month of January was remarkable for severe weather of three weeks duration. In March a slight earthquake was felt in the middle states, but I have no particulars.

Courant, March 19, 1792.

The fpring months were very rainy in the fouthern states and the islands, which experienced distressing inundations.

Courant, May 28, 1792.

In the northern states there was a period of singularly cold weather in the beginning of June, occasioned by a dry N. E. wind. Some persons used fires as late as the tenth day of that month. The heat of the following summer, in general, was not extreme.

^{*} These numbers are to be suspected of exaggeration.

In May and June, a species of locusts appeared in the northern parts of the state of New-York, which committed ravages among the grain. The wheat-insect continued its ravages, and appeared this year as far southward as Elk Ridge in the state of Maryland. On Long-Island the destruction of wheat was great and distressing.

Courant, June 25, and July 2, 1792.

In July happened at Philadelphia a violent tornado; but the fummer was not distinguished for the number of this species of tempest. In one instance, in Vermont, the hail-stones which fell are said to have been from 3 to 6 inches in circumserence.

About this time, a malignant fever began to rage in Charlefton, South-Carolina, carrying off the patient in three days, and occasioning a considerable mortality.

Courant, August 6, 1792.

In the following winter, Egypt was a prey to famin; and the streets of Cairo were filled with dead bodies.

In November 1792 feveral fmart shocks of earthquake were felt in Perthshire, a county in Scotland.

In Philadelphia appeared an infect in the form of a fly, which generated a finall worm or caterpillar, that attacked the tree, called Lime Tree, which is there used for shade. From that year to the year 1798, this infect has ravaged those trees, and destroyed some of them. Just philosophy will not hesitate to believe the cause of this phenomenon and of the pestilence succeeding, to be connected.

In this year, 1792, commenced that scarlatina anginosa which became epidemic, with great mortality. I regret that a want of exact registers, will not permit me to trace it to its sources with the precision desireable in all such cases. I am informed that well defined cases of the disease were observed in New-York, as early as the month of August. But it occasioned no considerable mortality in that city, until the following winter.

At Bethlem, in the western part of Connesticut, there were sive deaths in this year by the cynanche trachealis. I have not heard of any other instance. In August, there were seven or eight cases of the scarlatina anginosa, but so mild as not to prove mortal. The reader will note the last circumstance; for I am

able to prove, that this disease in Connecticut, was progressive in a remarkable manner, and from the sact, which I believe is not uncommon, will be drawn most important consequences.

The autumn was one of the mildest ever known. November was so warm that we sat with open windows, at Hartsord, on the 19th of the month. This moderate weather was succeeded by severe cold, and Connecticut river was closed by ice on the 10th of December. The latter part of winter however was not very severe, except a week or two in February.

'On the 11th of January 1793 appeared a comet in the conftellation of Cepheus. It was seen for the last time by Mr. Rittenhouse on the 8th of February.

Phil Tranf. Phil. vol. 3.

In the course of this winter and the spring succeeding, the scarlet sever raged in New-York, with considerable mortality. It became epidemic also in Philadelphia, in the course of the spring months.

Catarrh was very prevalent in the northern states, at the same time; and the small-pox by inoculation at Hartford proved unusually obstinate and satal; indicating an insalubrious state of the atmosphere.

In February 1793 the scarlet sever invaded the town of Bethlem, like "an armed man," says Mr. Backus, Medical Repository, vol. 1. 524. He calls the disease angina maligna, and it doubtless put on the symptoms of it in many places. It seized almost every family and child. It abated in May, disappeared in November, and re-appeared in January 1794 with nearly its former violence. Nineteen children died in the first invasion, and sourteen, in the second.

We have here distinct marks of progression. The disease in a mild form appeared in August 1792, then disappeared. In February following, it invaded the town in its worst form. Six months therefore intervened between its precursor, or mild form, and its invasion with full force.

The same disease appeared in the neighboring district of country and in distant parts, in nearly the same longitude, in the course of this year; but I have not materials for a detail of sacts.

I find however, it prevailed in Litchfield in 1793, and was supposed to be imported into that town from Vermont. It was also very mortal in New-Fairfield, the same year. I therefore presume the disease to have been very general through the western districts of Connecticut, Massachusetts and Vermont, and to have prevailed as far westward as Pennsylvania, in this year. Of its progress beyond that state, I have no information.

In September and October of this year, about the time the distemper subsided in Bethlem, it began to exhibit appearances of approach, in the maritime towns of Connecticut. Its precurfors at New-Haven, as described by Dr. Monson, a good judge of the subject, were "flight influenza, stinging pains in the jaws and limbs, foreness in the muscles of the neck, with a slight fever."

In November and December following, feveral cases of ulcerous fore throat occurred, but they had a favorable issue, and the symptoms were not alarming.

In January 1794 arrived the crifis of this difease; it put on its malignant symptoms, and in the course of the fix following months, seized more than seven hundred persons, principally youth, of whom died fifty two.

Sec Dr. Monfon's account in my Collection, p. 173.

Here again is distinctly marked a regular progression of symptoms from September to January; the precursors being four or five months in advance of the disease in its most violent form.

In Hartford, on Connecticut river, about thirty miles east of Litchfield and Bethlem, I had an opportunity to make perfonal observations on the origin and progress of this epidemic.

I do not know the date of the first case; but in my own memoranda, its appearance in my eldest daughter, then in the 3d year of her age, is noted under the 12th of May 1793. The attending physician informed me, that the disease was then epidemic. Its first appearance therefore must have been a week or two earlier.

This disease was a mild scarlatina anginosa. The patient had considerable sever—the paroxisms were daily, and terminated in profuse sweats—there was a partial efflorescence of the skin about the neck and breast, and some affection of the throat. Its criss,

if I do not misremember, was about the eighth day. I was informed that in no case, did this disease prove mortal, during this invasion.

The reader will observe the dates—this mild angina invaded Hartford in April and May, about the time, the severity of the disease began to abate in Bethlem.

Nine months after the invalion of this mild angina, that is, in February 1794, this disease appeared in Hartford in its formidable array, and many children became its victims.

Nothing can prove more clearly that infection had no concern in the origin of this diftemper, than this gradual augmentation of its fymptoms. If any fact were necessary to demonstrate the all-controlling influence of the elements, in the propagation and termination of the disease, this progression alone would be sufficient. The mild epidemic of May 1793, was the same species of disease with that which was then destroying life, in the western parts of the state, and in New-York and Pennsylvania; but the condition of the atmosphere at Hartford was not, at that time, sitted to give the disease its sull degree of violence. The summer season perhaps suspended the operation of the general cause, by means to us unknown. In February following arrived the crisis of the disease.

I know not whether other epidemic anginas have been characterized by the same progressiveness in the symptoms. It is not improbable that they have; and that age after age has passed away, without noticing the circumstance; a circumstance that throws more light on the origin, causes and sphilosophy of epidemics, than all the differentions on the subject, since the days of Hippocrates.

My own children were affected with the mild angina in May. I removed, with my family, to New-York in November 1793, before the fatal angina invaded Hartford, and after it had finished its course in New-York; my children escaped its violence, and probably in consequence of this removal. This was an accidental circumstance in my family, but I suspect a similar removal of children, during the progress of that malady, might save a multitude of lives; although the circumstances of many people will not

permit them to avail themselves of the expedient; and in some cases probably it would fail of success. It however deserves consideration. The angina had completed its course in New-York in 1793 or nearly. It did not invade Boston till 1795. A removal of the children from the atmosphere of Boston in 1795, to an atmosphere where the disease had ceased, would probably have secured most of them from an attack.

The fummer of 1793 was excessively hot, after a dry spring, and produced a great number of violent gusts, with rain and hail. The autumn was very dry. A fatal dyfentery prevailed in Georgetown, on the Potomak, and in the vicinity, which fwept away many hundreds of the inhabitants. The fame difease prevailed in Coventry, in Connecticut, and killed almost every person whomit seized. A nervous or long sever prevailed in Wethersfield. In short, in most parts of the United States, the pestilential principle exhibited its effects, in some form or other, and every where fwelled the bills of mortality. It extended to the West-Indies, and so violent was the epidemic at Grenada, that the physicians and inhabitants, unable to account for it, really supposed it an imported disease. The treatise written by Dr. Chisholm to prove it imported, is satisfactory evidence to me that the disease was an epidemic. The disease corresponds in its principal character, with the pestilential fevers of this country, many of which are known to be generated in our own climate.

In August 1793 commenced in Philadelphia that dreadful pestilence which alarmed the United States, and spread terror and dismay over that city. The spring diseases, which ushered in this malady, were influenza, scarlatina and mild bilious remittents. See Rush's Treatise on that sever. These are the most certain and immediate precursors of pestilence, in this country; and the influenza seems to be so, in all countries.

During this epidemic, the weather was very fultry and dry. A-bout the 12th of September, fell a meteor between the city and the hospital. The number of victims to this disease was 4040.

A controversy arose among the physicians in Philadelphia, relative to the origin of the plague; one party tracing the disease, as they supposed, to insected vessels from the West-Indies;

the other ascribing it to exhalations from damaged coffee and filthy streets. This controversy has occasioned an unhappy schism among the medical gentlemen, and the citizens of Philadelphia.

It is greatly to be regretted that gentlemen of the faculty committed themselves, by prematurely giving positive opinions on that important question, and thus laying the foundation for permanent evils to the country. It would have been wifer to have instituted a regular enquiry into historical sacts, relating to pestilential diseases, antecedent to any positive decisions on the subject.

By an account of the deaths in Algiers, kept by Capt. O'Brien, while a prisoner, I perceive that 4893 persons died in 1793 by the measles and plague. There was a considerable increase of mortality in that year; and we observe the measles and plague prevalent in the same year—an evidence that on the Barbary coast, as well as in Europe and America, these epidemics are allied.

By this account also it appears that in 1789 a number of perfons died by the aslbma. It is not probable this was epidemic, and I suspect by this name was intended catarrh or influenza. As this disease was then epidemic in the United States, it would be gratifying to know whether the same epidemic prevailed on the African coast, at the same time.

It is remarkable that in the spring of 1793, when the scarlatina anginosa had first commenced its progress in America, it began also in England. It appeared first in the villages about London, and afterwards descended into the city. Med. Mem. vol. 4. It continued to prevail for several years, with different degrees of violence, at different times. See the Monthly Magazines.

The winter of 1793-4 was milder than usual in America. The thermometer in New-York, in a northern exposure, descended no lower than 13 deg. above 0, and but twice to that degree.

On the 17th of May was a fingularly severe frost in the northern states of America, which destroyed garden vegetables and the leaves of trees. The wheat, oats and flax in many places turned yellow, and fruit was destroyed.

This frost was preceded by a few remarkable hot days, such as we usually have in June; and speedily followed by a long series of rains, with easterly winds.

This frost has been supposed to kill the canker-worms, which had ravaged the orchards, for some years preceding. Another opinion is, that a hard frost in April, destroyed them, just after they were hatched. A third opinion is, that they had run thro their period of existence, and perished in a natural way. In confirmation of which opinion, it is said they were evidently declining in the preceding year. There is probably truth in both the latter opinions.

The fummer of 1794 was, on the whole, not intemperate. We had hot weather, but frequently was the earth refreshed by showers, and cool westerly winds. The whooping cough prevailed in New-York.

The scarlet sever, in the course of this year, spread over Connecticut. Its essects are very apparent in the bills of mortality.

It appeared in 1795 in Boston, in the spring or early in summer, and continued to prevail in Massachusetts and New-Hampshire in 1796. Its progress from New-York to Maine, about 300 miles or perhaps 400, was run in about sour years. It travelled therefore about 100 miles in a year. Such also was the sast in the preceding period; as well as in 1735. It should be observed also that its direction, in the two last epidemic periods, has been opposite to that of the disease of 1735. The latter began in New-Hampshire and marched to the westward; the sormer began in the middle states, and advanced to the eastward.

On the 10th of June 1794, the bilious plague made its appearance in New-Haven, a feaport in Connecticut. The person first seized with the disease was, the wife of Isaac Gorham, living on the wharf, and the nature of her complaint was not understood, nor suspected, till near the time of her death, on the 15th.

No fooner was it known that a peffilential fever was in the city, than the inhabitants took the alarm, and directed an examination to be made into the causes. On enquiry, the following appeared to be the fources of the discase, or were reported to be the probable causes.

In the beginning of June, Capt. Truman arrived from Martinico, in a floop, which was hauled up by the store of Mr. Elijah Austin, a few rods from the house of Mr. Gorham. This sloop was supposed to be infected with the pestilential sever of the West-Indies. From this sloop was landed a chest of clothes, which had belonged to a seaman who died with the sever in Martinico; which chest was opened and the contents inventoried by Mr. Austin, in his store, in presence of Capt. Truman, of Henry Hubbard, a clerk in the store, and of Polly Gorham, a niece of Isaac Gorham. Mr. Austin and his clerk were seized, a few days after the opening of this chest, (but how many days is not stated) and died about the 20th of June. Polly Gorham was seized on the 12th and died on the 17th of June.

These circumstances appeared to the people at that time, to be clear and decisive evidence of the importation of the somites of the disease; and especially the fact, that Mr. Austin and his clerk were attacked with the symptoms, nearly at the same time. This acquiescence in an opinion so important to society and truth, renders it necessary to state the result of more careful enquiries.

In the first place, the opinion that the sloop could communicate the infection, is unfounded; for it does not appear that any person, ill with yellow fever, had been on board-there certainly had not been any fick on board, after her leaving Martinico. The floop was taken by the British troops, when they took that ifland, and lay in port some weeks, unoccupied; until Capt. Truman had an opportunity to purchase her. In the mean time, fome of the crew, to keep themselves employed and procure bread, went in the business of droging; that is, transporting goods from place to place. One of them died with the fever, but on shore, and he had not been on board of the sloop, after his illness. On the passage home, the seamen were all in good health. There is therefore not the least ground to suppose the floop contained any infection, and no part of her cargo was supposed to be in a bad state. The external parts of a vessel or house cannot retain or communicate infection.

Secondly. As to the cheft of clothes, it is probable it contained no infection from difeased persons; for by the affidavit of

Capt. Truman, taken before Alderman Furman of New-York, at the request of Dr. Baily, the Health Officer of that port, which affidavit I have consulted, it appears that the clothing, worn by the seaman who owned the chest and died at Martinico, was all wrapped in his blanket with his body and buried. As Capt. Truman is a man of good character and has made his affidavit, four years since the disease at New-Haven, when all apprehensions of injury from declaring the truth, have subsided, there seems to be no reason to question the fact.

But as men, who have not attended to the great operations of nature in producing epidemic diseases, naturally look for the causes among visible and tangible substances, they still found a resource in a British regimental coat, which was in the chest, and which, it was supposed, might have belonged to a soldier who might have died of the yellow sever. In consequence of these suspicious, the contents of the chest were all burnt.

On examination it appears that the coat was new—and the mate of the floop has fworn that he faw the coat plundered by the feaman from a bale of goods, and he believes it had never been worn. It was taken by the feaman in the business of droging, from among the packages of clothing sent by the British government for the use of the troops. But had we no such evidence, common sense might inform us, that a man, laboring under a fever in the sultry elimate of the West-Indies, would not wear his regimentals.

In the chest therefore, as in the sloop, we can find no infection of yellow sever. If Mr. Austin and his clerk received the seeds of disease from the clothing in the chest, as it is possible they did, the sources of the disease must have been the settle effluvia of dirty clothes, which had been kept a long time, close packed in a chest, in a sultry climate. It is not necessary to suppose the clothes to have been worn by a diseased person. The sweat and silth from a body in health, if consined in the hot season, will ferment and produce a poison injurious to health, and productive of yellow sever or other disease.*

^{*} It is a well authenticated fact, that Mr. Daniel Phenix, treasurer of the city of New-York, and his fons, were infected with a violent yellow fever, by means of the fetid effluvia from packages of bills of

But as some reports have been circulated, in contradiction of the testimony of Capt. Truman, and as there is a possibility that he might have mistaken the facts, I lay out of this question all the evidence respecting the sloop. For whether the trunk contained insected clothes or not, is wholly immaterial; and without any reference to that point, the evidence that the sever in New-Haven did not spring from any imported source, is complete.

Mr. Austin went on business to New York, was seized with fever and died. His body was conveyed in a sloop to New-Haven, and buried. It is an agreed point, that no friend, nurse or other person took the sever from him.

Mr. Hubbard went on business to Derby, ten miles distant, was taken ill and died. His body was carried to New-Haven, and buried. It is agreed that no person took the disease from him.

It is not known that Polly Gorham was ever near the trunk of clothing—the report of her being present rests on the story of a child. But if she was, it makes no difference, for no perfon who attended her was affected, except her mother, who had a slight sever. She lived and was ill, a mile from the whars, and no person in that neighborhood was afterwards affected. In short, it is not pretended that the infection proceeded from either of these persons—the only persons who could possibly have taken the disease from the trunk of clothing.

It is admitted on all hands that the infection must have proceeded from the house of Isaac Gorham. Now it happens that Mrs. Gorham who was first seized and five days before Mr. Austin and his clerk, had never been near the trunk of clothing, nor was an article of clothing from the sloop carried into the house. For this affertion, I have the authority of Mr. Gorham himself, who is admitted to be a man of veracity.

Had the origin and phenomena of epidemic diseases ever been understood, the people of New-Haven would have foreseen, with

credit, which had been returned into the treasury, after being long used, passing through dirty, sweaty hands, and then being close packed for some weeks, in a hot season. The fact is related to me by Mr. Phenix himself. The attack in the first case, was severe; and on a subsequent occasion, a second attack passed off with a nausea.

a good degree of certainty, that they could not escape pestilence. This will appear from the following facts.

In the winter and spring of 1794, the scarlatina anginosa prevailed generally in New-Haven and the neighboring towns; manifesting a highly pestilential condition of the elements. One case of bilious sever, attended with a vomiting of black matter, occurred as early as the last week in March.

For many months preceding the invalion of the fever, the oyfters, on the coast of Connecticut, were in a very fickly state. Many people can testify to the truth of this fact; but I have an account of it recorded at the time by the late President Stiles. In a letter to his son-in-law, the Rev. Mr. Holmes, of Cambridge in Massachusetts, dated Sept. 25, 1794, he writes, that for twelve months past he had caten very sew oysters, as they were diseased, poor and dropsical. He remarked this of the oysters from New-York to Boston. Those caught on the shores of Bransord, Killingworth, and at Blue-Point on the south side of Long-Island, were intolerable. At the date of the letter they were recovering and becoming more palatable. This is a striking proof of the derangement of the elements.

Further evidence of this fact was furnished by the multitudes of caterpillars which overran the city of New-Haven, in the summer of 1794.* In such numbers were these insects, that they almost covered the trees, sences and houses to the tops of chimneys. The preceding history furnishes many instances of this phenomenon, preceding and accompanying pestilence.

Had these phenomena been understood, the people of New-Haven would have had no occasion to appoint a committee to examin into the causes of the sever. It was hardly possible, in the nature of things, that the human race should escape the calamity of epidemic discases, under the operation of causes so general and powerful.

But these were not all. Mr. Gorham, whose family first suffered by the sever, had, in the month preceding the invasion, cleaned a great number of shad, upon the wharf by his door,

^{*} Some persons say, this was in 1793, but it is not material.

and thrown the garbage, to the amount of a cart load perhaps, into the dock.

The alternate washing of the tide, and action of a hot sun, had rendered the putresaction of this mass of filth extremely rapid; and there being no current to remove it, the stench became intolerable. On the other side of the wharf, a few rods distant, a boat load of clams had been deposited on the mud, that the water, during the slux of the tide, might preserve them; but a great part of them were soon spoiled, and added to the fetor of the atmosphere.

To complete the lift of nuisances, some barrels of damaged pickled cod-sish had been thrown from a store into the dock, and the whole was lest uncovered during the recess of the tide. So noisome was the air of the place, for sometime before the fever appeared, that the proprietor of the wharf desided from his usual morning visits before breakfast. For all these sacts I have the declarations of the persons concerned and eye witnesses.

The putrefaction of flesh, from thirty years observations, I can testify, will not always produce disease. But in a pestilential state of air, the dissolution of flesh is unusually rapid, and the acid evolved, peculiarly noxious. In such circumstances, putrefeent substances of all kinds appear to be powerful auxiliary causes of disease. The condition of the elements accelerates putrefaction, and that putrefaction in turn increases the deleterious quality of the air.*

Under the operation of fo many causes of disease, instead of being surprised at the appearance of a pestilential sever, we are rather to wonder that its ravages were not more extensive.

That the putrefaction of the fish was an exciting cause of the fever in New-Haven, is probable from the early appearance of it in summer. The first cases occurred about the 10th of June, which is earlier than the epidemic pestilence of America usually occurs; and which indicates the existence of strong local causes. What surther confirms this opinion, is, that after a few weeks

^{*} I may add to these causes of the sever, the water of the well used by the people living on the wharf, which happened at that time to be covered over with dead rats in a state of putrefaction. This was discovered by the offensiveness of the water.

the distemper was nearly or wholly extinct. In July died only three persons, and for about two weeks, no new case occurred. But in August, the usual time of the appearance of this disease in this part of America, it broke out with fresh violence. It is probable therefore that the morbid local causes induced the sever in one small spot, before the proper season for it to prevail. These causes being gradually extinguished by the tides and a hot sun, the disease subsided, until the usual season for such severs. The same took place in New-York in 1795—in 1796—and 1798.

That the plague in New-Haven was the effect of a condition of the elements united with local causes, is proved by subsequent events. In the following year, a malignant dysentery originated and prevailed in New-Haven, destroying more lives than the billious plague of 1794. This disease is acknowledged by able physicians to be of the same species as the yellow fever. See Lind on that point, and Rush's Works vol. 5. 5, where it is stated, on the authority of Dr. Woodhouse, that several persons took the yellow fever from soldiers, laboring under the dysentery. It is well known also that an epidemic yellow sever has been converted, by a sudden change of weather, into an epidemic dysentery, and vice versa; as at Baltimore in 1797. It is also true that the yellow sever in autumn passes off in dysentery, as in New-London in 1798. The same is at times true of the plague in Asia.

This difease in 1795, as well as a similar dysentery in Derby in 1794, demonstrated the deleterious condition of the elements in that region or vicinity.

If further evidence was necessary, we have it in the bad state of the water in some of the wells in New-Haven, during the prevalence of these diseases, in which, one of the physicians of the city has informed me, were animalcules visible to the naked eye. This sact corresponds with what occured in Athens, during the plague, where the badness of the water, it is supposed, led the people to ascribe the disease to the poisoning of the wells by the Lacedemonians. A similar sact probably led the Germans, in 1349, to suspect the Jews had poisoned the wells, and on suspection alone to massacre them without mercy. This state of the water, and the sickness of the oysters alone decide the point, that the principal sources of the epidemics of 1794 and 5, were in the elements.

It has been afferted that no person in New-Haven was affected by the fever, without intercourse with the fick or with infected clothing. On careful enquiry, I find this is not true. Several perfons were affected who were not in the rooms, nor even in the houses of the fick, and who could not be exposed, otherways than by passing along the streets. But such persons could not take the fever from the effluvia of the difeafed. Men who suppose this, are unacquainted with the powers of infection. Dr. Chisholm states expressly that the infection of that disease in Grenada never exceeded ten feet; that it was eafy to avoid it, and many who lived in the houses of the diseased, escaped. Med. Repos. vol. 2. 288. Dr. Lind, the ablest writer on the fubject, who spent his whole life in jails and hospitals, has advanced the same doctrin. A great number of sick in a narrow close built street, may render the air of it infectious, but a few diseased persons in the wide streets of New-Haven could not produce this effect. In general however the difease in this place was propagated by infection; the pollution of the atmofphere being confined to a fmall district on and near the wharf, on low ground, to the leeward of the putrid fubflances before mentioned, and near the creek.

But there is one fact that will decide the question relative to the origin of the pestilential fever in New-Haven, and every other place. It is stated by the physicians that all other diseases yielded to this fever. After it appeared in June, the scarlatina subsided, and " in September, when the sever was most prevalent, the inhabitants in general were almost entirely free from every other complaint."

See Dr. Monfon's account of the fever, in my Collection, p. 178. Here we have an infallible criterion by which to determin whether a disease is an epidemic of the place, or introduced and propagated solely by infection. A disease of mere infection can never extinguish other diseases of the place. The small-pox introduced by variolous matter, and communicated to every samily would not absorb a dysentery or scarlet sever prevailing in the same place; every hospital will demonstrate this principle. A disease of mere infection would not affect another disease even

in the next house. Every disease that extinguishes another disease current in a town, is an epidemic originating in that place. It not only proves that the atmosphere will produce that distemper, but it proves that it will produce no other. On this principle I will rest the question, as it regards not only the sever in New-Haven, but every pessionee that ever existed.

The summer of 1794 was, in most places, less sickly than in 2793 and 1795; yet the scarlatina extended its ravages over Connecticut, and Philadelphia and New-York experienced the predominant epidemic constitution. In Philadelphia died from 70 to 100 persons of the bilious plague; in New-York twenty or thirty cases of the same disease indicated the same condition of the atmosphere. It was the general opinion in New-York, that the city was remarkably healthy; but this opinion, so flattering to the people, was a fallacy. The bills of mortality were higher than in healthy years, and this augmented mortality was a produce to the epidemic of the succeeding year.

On the 15th of June was a great cruption of Vesuvius, nearly equal to that of 1779. The lava ran down the mountain on the west and extended to the sea, overwhelming the town of Tome del Greco.

See Universal Mag. for Aug. 1795.

In this year the bilious pestilence prevailed in Baltimore. No suggestion has been made that it was imported, and the physicians and inhabitants seem to admit the disease to have been only a more malignant form of the ordinary autumnal remittent.

In the succeeding winter, the epidemic of the summer and autumn changed, in Philadelphia, into the form of catarrh or pleurify, and in many cases, was attended with delirium and mania. See Rush on this subject.

Pestilential epidemics, or rather the state of the atmosphere which produces them, usually affects the brain, in a most sensible degree. This is obvious from the vertigo, so frequent during sickly periods; pains in the head, dizzincs and nervous debility often complained of by studious men. In some periods, this affection of the brain has appeared in epidemic madness. See the years 1355; 1373 and 4.

A few cases of a disorder of this species appeared in New-Haven and its vicinity in the winter after the pestilence. The patient was seized with a violent pain in the head, between the Os frontis and the Coronal Sutures, which was periodical, commencing about 11 o'clock A. M. and increasing till 2 P. M. In some cases, the paroxism was accompanied with delirium; but the pain was limited to the head, and unattended with sever. Bleeding, purging and opium produced no alleviation; but a blister on the sorehead or temple, soon relieved the patient, and effected a cure. This account is taken from Dr. Hotchkiss, the attending physician.

The winter of 1794-5 was very cold in Europe, and in January 1795, the French troops marched into Amsterdam, over the rivers and canals, on the ice. This severity was to be expected from the great eruption of Vesuvius in the preceding summer.

The catarrh was epidemic in January and February, in the British channel fleet. In one ship it assumed the symptoms of a pure typhus.

Trotter's Med. Naut. p. 366.

In America, the same winter was milder than usual. Perfons walked on the battery at New-York, for pleasure, on Christmas day, with no covering but their ordinary autumnal clothes; and vessels sailed up the Hudson and Connecticut till January. In the latter part of the winter, we had some cold weather, and a cool late spring.

About the 20th of July, began a feries of hot, damp, rainy weather, with light foutherly winds; a feafon answering to the description which Hippocrates has given of a pestilential constitution. Heavy rains were followed by a humid, close, sultry air; no thunder and lightning; no north-westerly winds to cool and refresh the fainting bodies of men. For many weeks the atmosphere was so loaded with vapor, that no electricity could be excited with the best instruments. Fruit perished on the trees and fell half rotten and covered with mold. Sound potatoes from the market perished in my cellar in thirty-six hours. Cabbages rotted off, between the had and the stalk, as they stood

in gardens. The moisture penetrated into the inmost recesses of desks and bureaus, covering books, papers and clothes with mold, under two locks. The walls of houses, and the paper of inner apartments became white with mold and required scraping. This state of the air produced also musketoes without number; while slies disappeared. It is observable that these two kinds of infects thrive in different conditions of the air—flies in a hot, dry air; musketoes, in a hot, moist air.

It is necessary here to correct a mistake of Dr. Currie on bilious severs, page 12, where he mentions the years 1795 and 7 as "wetter and cooler than many preceding seasons." The truth is, the latter part of the summer of 1795, was on an average three degrees by Farenheit, warmer than the weather had been in the ten preceding years. See a letter from Prosessor Kemp in Dr. Bailey on yellow sever, p. 54. In the course of my life, I never experienced a state of air so debilitating and unfriendly to animal spirits, as the month of August 1795. The effects of it are very visible in the bill of mortality for that year in Philadelphia, which contains double the usual number of deaths.

In July of this year appeared the bilious plague in New-York. The first case that excited public attention was that of Dr. Treat, the Health Officer of the port, who fell a victim, on the 29th of the month. His disease has been ascribed by some persons, to insection taken on board a vessel from the West-Indies, the brig Zepher in which a person died, whom Dr. Treat assisted in burying. But it is not probable, that this was a just opinion; as many other persons visited the same vessel, and the wardens of the port were on board, while a part of her cargo, some damaged cosse, was thrown into the stream, without the least inconvenience to their health. The plethoric habit of Dr. Treat, and his great satigue in an open boat and in a burning sun, are sufficient to account for his disease.

But admitting him to have taken his disease from the somes of a sick or dead person, or from the soulness of the brig, the sact does not in the least aid the advocates of infection, for no person, nurse, attendant or visitor, received the distemper from him,

nor did the discase prevail, in the street where he died, during the subsequent season.

It was faid that three or four feamen, belonging to the ship William, were seized with the distemper in consequence of visiting the brig Zepher. But on enquiry, it was found, that these men only came along side of the brig and purchased some fruit. To suppose these men should all take a disease from the brig, when two or three wardens of the port, who were some hours on board, while a damaged cargo was discharged, escaped without the least affection, is ridiculous.

But what cuts short all controversy on this subject, is, that sourteen days at least before the death of Dr. Treat, a man in the hospital died of a similar sever; and the late Dr. Pitt Smith, informed me in the autumn of 1795, that he visited another patient a blacksmith, with a similar disease, early in July. In sact then, the disease was in New-York before the arrival of the supposed infected vessels; and the cases which occurred early in July, were precursors of the epidemic which was to follow.

It must also be observed that the disease in New-York never spread over the whole city. It ran along the low streets on the East river, in what was formerly the swamp and in the narrow alleys. The high grounds in the center of the city, and the western side of the island, were healthy as usual; and the disease, when carried from the infected streets, upon the elevated parts of the city, exhibited no contagion, but disappeared.—A small part only of the citizens sled; most of them remained, and pursued their occupations, in the greatest part of the city, with persect safety. The deaths were about seven hundred and thirty; among which at least sive hundred were foreigners, most of whom had recently arrived from Scotland and Ireland.* The mortality in New-York was mostly owing to this influx of foreigners, not seasoned to our climate.

This fever in New-York was preceded in fpring by epidemic meafles, which disappeared totally during the three months, when

^{*} Four hundred and fixty two belonged to the Catholic Congregation under the Rev. Mr. O'Brien, most of whom had been so short a time in the country, that he did not know them,

the fever was the ruling disease, and re-appeared in November—a decisive evidence that the sever was produced and controlled by the same cause, as the measles.

In this year also appeared the same disease at a landing, called Mill-river sour miles from Fairsfield, in Connecticut, and about sixty miles from New-York—a small village, near the water. It was reported that this distemper was propagated at Mill-river, by insected persons from New-York. I have taken pains to enquire carefully of both the attending physicians and the clergymen, who visited the sick, who all agree, that one man from New-York had died of the sever in the village, that summer, and he was dead, three weeks before, Mr. Tharp, the first man seized, was taken ill.

The disease affected others of his family, but spread no further; and the gentlemen abovementioned do not believe it to have been derived from imported infection.

The bilious remittent fever, is annually the disease of autumn in some parts of the southern states; and strangers, visiting that country from the Delaware to Florida, in the hot season run the hazard of a fever. Drs. Taylor and Hansford, two old practitioners in Norfolk, Virginia, speaking of the yellow sever of 1795, say, "The same sever, with all its malignant and uncontrollable symptoms, occurs every year, in scattered instances, and about the same season."

See my Collection on Bilious Fevers, p. 151.

But during pestilential periods, this disease in that unhealthy country, takes a wider spread, and becomes infectious.

In 1795 this was the case at Norfolk—a town that is situated on low stat land, a few feet only above high-water, and subject to autumnal severs. The disease prevailed most in the narrow streets and poor small houses, and was most satal to strangers.

Two remarkable facts occurred there and are related in the account last cited, to prove that the disease was occasioned solely by a general state of the atmosphere in and about the town, without a dependence on insection. The first is, that traders who visited the port, althouthey were not known to have had intercourse with the sick, took the disease and died on their return into the country. But a more remarkable sact is, that the

feamen of a ship from Liverpool, which did not approach nearer than sive miles distance from the town, and which had no communication with the shore, except by means of the healthboat, were almost all attacked with the disease, in ten days after their arrival. This was late in the season, and when the disease had nearly disappeared in town.

In the year 1794 feveral cases of the same disease had occurred in Norsolk. In 1797 the disease was again frequent. In 1795 and 7, the disease was supposed to have been augmented by the great rains and sloods which had preceded, and which had brought down the river and spread on the shores, large quantities of vegetable substances.

The extreme unhealthiness of the summer of 1795, was manifested by unusual mortality in various other parts of the country. On the level plains of Duchess county in New-York state, prevailed a mortal dysentery and typhus sever. At Coxsakie on the west of the Hudson, raged similar diseases with statal essects. In some western parts of the state, near the marshes which border the waters of the country, a malignant bilious sever was more terribly statal, than the sever in New York.

In Sheffield, a western township of Massachusetts, near two large ponds which form marshy grounds, bilious severs, which had not been known there for many years, before, prevailed and in some cases were mortal.

See Dr. Buel's account of these diseases, in my Collection, p. 53.

In that town, the progressiveness of the morbid principle of this pestilential period, was clearly discoverable. Many cases of intermittents occurred in 1793; and a few instances of bilious remittents. This was during the plague in Philadelphia. In 1794, early in spring, inflammatory diseases of the pneumonic kind, were unusually frequent. These were succeeded by intermittents, which were more frequent than in the preceding year. In July, the bilious remittent appeared, and 80 inhabitants out of 150, who lived within a mile and a half of the south pond, were affected. In 1795, of 200 inhabitants within three souths of a mile distant from the north pond, 150 were affected with the same disease—but sew died.

In 1796, the dysentery, which had not appeared in many preceding years, began its attacks on children, and not long after adults were taken either with the same disease or with the bilious remittent. Of one hundred samilies living within a mile and a half of one of the ponds, not ten escaped sickness—more than half of the inhabitants were, in the course of the season, attacked with one or other of the above mentioned diseases. Of 150 persons who lived nearest to the pond, not ten escaped. The deaths by these diseases were forty-sour. Here then was a regular increase of malignancy in the autumnal diseases, from intermittents, to the worst form of dysentery and bilious remittent.

Med. Repos. vol. 1. 456.

In the preceding period, great mortality prevailed among the geefe in some parts of our country; and in the year 1796, a similar mortality among other sowls. I have not been able to obtain a particular description of the symptoms, but it was observed the transition from apparent health to death, was very rapid.

In 1796 the meafles which commenced in New-York in 1795 was epidemic in Connecticut; and unufually prevalent in London.

In 1796 also the bilious plague again appeared in New-York, but in a different quarter of the city from that which was principally affected, the year preceding. In 1795, it began and was most general in the north-eastern part-in 1796, in the fouthwestern part, near the battery; and in both summers, its seat was along the wharves on the East river, and in the adjoining streets and alleys. All this part of the city is a level, formed by extending the land and wharves into the Ea't river. The land is of course loose and porous, admitting, in many places, the water of the fea into the cellars of the houses; some of which are penetrated, on every flux of the tide. These artificial streets, Front and Water streets, are not easily washed clean, on account of their level polition, and they receive the filth walhed from the higher grounds of the city. To these streets, and similar ones in the fwamp on the north-east, was the malignant distemper principally limited.

In 1796 a new wharf below Exchange slip, which had been timbered the preceding autumn, and left unfilled, had become a

refervoir for all kinds of putrid, filthy fubstances, and was supposed to be a powerful cause of disease.

Befides, the quarter in which the difease raged this year, is almost wholly covered with old wooden houses, and many of them, built before the raising and paving of the street, have their lower floors two or three seet below the surface of the pavements. In this district appeared the yellow sever in June; but a series of rainy weather and cool westerly winds, suspended its action, in the beginning of July. Succeeding hot weather renewed it, and in the limits above described, extending about forty or sifty rods, about seventy persons fell victims. The other parts of the city remained in the usual autumnal state of health, with only a few scattering cases of the plague.

At Wilmington, North-Carolina, prevailed a fimilar difeafe. It was preceded by the dyfentery, in July, after a very wet spring. When the bilious fever commenced in August, the dysentery declined, and those who had been affected with it escaped the sever. About one hundred and fifty deaths, by these two forms of disease, occurred in 130 samilies. Different opinions were entertained about the origin of the sever; but the physician who gives this account has no doubts of its domestic origin. He informs us surther that a few cases, in that town, occur annually, which assume all the symptoms of a violent yellow sever.

Med. Repos. vol. 2. 153. Dr. Rosset's letter.

In this year, the disease occasioned a considerable mortality in Charleston, South-Carolina, and in Newburyport, in Massachusetts. It appeared in Boston also, but was not general nor severe.

In Charleston, it succeeded one of the most destructive fires, ever known in that city; and was in part ascribed to the stagnant water which accumulated in the open cellars.

In Newburyport, there was no plaufible pretext for ascribing the disease to imported insection; and the general belief was, that the immediate exciting cause, was, the remains of large quantities of fish which had been left to corrupt on the wharf, near which the distemper originated, and which occasioned an intolerable stench. But in that town, a previous increase of mortality indicated a sickly state of the elements; as in all other places, where

the pestilence has made its appearance. In none of the northern states, which are usually healthy, has the bilious plague occurred without other diseases for precursors.—The disease in Newbury-port was confined to a low street or two, and when carried upon the high grounds, it exhibited little or no infection, but disappeared with the death or recovery of the patient.

M. S. Letter from Nicholas Pike, Efq.

In Boston, the disease spread only in a small part of the town, adjoining the water. The physicians were unanimously of opinion, that it was not occasioned by any somites from infected articles imported, but generated in the town.

See Dr Warren's Letter in the Medical Repolitory, vol. 1. p. 136.

The pestilential state of the elements was strongly marked, this year, by the poorness of the shad brought to market in New York. These were all thin, lean and small; and for this reason, I purchased none for my own use, during the season. Other persons observed the sact; and I am since informed that such of those sish as were pickled, perished in desiance of all human care to preserve them. The same state of the shad was observed in Connecticut.

Some cases of yellow sever occurred in Philadelphia in 1796; catarrh was frequent in the winter, sollowed by measles of a most inflammatory nature. A remarkable halo appeared on the 25th of July.

Rush, vol. 5. 9.

It has been already observed that the winter of 1795, was remarkably severe in Europe. In America the same winter was as mild as usual. But in the summer and autumn of 1796, the northern states experienced a most severe drouth.

The following winter was very fevere; the cold exceeding what is usual, and being of long duration. The summer of 1797 was cool and wet. The winter of 1797-8 was severe—and the cold of very long duration. It commenced early in November and continued till March. The Hudson and Connecticut were closed in November; a very rare occurrence. For several weeks in November and December, the wind, without much snow on the earth along the Atlantic coast, was from the aorth-west and intensely dry and cold.

In August 1797 appeared a comet, which, according to calculations of astronomers, passed near the earth, altho it was of small apparent magnitude, and seen by sew people.

The influence of this species of bodies in occasioning great tides, and violent storms, has been already mentioned, and of that influence, in the prefent instance, I was a witness. my refidence was, as it had been the preceding year, on a height of York Island near Corlaer's Hook to the northward of which is a flat, which is never covered with water by a common tide, but is overspread by spring tides, or any unusual swell in consequence of easterly winds. I observed, as early as the last week in May, high tides were unufually frequent and the fwell extraordinary. In the city of New-York, the fame fact was observable; and the inhabitants about Beekman slip will recollect how often the wharves and street were covered with water. These tides were not to be accounted for, on any known principles of lunar influence, and I frequently mentioned the phenomenon to my friends, but without suspecting the cause. fame phenomenon was noticed at other places. In Norfolk, the epidemic fever was, in part, ascribed to unusual tides; as I was afterwards informed. On the Delaware, the overflowing of the low lands, below Philadelphia, was extraordinary, and fome phyficians afcribe to this cause the yellow fever, which swept away most of a family by the name of Whitall.

I was lately mentioning these events to a respectable gentleman in Stamford,* who instantly recollected a sact which confirms the foregoing account. He remarked that the common practice in that town, is to mow the salt meadows, at the quadratures of the moon, on account of small tides; but in 1797, the calculations sailed, and the people were much troubled to collect their hay, on account of high tides—a circumstance that was very surprising to him at the time, but he did not advert to the probable cause. This was in August; about the time that the comet was sirst observed. The sact then of the influence of comets, in raising the waters of the ocean, is well established; and the

E The Hon. John Davenport, now representative in Congress.

appearance of a comet in autumn explained the phenomena of the tides to my fatisfaction.

The influence of comets in augmenting tempests is equally certain and remarkable.

On the 19th of August, a storm and whirlwind in South Prussia tore up forests carried trees along like sheaves of wheat, and levelled several villages.

In Rome and Naples happened a most extraordinary tempest on the 25th of September, such as the oldest man could not recollect. It took up men and carried them some distance. The astronomers were consulted and they ascribed it to the approximation of the comet.

A storm of hail in the province of Macconnois, in France, and on the borders of Burgundy, destroyed the vines and fruits of the earth in thirty-four villages. In the appropriations made afterwards by the councils of France, four millions were granted to repair the losses by hail, inundations and other disasters.

On the 7th of September, a confiderable shock of earthquake was felt in the Western Pyrenees. On the 28th of the month was a volcanic cruption in Guadaloupe; and many earthquakes occurred during the autumn.

In England, the fummer was fo rainy and wet, as to injure the corn and threaten the inhabitants with fcarcity. It would require pages to relate all the accidents by floods in Great-Britain from August to the close of the year.

During the autumnal months, the Black fea also was unusually tempestuous, and the loss of shipping alarmed Constantinople, with apprehensions of a scarcity of provisions.

In February, 1797, South-America was terribly convulfed. Quito and the neighboring provinces suffered, by the destruction of almost every house. Mountains were detached from their stations and rolled against each other, burying villages in ruin. Volcanocs emitted fire, lava, and rivers of water. It is faid, that 40,000 inhabitants perished.

On the 11th of January 1798 a flock of earthquake was felt in Lancaster, Pennsylvania, and the neighboring towns, during which appeared to issue from the earth a stame or blaze, like the burning of a chimney.

In this month, the fevere cold reached the West-Indies, and frost appeared, for several mornings, on the windows in Port Royal Parish, in Jamaica. A small earthquake was felt there in January.

Royal Gazette, Jan. 29, 1798.

In February 1797 also violent earthquakes were experienced on the western coast of Sumatra, in the East-Indies.

This year, 1797, was remarkable for other fingular phenomena in Europe and America.

In England a pestilence among cats swept away those animals by thousands. It seems that this disease began as early as April, and succeeded an epidemic catarrh among the human race. The same eat-distemper was afterwards epidemic in France. A society at Montpolier instituted an enquiry into this remarkable phenomenon.

The cat-distemper appeared in Philadelphia, as early as June, and proceeded northward and eastward, like the catarrh of 1789. In August it was very fatal in New-York, and in the course of the summer and autumn, it spread destruction among those animals over the northern states.

In August, dead sish, in great numbers, were seen to float down James' river, in Virginia, for many days in succession.

Canine madness, during the same year, was unusually epidemic and attended with satal effects, of which sull accounts may be seen in the first volume of the Medical Repository.

These phenomena indicate an unhealthy state of the elements. But it is a remarkable sact that, in some places and seasons, the principal sorce of the epidemic constitution seems to be spent on one species of animals, while others are exempt. Thus in England, the catarrh, which had affected mankind in 1797, ceased, before the epidemic seized the cats. In America, the northern states, with the exception of a few places, were remarkably healthy, in 1797, while cats died in multitudes. And it is a frequent occurrence in Europe, that while the plague or some other malignant disease is afflicting the human race in one country; in another country, mankind will escape, and a most terrible mortality will occur among cattle, horses or sheep.

In 1797 the bills of mortality in the northern states, which had been swelled very high by angina and malignant severs, fell nearly to the standard of health. There are a few exceptions.

The plague appeared in Philadelphia, Baltimore, Norfolk and Charleston. In the two latter cities, it is considered, as the usual autumnal fever, with aggravated symptoms, from seafon or other local or temporary causes.

In Baltimore, the disease appeared first in the form of a common remittent, but increased in malignancy till late in autumn and became infectious. The history of this epidemic is minutely stated by the magistracy of Baltimore, and is too interesting to be passed with a slight notice. The following is a correct abstract of the statement made and published by authority.

The commissioners state to the mayor of the city;

That the first appearance of the fever was near the end of June in two young men, Parkin and M'Kenna, who occupied a warehouse in South-street and who died in a few days. The warehouse was examined, and was found to contain nothing which could be the special cause of the fever; nor is it suggested that they were infected from abroad. No person received the disease from them. From this time till the close of August, West Baltimore remained in a state of unusual health.

In East Baltimore (Fell's Point) a bilious fever had showed itself early in the season, and gradually spread and grew worse; but was supposed to be no other than the common sickness of the season. It therefore excited no alarm, till the 26th August, when a rumor prevailed, that the sever was something more than common. The chairman of the board addressed a letter to each of the physicians in that part of the city, requesting to be informed whether any case of contagious disease had come under his observation.

Dr. John Coulter wrote for answer that since the third week in June, a sever had prevailed and become epidemic, affecting all descriptions of people, but mostly those who labored hard, in the heat of the sun, intemperate persons and those who exposed themselves to night air after the labors of the day. The disease was violent, and unless speedily assailed with powerful

remedies, proved fatal. It had on that day, August 26th, become general, and "assumed to itself the sole government of the diseases," in that part of the city. "During the wet weather, in the last of July and beginning of August, it yielded, for near two weeks, to the dysentery," which assemble gave way to a recurrence of the yellow sever. [The reader is desired to note that fact.]

Dr. Coulter calls the fever an epidemic, in contradistinction to imported contagion, and says, "it is in the locality of our atmosphere, the source of which I can perceive in every ten steps I take in our streets, ponds of stagnant water, and sinks of putrid animal and vegetable matters, exhaling perpetually under a hot sun the most offensive effluvia." The conclusion he draws is, that the disease was not individually infectious. He then mentions the uniformity of the symptoms, and the correspondence of the sever with the diseases which have prevailed in that city and in other parts of the continent for a number of years past. He enumerates the symptoms, which are exactly the same, as observed in New-Haven, New-York and Philadelphia.

Doctors Alexander and Jaquitt agree in the facts that the difeafe was not imported nor specifically contagious.

The board of health then called a meeting of the physicians in West Baltimore, and inquired whether any contagious sickness had come under their knowledge. They answered in the negative. Three of their number, at the request of the meeting, went to East Baltimore and visited a number of the sick. They reported on the 29th of August, that the disease was not a malignant, contagious or yellow sever, but the bilious remittent. Their report quieted the alarms of people.

On the 2d of September the commissioners were alarmed with the opinion of the physicians in that part of the city, that the disease was something more than common.

Five members of the board, with Dr. Moores, went to the point to examin for themselves. They found the disease had spread, chiefly among the poor, who lived in confined dwellings—a few persons were dangerously ill; but on the whole, were sonvinced that the disease was not contagious.

The next week, the diforder assumed a more threatening aspect: The launching of the frigate on the 7th of September, collected many people together, who were exposed to a hot sun and fatigue, which spread the disease to West Baltimore. The next day the board of health received regular information that there was contagion in the disease. A meeting of the faculty was called, and suitable directions given to check and alleviate the callamity.

The whole number of interments in the city and precincts from August 1 to October 29th—Adults 408; children 137. Total 545. Number of inhabitants at Fell's Point (where the disease principally raged) who removed during the sickness 671. Those who remained were 2679. Total 3350.

This plain and candid narrative of facts, which is certified by the prefidents of both branches of the city council and by the mayor, Mr. Calhoun, does great honor to the integrity and diligence of the commissioners; and if the laws of nature are to be relied on as uniform in their operation, this report alone will decide every disputed point relative to the origin and phenomena of the yellow fever.

It is here decided by unequivocal evidence; evidence that precludes the carping of prejudice and the cafuistry of interest, that the yellow fever and the bilious remittent are the fame disease, differing only in degrees of violence; and it is agreed on all hands that the remitting and intermitting severs are the same disease, with a similar difference in violence.

The disease began at Baltimore early in the season, in June, and for more than two months, prevailed as a remitting sever of the common kind, without insection, and it is agreed on all hands not to be of imported origin. During a wet season, the damp weather cash the disease upon the intestines, and it appeared in the form of a dysentery—a most important sact, which proves what Dr. Lind has afferted, that a dysentery is a yellow or malignant sever seated in the bowels. The wet weather ceasing, the sever resumed its former appearance, and gradually increased, till it exhibited its worst forms and became infestious.

Had the advocates for the domestic origin of this fever contrived and directed a series of facts, to prove their own doctrines, it would not have been possible to collect stronger evidence in their favor, than the report of the board of health in Baltimore.

In Philadelphia, the difease in 1797 appeared, in a few cases, as early as June-one on the 5th-one on the 9th-one on the 15th and another on the 22d. These cases, instead of being confidered as proofs of a pestilential air, and precursors of more general fickness, are thrown entirely out of the question, by the advocates of imported fomites. The division of opinions, which originated in 1793, relative to the causes and origin of that diseafe, was revived with afperity. One party among physicians contended that the distemper was introduced into the city by the ship Arethusa, which arrived from Jamaica and Havanna, on the 23d of July. Another party believed the sources of the disease to have been, noxious exhalations from putrid substances in the city, with an augment from the foul air of the fnow Navigation from Marseilles. The evidence to support each of these opinions, is published in the proceedings of the College of Physicians, and of the Academy of Medicin.

The city of Philadelphia was deferted by a great proportion of its inhabitants, and thus the mortality was limited to about one thousand victims. It prevailed principally in the suburbs.

This epidemic was followed as usual by the influenza.

By foreign publications, it appears that the catarrh was epidemic in England in the four first months of 1797. I have no particulars of the violence or extent of this disorder; but if it was severe and general, no event is more certain than that sickly seasons will follow.

What confirms this opinion, is, that in the following summer, the plague raged in Constantinople, on the Barbary coast, and in Corsica. It appears by an official letter of the French minister Sotin, that there was a difference of opinion in regard to the epidemic in Corsica—some calling it the plague; others, a malignant sever. Those who called it the plague, were prepared to account for it, by the tale of a Turkish vessel wrecked, upon the island, with diseased people on board. But the disease subsided without very extensive ravages.

This malignant fever however occasioned no small alarm in England. The government fent orders to ships cruising in the

Mediterranean to have no communication with vessels from Corfica, and a proclamation was issued ordering strict quarantine to be performed by all vessels from Corsica, Minorca, Gibraltar and Spain within the Mediterranean.

In 1797 the bilious plague carried off forty-five of the inhabitants of Providence. Of this difease, I have a minute and judicious account from Mr. Moses Brown, which is here abridged.

In 1791, the year when the disease first appeared in the West-Indies and New-York, several persons died of a similar sever in Providence. Two women died in one samily, near the centre of the town, after three days illness. They vomitted bilious matter, and were yellow, with livid and purple spots. The second, being seized two days after the death of the first, might have taken the disease by insection; but no suspicion existed that the first had access to any insecting cause.

On the 14th of August died another person in a different part of the town, and on the 21st of September, a sourth, with similar symptoms. As no alarm had then been excited by yellow sever, little notice was taken of these cases; but the attending physician, a respectable character, who visited many patients in 1797 and was affected with the disease himself, has since pronounced the disease of 1791 and of 1797 to be the same.

A case very similar to these occurred in September 1792; and on the west side of the river, prevailed a singular epidemic, in which persons became yellow, with black urine, costive bowels, pains in the right hypochondrium, without sever. Some had petechial spots, and one person, petechia, vibices and hemhorage, yet the disease was not mortal, nor malignant.

In 1793 a person from Philadelphia was ill and died of the yellow sever in Providence, but no other was infected.

In 1794 feveral persons had the same disease, but they took it probably in Carolina, where they had been on a voyage; the disease did not spread by infection.

On the 11th of July 1795, died Capt. J. Gifford, a respectable man, of the same disease. No infection was supposed in the case—he was buried under arms, but no inconvenience was experienced from it, at the time. Yet two years after, viz. in

1797, his family were affected with the diforder, at the time when it became epidemic in the neighborhood.

Several other cases occurred, in the same year, and one of them exhibited infection.

These cases demonstrate a pestilential principle existing in that town, in every season from 1791 to 1795 inclusive; at the time when other parts of the United States were more severely afflicted. They were the distant precursors of a more general calamity in that town, which did not arrive till 1797.

Sporadic cases of pestilential sever do not render it certain but probable, that the disease will, in a suture season, become epidemic. In 1796 cholera infantum and dysentery were prevalent.

In 1797 the hydrophobia was prevalent in the state of Rhode-Island, as well as in other states. One T. Lyon was bitten by a dog, the wound healed, and he was seized four months after, and died. The pestilence among cats prevailed also in Providence.

In this year also prevailed at Westport in the same state, and on Nantucket island, a very malignant epidemic dysentery. At Westport died 30 patients of 79 who were seized. On Nantucket the disease was less mortal; about 100 died out of 2000 patients. On examination, it was sound that under the house of the samily first seized, there were some barrels of putrid sish, and other nauseous matter.

It was supposed also, that the disease might have been augmented by the essuain of a large pond, at some miles distance, which had become stagnant, silled with grass, and the shores strewed with dead sish. A number of men, on this discovery, opened a trench to drain off the water, and let in the tides, after which, it was supposed, the disease assumed a less malignant aspect.

The pestilential condition of the air at Providence in 1797, manifested itself very early in the season; the first death occurring as early as May 5th—the next on the 25th of June—the third on the 4th of July—the sourch on the 27th—the sisten on the 29th, and the sixth on the sirst of August. The symptoms in all these cases, were the predominant ones of the true yellow

fever; and the bodies exhibited more or less petechiz and vibices. These cases occurred before the arrival of the schooner, to which popular clamor afterwards imputed the whole evil. These were the scattered precursors, which, had the subject of pestilence ever been investigated, with philosophical ingenuity and Christian candor, would have rendered the epidemic a probable event to the citizens of Providence, as early as July and would have taught them to use all human means to avoid or mitigate the calamity.

On the 8th of Augnst arrived the schooner Betsey, Capt. Barton, from the Mole of Cape Nicholas, after 24 days passage. Her cargo was only a few hogsheads of coffee. She lay at the wharf, till the 20th, when an increasing alarm from new cases of the sever induced the police to order her to be removed and cleansed.

On enquiry, it was found that three of the schooner's people had been ill in the West-Indies, but no one died. One of these only had been ill on the passage, but had recovered so as to do duty, seven days before her arrival. There were sive perfons on board, during the passage, none of whom were affected by disease from insection or other cause.

The death of Mr. Arnold, the custom-house officer, who was said to have visited the schooner, and several of his samily, gave rise to the report that the sever began from some on board of her. This point will be hereafter disproved. Certain it is, that another officer of the customs slept on board of the schooner seven nights; another sive, and another young man two nights, with Brown, the owner of the blankets hereafter to be mentioned; all of whom escaped disease of any kind.

It was also said that the woman who washed two blankets, belonging to a diseased seaman, took the sever and died. On investigation, this proved to be an idle tale. The blankets were owned by one Brown, who had not been sick; and not having any use for them in warm weather, they had lain in his chest. On his arrival, they were carried home, spread out on the sence to air; they were then carried to his sister's to be washed and lay two days before the work was undertaken. The day

after the washing, the women were taken ill; which was two early for the operation of infection, unless highly concentrated. But in fact the blankets were not infected; never having been used by any diseased person; and the mother and others who handled them, when sirst opened, never had the disease.

But stronger circumstances attended this case. The blankes belonging to Rophy, the only sick man, on the passage, and his other clothes, worn during his sever, and colored yellow, by his perspiration, were carried to his house; the blanket spread out for children to play on, before it was washed; afterwards washed by his wife; and no person took any disease from his clothes or blanket.

Such are tales of imported diseases, raised by ignorance and propagated by interest, pride or credulity, to which the business of the merchants and the commerce of the country are to be facrificed!

Many other reports were spread about the infection from this schooner which, upon strict enquiry, were found to be equally Such as the introduction of the fever into Warren, groundless. where the vessel stopped, on her way to Providence. The case was, one Cole, an officer of the customs, sculled a large boat a mile or two, against the tide, in a foggy evening; went on board, wet and fatigued; without refreshment or change of clothes, flept in a cabin with broken windows, took a fevere cold; repeated his visit to the schooner the next day; on the third day went to Providence, a distance of ten miles in the rain; tarried two nights without a change of clothes; returned on foot, and was taken ill of a bilious fever and died in about feven days. Yet after all this fatigue and imprudence in the man, enough in all confcience to kill him, men are found weak enough to charge his difeafe to the schooner.

But it happens, that other fimilar cases of sever occurred in Warren, in persons who had never visited Cole or the schooner; and one at the distance of three miles from the town. The whole tale therefore comes to nothing.

One fact more, and I will quit the subject of correcting the popular errors on this head. The men belonging to the schooner

were dismissed at Providence and returned to their families, with their sea clothes of course. My informant took pains to enquire of every family, whether any of them had been infected; and he found not one instance, altho the families consisted of about forty souls!—The case of the unsortunate family of Mr. Arnold would afford some slight ground to suspect the insection to be communicated from the schooner to him or his son, the latter having visited her; but it happens that Mr. Arnold's wise, who had not been on board, nor otherwise exposed, was seized sifty-six hours before her son and more than three days before her husband. Thus the reports of insection from abroad, when well sifted, vanish into smoke; and I am persuaded this would generally be the result, if men would be faithful to themselves, to truth and their country.

On the 12th of August, the sever took a more rapidly pread, probably from a sudden alarm by the burning of two tons of hemp, by means of a spark from a blacksmith's shop, as it was passing the door. This was four days after the arrival of the schooner, and occasioned the popular clamor which was raised about her insection. But the appearance of the disease long before her arrival is decisive of the question.

This disease had its own atmosphere; raging mostly in a part of Providence much exposed to the essure of great collections of filth in vaults, from a distillery, and in other places. Some cases however occurred in other situations; and many parts of the state exhibited the pestilential principle, in sporadic cases, or local epidemics, as at Bristol, Warren, Greenwich, Indian Point, Gloucester, Warwick, &c.

In Providence, the discase affected fifty-six families—8 before the arrival of the schooner, and 48 afterwards. In 33 of these families, only one person in each, had the sever; and as some of the samilies are large, the insecting principle could not have been very powerful. In the large house, where lived the women who were first taken ill, after the schooner arrived, resided 9

[&]quot;It is not rendered certain that the father had been on board; but that the fen had, is not questioned; so had at least one hundred others, who were not afterward assected with the disease.

families, confifting of 37 perfons, only 12 of which were affected. In the hospital the nurses and attendants all escaped.

Some instances of this disease appeared in the following winter; and there were cases also of the ulcerous fore throat. In the north part of the town, some cases of the yellow sever occurred in the last summer—1798.

In 1797 a malignant fever is faid to have been introduced into a village in Chatham, on Connecticut river, by a vessel from the Wess-Indies. I understand that it was confined to a cluster of houses by the water; but I have not been able to collect the facts in detail, altho I have written letters for the purpose.

During the late peftilential period, the flate of the atmosphere produced its usual effects in winter; which appeared in the extraordinary symptoms of pleurisy and peripneumony.

It has already been remarked that in periods when plague and other mortal epidemics rage in fummer, the difeases of winter assume new symptoms. The pleurify, at such times, has often become epidemic and even infectious. It is in sact a modification of the same pestilential principle, as that which renders bilious severs in summer epidemic and infectious. The satal effects of this species of pleurify in Connecticut, in the winter of 1761, have been mentioned.

In the winter of 1795-6, after the epidemic in New-York, feveral cases of a similar kind occurred, and an able physician of plethoric habit and strong sibres, fell a victim to a peripneumony, with anomalous symptoms.

In the following winter, a fimilar diforder attacked many people in Connecticut. Three men in Hartford, of one family, two brothers and a cousin, all men of robust health, were attacked and carried off in the compass of a few days. Others of the same family, and several persons of a similar habit were affected, but recovered. It was far less general than in 1761.

This species of pleurify appeared in Philadelphia as early as September 1791, the month when the malignant sever prevailed in New-York. A patient of Dr. Rush had a "red face, inslamed eyes, a perpetual tossing and sighing, strong animal powers, but weak pulse and sizy blood." In February 1792 many cases of similar pleuritic severs occurred in Philadelphia—diseases as

fumed the inflammatory diathefis which has remarkably characterized the epidemic of the last pestilential period.

In the fpring of the year 1798, a mortal fever raged in Fredericktown, Maryland, beginning with lassitude, chills and pain in the head, and producing, on the third day, vertigo and spasin in the breast.

Letter from Dr. Baltzell to Dr. Rush, dated May 2, 1798.

In fummer and autumn of 1797, a malignant fever, attended with dysentery, was epidemic in Portland and its vicinity, in the district of Maine. The dysentery subsided in October, but the sever continued. It appeared in the country, as well as town; and was usually conquered by the use of alkaline remedies. Many of the patients had a yellow skin and the predominant symptoms of the yellow sever of our cities. In one instance, this disease put on the form of pestilence. A merchant, in a country village, where no suspicion of insection could be entertained, was seized with a malignant sever; he lingered till the 36th day, and died highly puttid. His nurse was seized and died; after death appeared livid spots on the body. A servant also took the disease and died. The nurse communicated the disease to three persons in the family where she lay ill.

This last instance is decisive evidence that the pestilential yellow sever not only originates in our country, but in villages, in the 44th degree of latitude, a more temperate climate than that of New-York and Philadelphia.

In the winter fucceeding, the peffilential principle still exhibited its effects. The fever continued to prevail, being ushered in with nausea, vomiting and chills succeeded by heat; but it was generally accompanied with a fore throat and scarlet efflorescence. It prevailed in almost every town in the county.

Dr. Barker's letter, Med. Repof. vol. 2. 147.

The year 1798 was remarkable for the most general prevalence of the plague of our climate, that has been known; and in some cities, the disease was peculiarly malignant.

The preceding winter had been unufually long and cold—the May following was dry beyond what is recollected in any former years—June was remarkable for deluging rains, which occasioned floods in the Connecticut, Delaware and Susquehannah rivers,

which did no inconfiderable injury. Two or three of the first days of July were excessively hot, and succeeded by twenty days of very cool weather—then commenced a long period of the most fultry weather ever known in our climate, accompanied, in some places, with great rains.

Catarrhous fevers were frequent in the spring, the constant forerunners of autumnal sickness. Bilious severs also occurred, in a few cases very early, indicating the predominant condition of the atmosphere. In summer and autumn, the grass-hoppers multiplied to such a degree from Pennsylvania to New-England, as to devour vegetables, and effentially injure the pastures and grass fields.

The peftilential fever in Philadelphia appeared early in the feafon—a number of cases in June, and still more in July. In August early, the city was alarmed and soon deserted by at least three fourths of its inhabitants. The disease was unusually mortal; and extended to the remotest parts of the city, where it had not formerly prevailed. Owing to this circumstance, some families suffered, which had escaped in sormer years. The number of deaths amounted to about 3440. The disease, as usual, abated with the appearance of frost; but individuals were attacked with it, and carried off, in the midst of the following winter.

It is alledged by some persons that the sever was introduced into Philadelphia by the ship Deborah, which arrived from Jeremie, and anchored near Race-street wharf, on the 18th of July. It is admitted that persons who went on board, soon after sickened and died; and so did others sicken and die, without going near that ship. The truth is, many cases of the disease had occurred three or sour weeks, before her arrival. The ship had lost people by sever on her passage and might be insected; and persons visiting her might receive that insection; but these sacts do not reach the point. The epidemic began in all parts of the city, in scattering cases, previous to the arrival of this fomes, and had the ship never arrived, that epidemic would have ravaged the city. This is evident from the number of its precursors.

This pestilential fever carried off fifty-seven persons in the

village of Marcus Hook, where the first persons seized were a shallop-man and others from Philadelphia. But many cases occurred which could be traced to no infection. See Dr. Sayre's letter in Currie's Memoirs, p. 136. In Chester died 50 of the same sever.

At Wilmington, in the state of Delaware, thirty miles from Philadelphia, the same disease raged with more than its ordinary mortality. Its victims amounted to 250. It appears that the disease was introduced by the fugitives from Philadelphia, and by watermen who ply between Wilmington and Philadelphia.

See Dr. Tilton's letter in Dr. Currie's Memoirs, p. 138.

The fever also prevailed in New-Castle and at Duck creek in the same state.

Letters from respectable physicians, in the public prints, have informed us that this disease prevailed also in some parts of New-Jersey, as at Bridgetown and Woodbury; and especially near the meadows on the borders of the Delaware. From careful examination, it was found that the disease must have originated where it existed; no intercourse having been held with insected places. In some instances the sever was probably insectious.

At Norwalk in Connecticut feveral persons died of the same distemper. The physicians are doubtful as to its origin; as some cases may be traced to a diseased person who had been in New-York. Three cases however occurred at some miles distance from the heart of the town, in persons who had not been in the least exposed to infection.

M. S. letter from Dr. Betts.

In the first week of August, appeared a bilious sever in New-York, between Old slip and Coenties slip, in the street next to the water; a place remarked for great accumulations of filthy substances. By the exertions of the Health Commissioners, in covering these nuisances with fresh carth, this alarming sever subsided in that neighborhood, and disappeared by the 26th of that month.

But on the 12th, the pestilential fever appeared in other parts of the city, and about the 20th, began to extend and assume a more formidable aspect. The district of the city, subjected to its most deadly effects, was that section comprehended between

John-street and Beekman-street, particularly in Cliff-street and its neighborhood. The probable cause of this effect, was the setted air from large quantities of spoiled beef, stored in the cellars in Pearl-street, on the windward side of this section. The cellars were silled with water by heavy rains, or were otherwise damp; which circumstance, added to the extreme heat of the season, occasioned a greater loss of salted provisions, than perhaps was ever before known. To augment the effect, large quantities of pickle had been discharged, in the process of repacking beef not yet spoiled, but in a bad state, which pickle had been carried by the gutters into a sewer in Burling slip, from which issued a very offensive smell.*

About the last of August, the inhabitants of New-York were greatly alarmed; some removed from the east to the west side of Broadway, a part of the city which has hitherto been exempted from the violent effects of the yellow sever; but a great proportion of the people deserted the city. The disease was more malignant, than in its preceding visits, and exhibited more frequently the bubo and carbuncle. It extended over two thirds of the city, and numbered with the dead about two thousand of its inhabitants. I am informed the disease was less generally characterized with the inflammatory diathesis, and that venesection was less generally attended with falutary effects, than in former years.

This disease exhibited little infection, beyond the limits of its own amosphere. In the hospital, at a little distance from the

* There is reason to believe, that salt, if not sufficient to preserve the article to which it is applied, renders it doubly noxious in a state of putresaction; and that a small quantity of salt will accelerate the process of putresaction. From an experiment related to me by Mr. Moses Brown of Providence, it is proved that a piece of slesh, in pure water, will not putresy as soon as in water, in which a few grains of salt have been dissolved.

Do not the faline particles of the air, on the sea coast, render the putrefaction of sless and vegetables more rapid, and the exhalations more deleterious, than perfectly fresh water? And is not this one cause, why pestilential diseases appear first, and are most general, in maritime places?

Dr. Cogiwell informs me that a boat-man on Connecticut river, in the hot weather of 1798, contracted a violent fever of which he died, by sleeping in an open boat, near a quantity of pickle which had leaked out of a barrel of salted provisions. The disease was of a very manifement kind,

city, were admitted about 300 patients, ill with that disease; yet sixteen nurses, seven washerwomen, and the boatmen who conveyed the sick from the city to the hospital, all escaped. Dr. Douglass, the attending physician, escaped the disease, until October, when he visited his friends and slept in the city, three days after which he was seized with the sever.

See Letters from the Health-Office, by Dr. Bailey, whose zeal, talents and industry, in his employment, have rarely been equalled.

The last fact is very important towards correcting the popular errors respecting the contagion of this sever. In the city perfons took the sever—in the hospital they did not. That is, the distemper has an atmosphere, in which it is readily contracted—beyond that atmosphere, it is not insectious. In other words, it is a condition of the atmosphere, and not the effluvia from the sick, which is to be dreaded.

Thus, in 1797, the fugitives and fick from Philadelphia did not spread the sever in Wilmington—in 1798, they did. That is, in 1797 the atmosphere of Wilmington would not generate and nurse the disease—in 1798, it would.

In Boston, the disease began near the town dock and the neighboring wharves, in the month of June; but its most violent effects were experienced on the south side of Fort-Hill, an elevated part of the town and exposed to free air. This circumstance has occasioned no small surprise; but as the sever of 1796 began in that part of the town, perhaps we may find the cause in the very extensive slat, between Boston and Dorchester point, which is uncovered at low water; perhaps in the exposure of that hill to the direct rays of the sun; perhaps in the nature of the soil which is clay of a solid texture, and sitted to retain on its surface whatever impure substances are thrown from houses.

The fever afterwards invaded the north part of the town, and a street near the pond; supposed to be excited by noxious exhalations. Some parts of the town, which are low and filthy, escaped the fever.

At first it attacked the most robust young men, and the diathesis was highly inflammatory. Later in the scason, it attacked

persons of all ages and habits. At first it was not infectious, but in the later stages of its progress, it exhibited infection. It disappeared with the arrival of frost, after carrying off nearly 200 patients.

M. S. letter from Dr. Eliot.

See a full account of the difease in a letter from Dr. Rand, published by order of the Academy of Arts and Sciences. This gentleman observes that no insection appeared, except in places where the disease was originally contracted.*

Maisachusetts Mercury, Feb. 8, 1799.

The same malady appeared in Portsmouth, New-Hampshire, with equal mortality, as far as it extended; but its progress was limited to one street near the water.

New-London, in Connecticut, is fituated in a very healthy part of the country, on a harbor, whose shores as well as the surrounding lands, are dry and rocky—its population about 3000 inhabitants.

In the last week in August 1798, this town was suddenly invaded by the plague of our country, which began in the family of Mr. Bingham, keeper of the Union coffee-house. No vessels from the West Indies, no sick from other places, occur, in this instance, to help out popular credulity. The idea of importation is abandoned by the citizens of the town. The sever was very fatal within its atmosphere, which was confined to Bank street and its vicinity; a part of the city well built, clean and airy as any street in the town. Within a small space, were sisten houses, inhabited by ninety-two persons—of which ninety were affected with the disease; thirty-three of this number died, and two only escaped the sever. The disease prevailed about eight weeks and destroyed eighty-one lives.

Printed account of the fever by Charles Holt.

On enquiry I find that this difease in New-London had its precursors, in sporadic cases of the same sever, in the three preceding summers. In 1795, died Dr. Joseph W. Lee with all the symptoms of the yellow sever. Some instances occurred in

That is, infection was attached to the place, rather than to the perfens of the difeafed—a fact which is true of every pestilence.

1796; and in 1797 died of the same, Matthew Griswold, Esq. and soon after his mother; indicating the communication of infection. Yet in these years, it did not spread and become epidemic. The pestilential period however was progressing in that town, as appears by the bills of mortality; for the ordinary number of deaths does not exceed 60 in a healthy year; but in 1795, the number amounted to 86—in 1796, to 80—in 1797, to 101—in 1798, to 133. Here we observe a great augmentation in the mortality of the town, several years before the criss of pestilence, and especially in the year next preceding it. The importance of this sact towards a right understanding of the causes of epidemic pestilence, cannot be mistaken.

Confiderable quantities of falted fish, which lay in certain stores in New-London, and which had not been well cured with the usual quantity of falt, became setid and offensive, altho not putrid, and assumed a red cast with a slimy seeling—it also lost its texture and sirmness. This was opened and spread in the streets for the purpose of being dried; and from its offensiveness and vicinity to the place where the disease first appeared, it is supposed to have been an exciting cause of the sever. This opinion has doubtless some soundation; but putrid fish will not always occasion disease. It is probably true that the bad state of the sish was partly owing to a previous bad state of the air; altho it afterwards became a cause of a worse slate of the air.

What feems to put this beyond doubt, is, the unufual number of musketoes, in the adjacent country, and the multitudes of slies of uncommon fize, exceeding what had been before observed. With these phenomena before our eyes, we can be at no loss to account for the pestilential sever of New-London.

The usual lake and river fever prevailed in the same season, in many of the interior parts of the country; as at Royalton in Vermont, on the Grand Isles in Lake Champlain, at New-Milford in Connecticut, and in various parts of the state of New-York; in which places, it was attended with considerable mortality. Sporadic cases occurred in all parts, and in the healthiest situations, of the country. In many places, intermittents and dysentery were unusually violent and obstinate.

I have no account of the temperature of the weather in any part of Europe, during the fummer of 1798; except that in fome parts of Sweden, the first months of the summer were excessively dry, as the month of May was in America.

A pestilential fever appeared in Italy in June; but I have no details of its progress. It is however to be observed that this fever was preceded by a violent earthquake in some part of the Tuscan territories, in the month of May, which did no small injury.

In autumn broke out a pestilential fever on the Baltic, in Dantzick or its vicinity. The government of Denmark, in confequence of official information of the prevalence of this disease, directed all ships from Dantzick and the neighboring ports to be watched with vigilance, and appointed a committee of quarantine.

According to the report of a master of a vessel, there was an eruption in Tenerisse in the summer of 1798, which lasted several weeks. This volcano had been quiet for 94 years.

In November and December, the pestilence in America was succeeded as usual by influenza, which was very prevalent in all parts of the country, and in the southern states attended with some mortality. This was merely a change of the form of the epidemic.

The winter of 1798-9 was very long and severe in both hemispheres. In the United States, it began about the middle of November, with fnow, and a heavy fall of fnow on the 18th and 19th was followed by fevere cold that lasted till the second week in January. From this time, there was a relaxation of cold for about three weeks, and the ice in Connecticut river gave way. But in February commenced fevere cold, which continued, for the most part to the vernal equinox. April was alfo cold; fevere frosts occurred often, and checked vegetation. On the 2d and 8th of May were confiderable falls of fnow, followed by frost. On the morning of the 4th and 5th, we had ice at New-Haven as thick as window-glass. Peaches blossomed about the middle of May, and apples were not in full bloom, till the 22d. This long duration of cold exhausted all the barns of hay and other fodder, and multitudes of cattle perished in various parts of the country.

In Europe, the winter was equally severe. The rivers in England, Germany, Holland and France were covered with solid ice, and at the breaking up of winter, the Rhine rose and burst its barriers, inundating many parts of Holland with terrible destruction. The severity of the winter was felt even in the south of Italy, and the French and Neapolitan troops suffered greatly from snow on the Appenine, in the vicinity of Naples. In Siberia, we are informed by the public prints, perished whole villages of men and cattle by the severity of the frost.

In America, the diseases of the winter were characterized by the predominant diathesis of the reigning epidemic constitution, a yellow skin and bilious discharges. An earthquake of considerable extent was selt in the Carolinas on the 12th of April. What will be the state of health in the ensuing summer, must be left to be determined by the event. The present pestilence has been long and severe and the citizens look with impatience, for the usual salubrious state of their atmosphere.

In August, about the time the pestilence began to show itself in New-York, immense numbers of slies died suddenly, and occasioned no small speculation and alarm. Some were found on the sloors; others adhering to the ceilings of rooms, and what is singular, their bodies became white. A pestilential air usually generates slies in unusual numbers; but on this occasion, some studden change in the elements, destroyed their lives. How little do we know of the powers of the elements, and the nature of the alterations in them which produce such associations effects. Will imported infection account for such phenomena?

This is the best statement of facts I have been able to make from sixteen months investigation. It is not improbable that some mistakes have occurred, which more time and more ample materials, would enable me to correct. But I trust that the substance of the statements is accurate, and that no error of consequence will be found to result from them, to impeach the general principles suggested in this work.

POSTSCRIPT.

Additional facts, collected on a journey which I made through the Northern States, while this volume was in the prefs.

N the autumn of 1732 raged in New-York a malignant, infectious fever, of which died seventy persons in a few weeks.

M. S. of Mr. Alexander.

In 1745 a malignant bilious fever prevailed in New-York, of which died an eminent physician of the city, Dr. Nicoll. By the description of the disease, given to me by a gentleman who was affected with it, there appears to be no question that it was the same disease now called yellow sever.

About this time, for the year is not exactly known, a malignant epidemic disease laid waste the Indian tribes. By the description of the symptoms, as given by Indian traders, then among the tribes, and still living, it is certain this was the infectious yellow sever. In consequence of this distemper, the Senecas removed their quarters two or three times, in a few years—it being a practice among the natives to abandon the place infected with this plague. The disease was confined to the Indians—the white people, living and trading with them, not being affected.

In 1746 the Mohegan tribe of Indians, between New-London and Norwich, was wasted by the same malady. Dr. Tracy of Norwich now deceased, was the only white man affected—he attended them as their physician. From Mr. Philemon Tracy, a son of the doctor, who has taken the trouble to examin a Mohegan priest, a man of good sense and integrity, who was himself affected by the disorder, I have the following account of this pestilence.—That it appeared in August and prevailed till cold weather—that about one hundred of the tribe perished—that it was the year after the reduction of Cape Breton (of course

in 1746—and Dr. Tracy's books confirm the dates mentioned by the Indian)—that the patient first complained of a severe pain in the head and back, which was followed by sever—in three or four days, the skin turned as yellow as gold, a vomiting of black matter took place and generally a bleeding at the nose and mouth, which continued, till the patient died. These are the words of the old Indian, as penned at the time by my informant.

It will be remarked that this was a local peffilence, the fever being confined to a fingle tribe of Indians and not prevailing in the neighboring towns. But it will be remarked also that this was the same year, it prevailed in Albany, when the bills of mortality were generally high.

I have afcertained that the canker-worm, which lately ravaged the fruit trees in New-England, appeared as early as 1788 or 1789.

A fatal malignant difease raged among the tribes of the Mohawk Indians, about the year 1776, and reduced some of them to a few men.

From Dr. Wheeler of Redhook, on the Hudson, I learn that the angina scarlatina appeared there in January 1789 and prevailed till April—it prevailed also in the two succeeding winters.

The influenza, in that year, first appeared there about the middle of October, and prevailed two months, among all ages and both sexes. Catarrhal coughs have been prevalent every year, since that time. In the spring of 1793, angina scarlatina, mumps and catarrhal coughs prevailed till June, and disappeared. Soon after commenced the remitting sever. In some cases the paroxysms invaded the patient in the form of madness.

The reader will note that in our interior country, the remitting fever of that distinguished year, 1793, had nearly the same spring precursors, as the yellow sever in Philadelphia.

The measles at Redhook in 1795, partook of the character of the preceding epidemic fevers; beginning with a highly inflammatory diathesis, and sometimes ending in typhus, with petechiæ, vibices and hemorrhagy. Pleurisies had the same character.

At Brattleborough, on the Connecticut, a family by the name of Morgan were feized in 1791 with a fever of the typhus kind, and fix of them died. Several persons who visited the family took the disease and died, and there its progress ended. The family resides in a healthy situation, near a small active stream of water; and no visible cause could be assigned for the origin of this distemper. These sacts are taken from Dr. Hall of that town. It will be remembered that this was the year when autumnal diseases first put on the malignant aspect of our late pestilence, when the plague broke out in Egypt and the yellow sever in the West-Indies began to assume what Dr. Chisholm calls unusual symptoms.

Dr. Center of Newport informs me that in 1798 occurred in that place many cases of a bilious sever bearing some resemblance to the infectious sever; and one case of decided carbuncular and glandular plague, in a man of robust constitution. There is no pretence of soreign origin, in any of those cases.

From fundry gentlemen living in Chelsea, a village at the landing in Norwich, I learn that two or three cases of malignant bilious sever occurred there in 1798, marked with the usual symptoms of the insectious sever. Some of these cases could not possibly have been derived from insection. One of the patients might have contracted his disease at New-London.

Dr. Holyoke of Salem, in Massachusetts, informs me that in 1798, many cases of malignant bilious sever occurred in that town, which could not have been derived from infection.

From Dr. Woodruff and Dr. M'Clellan of Albany, I learn that several cases of malignant bilious sever appeared in that city, in 1798, marked with all the symptoms of the pestilence of our cities and which must have originated in that place. About one half who were seized, died.

The first case of influenza at Albany in 1789 is noted by Dr. McClellan to have occurred on the 30th of September. This was precisely the time of its appearance at Philadelphia, and a little after its sirst appearance at New-York. In the country, between New-York and Albany, it did not appear till a week or two later. These facts prove that this disease falls on distant places at the same time.

The fcarlatina anginofa appeared at Albany in the winter and fpring of 1793, about the time it did in New-York and Philadelphia.

In every part of our country, one remark has been made by physicians, that from the year 1792 or 3, intermittents and remittents have become more numerous and obstinate, and attended with unusual symptoms. In many places, these diseases have been multiplied in a ten-fold ratio; elucidating the principles of the great Sydenham, relative to "Constitutions of Air," and demonstrating the existence of a general cause in the insensible properties of the atmosphere, to which we may and must ascribe the pestilence of our maritime towns.

In 1798 multitudes of dead pike were observed to float down the Mohawk and Hudson.

From Dr. Thatcher I learn that for some years past, an autumnal sever has prevailed in Plymouth, in Massachusetts, of the remitting kind, with low typhus symptoms. In winter it takes the type of the nervous sever. It was very prevalent in 1798 in that and a neighboring town.

From Dr. Smith of Hanover, in New-Hampshire, and Drs. Green and Trask of Windsor, in Vermont, I have obtained information respecting a very infectious sever which prevailed in those towns and the vicinity in 1798. This disease is described by Dr. Spalding in the Medical Repository, vol. 3. p. 5. It approaches nearly to the typhus mitior of Cullen, but the siery red eye at the invasion seems to indicate its alliance to the infectious sever of our cities; and it resembles the disease known by the popular name of long sever.

This fever, in Windsor and Hanover, was preceded by dysentery of uncommon malignancy in 1797, which, in Windsor, was attended with an unusual inflammation of the lungs. The disease which preceded these epidemics was the scarlatina anginosa, which was very prevalent in 1796.

It is worthy of notice that in all parts of our country, the autumnal infectious fevers have had precurfors in other epidemics, especially catarrhal complaints and anginas. I do not find an exception to this remark.

This fever at Windsor deserves further to be noticed for its infectious or contagious quality. It was far less fatal, but more infectious than the yellow fever of our cities. Nurses often took the disease, and when they returned to their dwellings in distant towns, rarely failed to communicate it to the whole samily. This is a phenomenon rarely, perhaps never exhibited by the pestilence of our maritime towns, which has an atmosphere of its own out of which it is not communicated.

I have examined personally the positions of many of the towns where this sever and dysentery have been most prevalent, and I find no where any marsh that can rationally be supposed to originate these distempers. In general the towns are situated on a basis of clay, between high ridges of land or mountains, where the heat of the sun is greatly concentrated, and on the margin of rivers. To this description, there are some exceptions as to the soil; some towns being on sand or gravel. The neighborhood of fresh streams of water cannot be admitted as a cause of these severs—nothing being more falubrious than such streams. But I am persuaded from careful observation, that, under a pestilential constitution of air, great heat is the immediate exciting cause of autumnal severs, in situations not exposed to marsh effluvia.

With respect to the origin of the pestilential sever in Portsmouth, in 1798, the sacts are as follow.

A laboring man, who was given to liquor, received his wages on Saturday evening. He was feized with the malignant fever, and died on the next Wednesday. While he lay ill, a vessel arrived which had lost a man or two by the fever on her voyage, but no person was ill on board, at the time of her arrival. Some of the persons who afterwards died of the fever, had been on board of that vessel; but whether they took the disease from infection or not, cannot be known. The first case occurred before the arrival. This is an agreed point. I have these facts from two of the principal gentlemen of that town, one of them a respectable physician; the other, the person who paid the wages to the man who first died. All my enquiries have been made at the sources of correct information; and I find every where popular reports are false or incorrect. Yet popular reports are received as truth by many physicians and writers, and are made the basis of false and pernicious theories, both in America and Europe.

The fever in Portsmouth was limited in its progress to the northern part of the town. In the southern part, at the same time, prevailed a malignant dysentery, which was as mortal as the sever in the northern part. The line of division was drawn by a wide street or square on which stands the court-house. The scarlet sever had been prevalent in the town for two years preceding.

In 1799, the present summer, many persons have taken the pestilential sever from vessels arrived from the West-Indies; but in most, or all cases, the sever has become extinct, without any considerable mortality. In Boston, the mortality was limited to two or three persons.

The case at Newburyport was singular. A vessel went and returned from the West-Indies, without a case of malignant fever; but as she arrived at the mouth of the river Merrimack, 18 days from St. Thomas's, a boy was seized with the fever, and afterwards one or two others. Several persons took the disease and died; but people less the vicinity, and the disorder became extinct. This was a fever generated on board of the vessel.

The beginning of the summer of 1799, tho late, was favorable to vegetation, and the sirst crops were good. Wheat, which had been blasted, for several preceding years, in the eastern states, was excellent.

But in July commenced a most distressing drouth, in all the northern states; and particularly in the middle states, and the interior country; by which the maize, buck-wheat and potatoes were greatly injured. In some parts of the state of New-York, the maize was totally destroyed.

Over the eastern states, a species of caterpillar of small size appeared in unparalleled numbers, covering the wild cherry-tree, the apple, the willow, the ash, and the hickory. In some parts, a large caterpillar, with variegated colors, stripped the black oak of all its leaves. Grass-hoppers were as numerous as the blades of grass, and in some places, injured greatly the grass and other vegetables. But especially to be noted were the small toads of the color described by Fernelius, "Coloris cineritii" like ashes; of the size of a silbert, and in numbers not to be estimated. These were numerous also in 1798. They answer the description of those which medical writers of former ages observed to be the forerunners and companions of pestilence. At what time

they appeared and disappeared, is not exactly known—they were most generally observed in July.

In the fpring prevailed influenza or catarrhal fevers; in some places cynanche maligna; and generally rheumatic complaints, and slight ulcerations of the throat. In many places, the severs of winter were characterized with a yellow skin and bilious discharges. All these marked the continuance of a pestilential atmosphere.

The plague showed itself early, in scattered cases, in Philadelphia; but disappeared, to the unspeakable joy of the inhabitants. Alas! When such cases appear in July, and especially if other diseases in winter and spring manifest symptoms of the prevailing epidemic, it is hardly possible that our citics should escape a petilential sever in autumn. This terrible scourge renewed its ravages in Philadelphia and New-York; and in various parts of our country, bilious severs appeared with malignant symptoms.

At Hartford, on the Connecticut, appeared the malignant fever in August, to the surprise of the inhabitants and of the state. People who have no just ideas of the nature and origin of this disease, attempted to find the cause in some vessel from the West-Indies; but being disappointed, resorted to a small coasting vessel. On examination it appears, that this vessel was used as a market boat between Connecticut river and New-York -the master had died in June, but of what disease, I am not able to learn. Another master took possession of her, and finding her very dirty, with the remains of various vegetables, he overhauled her and gave her a thorough cleanfing. He took in at New-York a cargo of falt, and failed to New-Haven, where the vessel lay some time, about the middle of July. Here the falt was purchased by a merchant of Hartford, and the vessel ordered round to that place, where she arrived and discharged her cargo, in the beginning of August. From the time the vefsel left New-York, to the time of discharging the salt, must have been from four to fix weeks. After leaving Hartford, and going down the river, the master and mate of this vessel were seized with the fever and died. Instead therefore of being imported, the fever was exported.

Some attempts were made to trace all the first cases of the fever to that yessel; but it does not appear that more than one

person who had the discase, was ever on board; and it is proved that most of the persons affected were never near that vessel and never visited the sick. It is proved further that of ten or twelve persons employed in unloading the vessel, not one was ever assected by the malady. Yet even in this case, the silly tale of importation is swallowed with eagerness by the advocates of that doctrin.

I confess myself weary and ashamed of resuting such ground-less opinions and surmises; but it is a task which truth and justice and public happiness demand. The truth is, the spot where this sever arose, is low ground, retaining water to stagnate after the spring sloods—built upon in a crouded irregular manner—extremely silthy—penetrated by a creek which has been dried and neglected, and become the reservoir of every unclean thing—in the vicinity is a slaughter-house, where loads of garbage contribute to render the air soul and noxious. Let any man walk over the ground and examin it with care, as I have done since the sever, and he will be convinced that no imported somes was necessary, in that place, to breed a pessilence.

But one of the strongest arguments to prove the domestic origin of the malady, is, what people rarely consider. Numerous severs of the remitting kind, and typhus mitior, have originated on the same ground, for several years past; and in 1798, two cases of malignant yellow sever—one of which terminated in three days. These severs marked the predominant state of that local atmosphere, and decide the question of domestic origin.

On the 15th of July a tremendous hail storm passed over Connecticut from the westward, attended with violent wind and thunder. The stones and pieces of ice were of various sizes, from that of a walnut to that of a hen's egg. In Goshen, Cornwall, New-Hartford, &c. on the west, and Lebanon, Franklin, &c. on the east of the Connecticut, the grass, corn and every green thing was injured or destroyed; glass was broken, trees galled, and small animals killed. The champain country on the Connecticut was less injured. This storm, unexampled in Connecticut, resembles numberless hail storms described in history, as the precursors and companions of restilence.









BOSTON PUBLIC LIBRARY

3 9999 04667 467 5

